| | INFRASTRUCTURE STANDARD FOR LEVEL 4 HEALTH CENTRE | | | | | |
|----|--|------|---|--|--|--|
| # | DETAILS | REQ. | REMARKS | | | |
| 1 | Number of Beds | 8+5 | 8 Beds for Ward Admission + 5 Private Rooms | | | |
| 2 | Reception | | Minimum 3 Work Station (6 Socket / Workstation, N/W Port) | | | |
| 3 | Public Relation Office Area (Information Counter) | 1 | Small Office Area – Socket / N/W Port | | | |
| 4 | Waiting Area | 20 | Seat Allocated to People who make Memo's for Different Services, Public Relation and Information Counter Should Include Toilet for both Male and Female and This area Should include disability toilet and Area for Feeding Mothers and Newborn changing. | | | |
| | GENERAL CLINICAL SPECIALITIES AND SUB SPECIALITIES | | | | | |
| | OPD NURSES STATION | | | | | |
| 5 | TREATMENT ROOM | 1 | Each 150sq.ft – 9 Sockets , N/W Port Should include: Dirty Utility, Clean Utility. Also, area to keep Wheel Chairs and Trolleys | | | |
| 6 | PROCEDURE ROOM | 1 | Also, area to keep wheer chairs and Troneys | | | |
| | CONSULTATION ROOMS | | | | | |
| 7 | CONSULTATION ROOM / GENERAL OPD | 1 | | | | |
| 8 | GYNAECOLOGY OPD | 1 | Minimum 5 Seats allocated for Each OPD Consultation Room. | | | |
| 9 | PAEDIATRIC OPD | 1 | 100sq.ft - General OPD, Gynecology, Pediatric, Anesthesia and Visiting Consultation Room. 144sq.ft for Dental OPD. | | | |
| 10 | ANESTHETIST OPD | 1 | (Each Room Should Include - 5 Socket, N/W Port) | | | |
| 11 | DENTAL OPD | 1 | | | | |
| 12 | VISITING CONSULTATION ROOM | 1 | | | | |
| | INTENSIVE CARE SETTINGS | | | | | |
| 13 | MINOR OPERATION THEATRE | 1 | Existing Building – 14ft-18ft 10 Socket, 3 N/W Port 1 Bed | | | |
| 14 | EMERGENCY ROOM | 1 | Existing Building – 12ft-14ft – 2 Bed 6 Socket, 3 N/W Port | | | |

| 15 | PAEDIATRIC WARD | 1 | Minimum - 4 beds (Distance Between 2 bed 3.5ft / From Wall 1.5ft) Specific Space Per bed with Nurses Station, 4 Sockets / Beds Should Include Toilet for Male and Female. | | | | |
|-----------------------------|---|---|--|--|--|--|--|
| OUTPATIENT CARE SETTINGS | | | | | | | |
| LABORATORY | | | | | | | |
| 16 | PHLEBETOMY | 1 | With reception and waiting area for lab and blood bank separately. 6 Socket, 2 N/W Ports Phleb area should be separated from the laboratory working area, Including a Patient Toilet. Should include staff toilet. | | | | |
| 17 | LABORATORY CLINICAL AREA FOR INVESTIGATIONS | 1 | 15ft-15ft Area Should Include Storage Area Separately 10 Socket with N/W Port | | | | |
| BLOOD BANK | | | | | | | |
| 18 | DONOR RECEIVING AND BLEEDING AREA | 1 | | | | | |
| 19 | BLOOD STORAGE | 1 | | | | | |
| RADIOLOGY DEPARTMENT | | | | | | | |
| 20 | X-RAY ROOM | 1 | With reception and waiting area Separate from Working Area | | | | |
| 21 | ULTRASOUND SCAN ROOM | 1 | 6 Socket, 2 N/W Ports | | | | |
| SUPPORTING SERVICE SETTINGS | | | | | | | |
| 22 | OFFICE AREA | 1 | Office area with 5 Work Stations 4 Socket / N/W Port for Each Workstation. Separate Room for Manager x 2 4 Socket / N/W Port for Each Room | | | | |
| 23 | MEDICAL STORE | 1 | Store with Shelves – Metal or Wood Rack – with 1 Workstation for Store Keeper. 4 Socket / N/W Port With Required Size Refrigerator | | | | |
| 24 | GENERAL STORE | 1 | Store with Shelves – Metal or Wood Rack – with 1 Workstation for Store Keeper. 4 Socket / N/W Port | | | | |
| 25 | LAUNDRY ROOM | 1 | Laundry Area for Washing, Drying, Ironing Area and Linen Store + House Keeping Area (Complete Set of Industrial Laundry) | | | | |

| 26 | TOILETS | 1 | For Staffs Male and Female Separately |
|----|-----------------------------------|---|--|
| 27 | PHARMACY | 1 | |
| 28 | TEA ROOM | 2 | Minimum 1 Table with six Chairs For Local and Foreigner Separately |
| 29 | CONFERENCE HALL (MEETING ROOM) | 1 | 50 |
| 30 | CHILDREN PLAY AREA | 1 | |
| 31 | CANTEEN | 1 | |
| 32 | DOCTOR'S LOUNGE | 1 | |
| 33 | NURSES LOUNGE | 1 | |
| 34 | PATIENT RAMP FOR EACH FLOOR | 1 | If Foundation is Laid for more than 1 Floor |
| 35 | MEDICAL RECORDS ROOM | 1 | |