



މަޢުލޫމާތު ސަފުހާ

2022 ޖޫން 16 : ތަދުވަނަ : MNU-CA-PAMD/2022/50 : ޖިނީވަރުސިޓީގެ ނަންބަރު

- : ސަފުހާ : - : ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

10:00 : ސަފުހާ : 2022 ޖޫން 25 : ޖިނީވަރުސިޓީގެ ނަންބަރު

ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު
ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު
ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

1. ޖިނީވަރުސިޓީ

ދިވެހިރާއްޖޭގެ ޖުމްހޫރީ ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު
ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

2. ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

3. ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު

ޖިނީވަރުސިޓީގެ ނަންބަރު	ޖިނީވަރުސިޓީގެ ނަންބަރު	#
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު	1
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު	2
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު (ޖިނީވަރުސިޓީގެ ނަންބަރު)	3
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު (ޖިނީވަރުސިޓީގެ ނަންބަރު)	4
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު (ޖިނީވަރުސިޓީގެ ނަންބަރު)	5
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު (ޖިނީވަރުސިޓީގެ ނަންބަރު)	6
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު	7
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު ޖިނީވަރުސިޓީގެ ނަންބަރު (3 ފަހަރު)	8
✓	ޖިނީވަރުސިޓީގެ ނަންބަރު	9

- אשרתפירשם זכרונות מס' 4710 בס' 4 וזכרונות 4710 וזכרונות 4710 אשרתפירשם 4710
- אשרתפירשם זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

13. אשרתפירשם זכרונות

- אשרתפירשם זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- אשרתפירשם זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

14. אשרתפירשם זכרונות

- אשרתפירשם זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- אשרתפירשם זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

15. זכרונות 4710

- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

16. זכרונות 4710

- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

17. זכרונות 4710

- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710

18. זכרונות 4710

- זכרונות 4710 וזכרונות 4710 וזכרונות 4710 וזכרונות 4710
- $0.005 \times CP \times LP$
- $CP = (\text{זכרונות 4710})$



ANNEX 1

Specifications for Video Conferencing System		
Qty: 10 (FHS -01, FE-01, BS-01, FHTS-01, FEST-01, FA-01, CA-03 , CMS-01)		
		Your brand and Specifications
	Minimum Requirements	
Model	AVer VC550 or equivalent	
Dual Lens Camera (CAM550)		
Image Sensor	Sony 4K EXMOR, crystal clear in any lighting	
Frame Rates	(16:9) 4K 30fps; 1920x1080, 1600x900, 1280x720, 960x540, 848x480, 800x448, 640x360 at 60, 30, 15fps. (4:3) 1280x960, 800x600, 640x480 at 60,30,15fps	
Zoom	24X Zoom: 12X Optical, 12X Digital zoom	
Wide Field of View	DFOV 85°, HFOV 76°, VFOV 46°	
Lens Focal Length	3.9mm (wide) ~ 47.3mm (tele)	
Lens F#	1.8 (wide) ~ 2.8 (tele)	
AE, White Balance	Auto, Manual override via PTZApp 2	
Minimum Focus Distance	1.5m	
Motorized Pan & Tilt	Pan: ±170°; Tilt: +90° (up) -30° (down)	
Preset Number	10 via IR remote, 128 via RS323	
Secondary Fixed Lens (AI lens)		
Image sensor:	Sony 4K EXMOR	
Frame rates and resolution:	Set according to PTZ lens settings	
Wide field of view:	DFOV 95°; HFOV 78°; VFOV 50°	
Speakerphone (FONE540)		
Connectivity Options	Wireless Bluetooth / USB Wired for PC	
Microphone Array	Full duplex microphone array speakerphone	
Microphone Pickup	Two omnidirectional microphones support 360° pickup	
Echo Cancellation	Full duplex echo cancellation	
Noise Suppression	Advanced noise suppression	
Voice Processing	Powerful wideband voice processing	
Speaker Volume	Speaker volume: adjustable to 90 dB SPL at 0.5 m	
Connection	3.5 mm line-in (aux) cable connects BYOD smartphones or PCs to use as speakerphones	
Controls	Touch controls for volume adjustment, mute, phone input, call, and hang up	
Bridging	Can bridge phone-in and USB into one call	
Lock	Kensington lock	
Features		
Dynamic auto framing:	Secondary AI lens detects all participants, new participants trigger PTZ lens to dynamically re-frame all participants.	
Tracking	Preset framing tracks both preset area and speaker	



Simultaneous 3-way output:	USB, HDMI and IP connections	
Gesture Control	Gesture control provides intuitive camera controls	
PIP Function	HDMI Picture in Picture (PIP) function	
Gallery	Smart gallery** function creates great visibility	
Camera Connectivity		
USB	USB type-B 3.1 connector, backward compatible with USB 2.0	
DC	12V/2A DC jack power adapter	
RS232	Mini DIN9 for RS232 in & out connection (VISCA control panel and camera daisy-chain)	
Network	IP (RJ45)	
Video	HDMI	
Speakerphone Connectivity		
USB	USB3.0 Micro USB connector	
DC	12V/5A DC jack power adapter	
Network	LAN for IP remote access	
Expansion	Expansion port (daisy-chain speakerphone or microphone)	
Audio In	3.5 mm phone-in jack	
Audio Out	3.5 mm line out	
Included Accessories		
Accessories	Mini DIN8 to D-Sub9 cable	
	Ceiling mount*	
	Foldable TV mount	
	USB 2.0 type-B Cable	
	USB 3.1 Extension Cable (20 m)	
	Installation, Implementation & Training (Required)	

