















1.5. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 12 kN/m acting vertically downwards over the entire length of the truss.

1.6. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 2 kN/m acting vertically downwards over the entire length of the truss. The truss is supported by a pin support at the left end and a roller support at the right end.

1.7. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 2 kN/m acting vertically downwards over the entire length of the truss.

1.8. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 3 kN/m acting vertically downwards over the entire length of the truss.

1.9. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 10 kN/m acting vertically downwards over the entire length of the truss.

1.10. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 3 kN/m acting vertically downwards over the entire length of the truss. The truss is supported by a pin support at the left end and a roller support at the right end.

1.11. The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 3 kN/m acting vertically downwards over the entire length of the truss.

The truss is supported by a pin support at the left end and a roller support at the right end. The truss is subjected to a uniformly distributed load of 3 kN/m acting vertically downwards over the entire length of the truss.



