

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



پنجاب سرکار

پنجاب سرکار کے زیر نگرانی اور نگرانی میں
پنجاب سرکار کے زیر نگرانی اور نگرانی میں

Supply and delivery of videography
equipment

PC-266/2022/G-07

پنجاب سرکار کے زیر نگرانی اور نگرانی میں

(IUL)266-PR/266/2022/138

پنجاب سرکار کے زیر نگرانی اور نگرانی میں

18 ستمبر 2022ء کو منظور شدہ

18 ستمبر 2022ء کو منظور شدہ

پنجاب سرکار کے زیر نگرانی اور نگرانی میں
پنجاب سرکار کے زیر نگرانی اور نگرانی میں

1

2

<p>3</p>	<p>4</p>
<p>5</p> <p>(IUL)266-PR/266/2022/138</p> <p>6</p>	<p>7</p> <p>8.1</p>
<p>9</p> <p>10:15</p> <p>6527166 6527177</p>	<p>11</p> <p>8.1</p>
<p>12</p> <p>21</p> <p>10:15</p>	<p>13</p> <p>9.1</p>
<p>14</p> <p>15</p> <p>6527166 6527177</p> <p>bids@kulhudhuffushicity.gov.mv</p>	<p>16</p> <p>9.2</p>
<p>17</p>	<p>18</p> <p>13.1</p>
<p>19</p> <p>6</p> <p>10:15</p>	<p>20</p> <p>17.1</p>
<p>21</p> <p>6</p> <p>10:15</p>	<p>22</p> <p>19.1</p>
<p>23</p> <p>6</p>	<p>24</p> <p>22.1</p>
<p>25</p>	<p>26</p> <p>28.1</p>
<p>27</p>	<p>28</p> <p>30.1</p>

2 - 2022 - 2023

(A) 2022-2023

- 1.1 1. 2022-2023
 - 1.1.1 2022-2023
 - 2.1 2. 2022-2023
 - 2.1.1 2022-2023
 - 2.1.2 2022-2023
 - 2.1.3 2022-2023
 - 2.1.4 2022-2023
- 2.2 2.1 2022-2023
- 3.1 3. 2022-2023
 - 3.2 2022-2023

3.3.1 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

3.3.2 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

3.3.2 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

3.3.4 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

3.3.5 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

4. ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 4.1 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 1 (ሰነድ) ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

5. ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 5.1 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

6. ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 6.1 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

6.2 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 6.1 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ 35.6 ጋራ ስርዓት ለግብይት ማስፈጸም ይፈቀዳል ማለት ማሳሰቢያ

(8) 7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.1

7.1.2

7.1.3

7.1.4

7.1.5

7.1.6

8.1 8.2 9.1 9.2 9.3

8.1 8.2

9.1 9.2 9.3

9.1 9.2 9.3

9.1 9.2 9.3

10.1 10.1

10.1

17.3	18	17.3	18
18.1	19	18.1	19
19.1	19	19.1	19
19.2		19.2	
19.3		19.3	
20.1	20	20.1	20
20.2		20.2	
21.1	21	21.1	21
21.1.1		21.1.1	
21.1.2		21.1.2	
22.1.3		22.1.3	
22.1	22	22.1	22
23.1	23	23.1	23

24. 24.1 24.2

24.1 2,500,000 () 5,000,000 ()

24.2 23-2022

() 10% ()

() () 5%

() ()

() () ()

24.2 2,500,000 ()

()

(ሀ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

(ለ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

1. ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

2. ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

3. ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

26.1 ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

26. ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

(ሀ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

(ለ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

(ሐ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

(ነ) ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

27.1 ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

27. ጋራ ገንዘብ ስራዎችን ለማስፈጸም የሚያስፈልጉትን ገንዘብ ለማግኘት ለማድረግ ማስፈጸሙን ያረጋግጣል።

- 31.1 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.1 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.2 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.2 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.3 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.4 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 31.5 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
- 32 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 32.1 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 32.2 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 32.3 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 32.4 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
- 33 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ
 - 33.1 ስራዎች ለማጠናከሩ ለሚከተሉት ጉዳዮች ማረጋገጫ

3 - 35.1-35.6

35.1-35.6

35.1 "35.1-35.6" ...

35.2 "35.2" ...

35.3 "35.3" ...

35.4 "35.4" ...

35.5 "35.5" ...

35.6 "35.6" ...

"35.6" ...

35.7 "35.7" ...

36 "36" ...

- 42. ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 42.1 ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 43. ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 43.1 ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 44. ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 44.1 ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 45. ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል
- 45.1 ለደንበኞች ልማት ስራ ለማግኘት ማዘጋጀት ይገባል

4 - ބަޔާންކޮށްފައިވާ

ބަޔާންކޮށްފައިވާ ގޮތުން ބަޔާންކޮށްފައިވާ ގޮތުން

ބަޔާންކޮށްފައިވާ ގޮތުން ބަޔާންކޮށްފައިވާ ގޮތުން				
ނަންބަރު (ބަޔާންކޮށްފައިވާ)	ބަޔާންކޮށްފައިވާ ގޮތުން	ބަޔާންކޮށްފައިވާ ގޮތުން	#	
ބަޔާންކޮށްފައިވާ ގޮތުން				
ބަޔާންކޮށްފައިވާ ގޮތުން ބަޔާންކޮށްފައިވާ ގޮތުން				
ނަންބަރު (ބަޔާންކޮށްފައިވާ)	ބަޔާންކޮށްފައިވާ ގޮތުން	ބަޔާންކޮށްފައިވާ ގޮތުން	ބަޔާންކޮށްފައިވާ ގޮތުން	#
ބަޔާންކޮށްފައިވާ ގޮތުން				

ޖަހާ ވަރު - 5

ވިޔަފާރީގެ ދަށުން 5 (ފަދަ) އަދަދުގެ އުޅަން ފޮޓޯ ލިބުމަށް ސަރުކާރުގެ ފަރާތުން ދަންނަވާ ބުލިމު

އިތުރު ފަދަތައް ދަންނަވާ ބުލިމުގެ ދަށުން ސަރުކާރުގެ ފަރާތުން ދަންނަވާ ބުލިމު

#	ދަންނަވާ ބުލިމުގެ ނަންމު	ދަންނަވާ ބުލިމުގެ ސަރަޙައްދު	ދަންނަވާ ބުލިމުގެ ވަނަވަނަ
	ޖުމްލަ:		



6 6

6

<p>85</p>	<p>80 ×</p>	<p>85</p>
<p>10</p>	<p>10 ×</p>	<p>10</p>
<p>5</p>	<p>5 ×</p>	<p>5</p>
<p>100</p>	<p>100</p>	<p>100</p>

ބަންދުގެ ފޮރމް
(ބަންދުގެ ސެކިއުރިޓީގެ ފޮރމް)

Form of Bid Security (Bank Guarantee)

WHEREAS,[name of Bidder] (hereinafter called “the Bidder”) [company registration number] has submitted his Bid for the Project no.....issued by the Secretariat of Kulhudhuffushi City Council onfor construction of [name of Contract] (hereinafter called “the Bid”) under Invitation of bidders No. [Announcement Number]

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called “the Bank”) are bound unto[name of Purchaser] (hereinafter called “the Purchaser”) in the sum of *..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
or
(2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
(b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders;
or
(c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 28.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]

5 - ސަވަރު

No.	Qty	Description	Rate	Total
1	2	Camcorder		
2	1	Smart phone		
3	1	Drone		
4	1	Drone		
5	1	DSLR Camera		
6	1	Camera Lens mount adapter		
7	2	Tripod system with fluid head		
8	2	Video Card		
9	1	Wireless Video Transmitter & Receiver		
10	1	Camera Lens 18-35mm		
11	1	Camera Lens EF 50mm		
12	1	Camera Lens 70-200mm		
13	2	Microphone shotgun with dead cat		
14	1	Walkie-Talkie system (6-piece pack)		
15	2	Wireless Audio pack		
16	4	Clip mic		
17	1	Flashlight with Light stand, Reflective Umbrella and Flash Trigger		
18	2	Powered USB Hub		
19	2	XLR Male to 3.5mm Male Audio Cable x 15m		
20	2	XLR Male to Female Audio Cable x 15m		
21	2	Mini HDMI to HDMI x 3m		
22	2	XLR to 3.5mm Converter		
			Sub Total	
			GST	
			Net Total	

المادة 6 - السلطة التنفيذية

المادة 6 - السلطة التنفيذية

تتمتع السلطة التنفيذية بالمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

1. السلطة التنفيذية للمدينة

1.1. تتمتع السلطة التنفيذية للمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

1.2. تتمتع السلطة التنفيذية للمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

1.3. تتمتع السلطة التنفيذية للمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

1.4. تتمتع السلطة التنفيذية للمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

1.5. تتمتع السلطة التنفيذية للمدينة بسلطة إدارية وتنفيذية كاملة في الشؤون الإدارية والتنفيذية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية، وذلك في إطار السياسة العامة التي تضعها السلطة التشريعية.

3. Item: Drone**Quantity: 1****Minimum requirements**

Aircraft	Dimensions Folded (without propellers)	221×96.3×90.3 mm (Length ×Width ×Height)
	Dimensions Unfolded (without propellers)	347.5×283×107.7 mm (Length ×Width x Height)
	Max Service Ceiling Above Sea Level	6000 m
	Max Flight Time (no wind)	46 minutes
	Max Hovering Time (no wind)	40 minutes
	Internal Storage	8 GB
Hasselblad Camera	Sensor	4/3 CMOS, Effective pixels: 20 MP
	Lens	FOV: 84° Format Equivalent: 24 mm Aperture: f/2.8 to f/11 Focus: 1 m to ∞ (with autofocus)
	ISO Range	Video: 100-6400 Still Image: 100-6400
Tele Camera	Sensor	1/2-inch CMOS
	Shutter Speed	Electronic Shutter: 2-1/8000 s
	Lens	FOV: 15° Format Equivalent: 162mm Aperture: f/4.4 Focus: 3 m to ∞
	ISO Range	Video: 100-6400 Still Image: 100-6400
Sensing	Sensing System	Omnidirectional binocular vision system, supplemented with an infrared sensor at the bottom of the aircraft
Battery	Capacity	5000 mAh
	Voltage	17.6V
	Battery Type	LiPo 4S
Battery charger	Input	100-240 V AC, 47-63 Hz, 2.0 A
	USB-C Output	USB-C: 5.0 V=5.0 A/9.0 V=5.0 A/12.0 V=5.0 A/15.0 V=4.3 A/20.0 V=3.25 A/5.0~20.0 V=3.25 A
	USB-A output	USB-A: 5 V=2 A
	Rated power	65 W
Charging Hub	Input	USB-C: 5-20 V=5.0 A max
	Output	Battery: 12-17.6 V=5.0 A max
	Rated Power	65 W
	Charging Type	Charges three batteries in sequence.
Remote Controller	Battery Life	Without charging any mobile device: 6 hr
	Battery Life	when charging mobile device: 4 hr
	Supported USB Port Types	lightning
	Supported USB Port Types 1 x Drone with Hasselblad Camera and Tele Camera	Micro USB USB-C
Package	1 x Remote Controller	
	1 x Charging Hub	
	3 x Battery	

	1 x Charger
	1 x Carrying bag
	1 x ND Filters set

4. Item: Laptop

Quantity: 1

Minimum requirements

Processor	Intel Core i7-11800H (11th Gen) 2.3 to 4.6 GHz 8-Core
RAM	32GB DDR4 3200 MHz (User replaceable)
GPU	Dedicated 8GB
Operating System	Windows 11 Professional (64-Bit Genuine)
Display size	16"
Storage	1 TB SSD NVMe
Input/Output	3 x USB Type-A (USB 3.1 / USB 3.2 Gen 1) 1 x Type-C USB 3.1 / USB 3.2 Gen 1 1 x Type-C Thunderbolt 4 (Supports DisplayPort and 100 W Power Delivery) 1 x HDMI 2.1 Output 1 x 1/8" / 3.5 mm Headphone/Microphone Input/Output Built-in speaker Built-In Microphones
Communications	1 x RJ45 Gigabit Ethernet port Wi-Fi 6 with Dual-Band (2.4 \$ 5Ghz) and MU-MIMO 2 x 2 support Bluetooth version 5.1 or above Webcam (User-facing 720p)
Battery	80Wh, 6.6hours battery life
Keyboard	Notebook Keyboard with Backlight, Number Pad
Pointing device	TouchPad
Accessories	Bluetooth Mouse - Precision scrolling wheel - Bluetooth Low Energy and 2.4 GHz wireless connection - DPI (Min/Max): 1000± - Battery: 18 months - Wireless range: 10 m

5. Item: DSLR Camera

Quantity: 1

Minimum requirements

Type	Type	Digital single-lens non-reflex AF/AE camera
	Image Processor	DIGIC X
	Recording Media	SD card • SD card speed class-compatible. • Compatible with UHS-II
	Compatible Lenses	RF-S/RF lens group (excluding EF, EF-S and EF-M lenses)
		When using Mount Adapter EF-EOS R: EF or EF-S lenses (excluding EF-M lenses)
Lens Mount	RF mount	

Image Sensor	Type	CMOS sensor (compatible with Dual Pixel CMOS AF)
	Effective Pixels	Approx. 32.5 megapixels
	Sensor Size	Approx. 22.3 x 14.8 mm
	Pixel Size	Approx. 3.2 μm square
	Total Pixels	Approx. 34.4 megapixels
	Dust Deletion Feature	<p>(1) Self-Cleaning Sensor Unit</p> <ul style="list-style-type: none"> •Removes dust adhering to the low-pass filter. •After manually activated cleaning, the camera will automatically restart (Power OFF to ON). •When [Multi Shot Noise Reduction], [Multiple exposures], or [HDR mode] is set, [Clean now] and [Clean manually] cannot be selected. <p>(2)Dust Delete Data acquisition and appending</p> <ul style="list-style-type: none"> •The coordinates of the dust adhering to the low-pass filter are detected by a test shot and appended to subsequent images. •Not available in focus bracketing, RAW burst mode, or multiple-exposure shooting. <p>(3) Manual cleaning (by hand)</p>
Recording System	Recording Format	Compliant to Design rule for Camera File system 2.0 and Exif 2.31*. *Supports time difference information.
	Image Format	Still: JPEG, HEIF, RAW, Dual Pixel RAW, Raw Burst, C-RAW (CR3); Movies: ALL-I*, IPB, IPB Light * Time-lapse movies only
	Advanced shooting operations	(1) Focus Bracketing (2) Interval Timer (3) Bulb Timer (4) Multi-Shot NR
	RAW + JPEG / HEIF Simultaneous Recording	Simultaneous recording of any combination of RAW/C-RAW and JPEG/HEIF image-recording quality is supported.
	Picture Style	Auto, Standard, Portrait, Landscape, Fine Detail, Neutral, Faithful, Monochrome, User Defined 1-3
Viewfinder	Type	OLED color electronic viewfinder; approx. 2.36 million dots resolution
	Coverage	Approx. 100% vertically and horizontally relative to the shooting image area (with image quality L, at approx. 22mm eyepoint).
Shutter	Type	1.Mechanical 2.Electronic 1st-Curtain 3.Electronic Shutter (1st and 2nd curtain - silent*)
Wi-Fi	Standards Compliance	IEEE 802.11b/g/n
	Transmission Method	DS-SS modulation (IEEE 802.11b) OFDM modulation (IEEE 802.11g/n/a/ac)
	Transition Frequency (Central Frequency)	2.4 GHz band Frequency: 2412 to 2462 MHz Channels: 1 to 11 channels
	Remote Operation Using EOS Utility	The camera can be controlled via Wi-Fi® using EOS Utility
Power Source	Battery	LP-E6NH/LP-E6N/LP-E6*

		<ul style="list-style-type: none"> With the AC Adapter AC-E6N + DC Coupler DR-E6, AC power is possible. With the USB Power Adapter PD-E1, in-camera charging of LP-E6NH is possible.
Package	content	Camera Body Strap Battery Charger LC-E6 Battery Pack LP-E6NH Battery Pack Cover Shoe Cover Camera Backpack

6. Item: Camera Lens mount adapter

Quantity: 1

Minimum requirements

Key Features	EF/EF-S Lens to EOS R Camera
	Maintains AF and Image Stabilization
	Dust- and Water-Resistant
	Includes Drop-In Circular Polarizer A

7. Item: Tripod system with fluid head

Quantity: 2

Minimum requirements

General	
Load Capacity	8.8 lb (4 kg)
Maximum Height	59.0" (150 cm)
Minimum Height	27.6" (70.1 cm)
Folded Length	30.3" (77 cm)
Leveling Bubble	Yes
Head	
Counter Balance System	Fixed counter-balance spring @ 3.3 lb (1.5 kg)
Quick Release/Wedge Plate	Yes/no
Balance Plate	Yes
Slide Range	+20/-25mm
Tilt Drag	Yes
Tilt Range	+90/-60°
Tilt Lock	Yes
Pan Lock	Yes
Legs	
Head Attachment Fitting	65 mm half bowl
Leg Stages/Sections	2/3
Leg Lock Type	Flip locks
Independent Leg Spread	No
Spiked/Retractable Feet	Yes/yes
Center Brace	Yes (mid-level)

8. Item: Video Card**Quantity: 2****Minimum requirements**

Supported Operating Systems	Windows 7/8/8.1/10/2008/2008 R2/2012 (x86 and x64)
Input Resolution	Up to 4096 x 2160, 4:4:4, 60 fps input signals
Input	1 x HDMI 2.0 1 x 3.5 mm audio jack
Output	1 x HDMI loop-output 1 x 3.5 mm audio jack
Host Interface	1 x USB 3.0 (compatible with USB 3.1 Gen 1, USB 2.0)
Video Capture Formats	Up to 4096 x 2160 Frame rates up to 120 fps (actual capture frame rate can be limited by USB bandwidth and internal working frequency; typical capture frame rates on the Intel USB 3.0 controller are: 1920 x 1080 YUY2 at up to 90 fps, and 3840 x 2160 NV12 at up to 30 fps)
Supported APIs	Windows: DirectShow Wave API/DirectSound/WASAPI
Supported Software	VLC VirtualDub OBS
Power Consumption	5 V Max Current: 1.4 A Max Power Consumption: 7 W

9. Item: Wireless Video Transmitter & Receiver**Quantity: 1****Minimum requirements**

Input/Output	Video	Receiver: 1 x HDMI Type A Output
	Embedded Audio	HDMI
Wireless	Wireless Range	1200' / 365.8 m (Line-of-Sight)
	Latency	≤ 60 ms
	Wi-Fi	Yes
Display	Size	1.3"
Power	Battery Type	Transmitter/Receiver: 1 x L-Series
	Power Consumption	Transmitter: 4.5 W (Typical)
		Receiver: 5.5 W (Typical)
General	Warranty Length	Limited 1-Year Warranty
	Features	Support Android and IOS
	Packaging Info	1 x Transmitter
		1 x Receiver
		1 x Charger
4 x Battery 4000mAh		
Antennas for all antenna ports.		

10. Item: Camera Lens 18-35mm**Quantity: 1****Minimum requirements**

Name	Sigma 18-35mm f/1.8 DC HSM Art
Focal Length	18 to 35mm (35mm Equivalent Focal Length: 28.8 to 56mm)
Maximum Aperture	f/1.8
Minimum Aperture	f/16
Lens Mount	EF
Lens format coverage	APS-C
Angle of view	76.5° to 44.2°
Minimum focus distance	11.02" / 28 cm
Optical design	17 Elements in 12 Groups
Diaphragm blades	9, Rounded
Focus type	Autofocus
Filter size	72 mm (Front)

11. Item: Camera Lens EF 50mm**Quantity: 1****Minimum requirements**

Name	50mm f/1.8 STM Lens
Focal Length	50mm
Maximum Aperture	f/1.8
Minimum Aperture	f/22
Lens Mount	EF
Lens format coverage	Full frame
Angle of view	46°
Minimum focus distance	13.78"/35cm
Optical design	6 elements in 5 groups
Diaphragm blades	7, rounded
Focus type	Auto focus
Filter size	49 mm

12. Item: Camera Lens 70-200mm**Quantity: 1****Minimum requirements**

Name	Sigma 70-200mm f/2.8 DG OS HSM Sports Lens
Focal Length	70 to 200mm
Maximum Aperture	f/2.8
Minimum Aperture	f/22
Lens Mount	EF
Lens format coverage	Full frame
Angle of view	34.3° to 12.3°
Minimum focus distance	3.94' / 1.2 m
Optical design	24 Elements in 22 Groups
Diaphragm blades	7, rounded
Tripod collar	Fixed and rotating
Focus type	Auto focus
Image stabilization	Yes
Filter size	82 mm

13. Item: Microphone shotgun with dead cat**Quantity: 2****Minimum requirements**

Features	For Cameras and Portable Recorders 70-Hr Run Time via 9V Battery
Package content	1 x Microphone 1 x Dead cat 1 x Boom pole 1 x TRS Extension

14. Item: Walkie-Talkie system (6-piece pack)**Quantity: 1****Minimum requirements**

General	Power	2W/0.5W
	Color	Black
	Channel Capacity	16
	Battery Capacity	20 Hours of Battery Life Per Charge
	Range	1km
Transmitter	Output Power	2W/1W
Package	Walkie-talkie	6
	Battery	6
	Belt Clip	6
	USB charging cable	6
	User manual	1
	6 walkie-talkie charging dock	1

15. Item: Wireless Audio pack**Quantity: 2****Minimum requirements**

Operating Time	Up to 7 hours
Analog inputs	3.5mm TRS (lavalier microphone input)
Analog Outputs	3.5mm TRS
Transmission Range	200m (line of sight)
Computer connectivity	USB Type-C
Features	On-board recording – over 40 hours of internal memory
	Manageable by RØDE Central App
Compatible devices	Computer
	Smartphone
	Cameras
Package content	1 x Receiver with dual channel support
	2 x Transmitter
	1 x Furry
	1 x Carry Pouch
	1 x 3.5mm TRS to 3.5mm TRS cable
	3 x USB Type-C to USB-A Cable

16. Item: Clip mic**Quantity: 4****Minimum requirements**

Acoustic Principle	Permanently Polarized Condenser
Polar Pattern	Omnidirectional
Frequency Range	20Hz - 20kHz
Power Requirements	Powered from plug-in power TRS socket (2.7V)
Output Connection	3.5mm TRS plug
Package content	1 x Microphone
	1 x Clip
	1 x Pop shield
	1 x Pouch

17. Item: Flashlight with Light stand, Reflective Umbrella and Flash Trigger**Quantity: 1****Minimum requirements**

Flash Head	
Maximum Power	400 Ws
Recycle Time	0.3 to 1.2 Seconds
Color Temperature	5600K
Accessory Fitting	S Type
Color	Black
Modelling Light	
Type	Tungsten
Wattage	150W
Sync	
Sync Type	Optical, Radio
Built-in Wireless Receiver	Yes
Wireless Frequency Bands	2.4GHz
Light Stand	
Load Capacity	9.98KGs
Maximum Height	114"
Minimum Height	48"
Material	Aluminium
Weight	1 – 3KG
Air Cushioned	Yes
Colour	Black
Light Mounting Bracket	Yes
Umbrella Mounting Bracket	Yes
Reflective Umbrella	
Interior Colour	White
Exterior Colour	Black
Rods Material	Fiberglass
Number of Ribs	16
Diameter	7 Feet
Shape	Parabolic
Flash Trigger compatible with Camera	
Channels	32
Groups	16
Wireless Range	100M
Radio Frequency	2.4GHz
Control Modes	E-TTL, E-TTL II, Manual, TTL

Sync Speed	1/8000 Sec
Battery Type	2 x AA
Package Contents	1 x Flash Light
	1 x Light Stand
	1 x Reflective Umbrella
	1 x Light Mounting Bracket
	1 x Umbrella Mounting Bracket
	1 x Modelling Lamp
	1 x Power Cable
	1 x Flash Trigger

18. Item: Powered USB Hub**Quantity: 2****Minimum requirements**

Power	Power Source	AC Adapter
	Maximum Power Consumption	48 W
	AC Input Power	100 to 240 VAC, 50 / 60 Hz at 1.5 A
	DC Input Power	12 VDC at 4 A
Features	Connection to computer	USB Type-C and USB Type-A
	IO Ports	USB 3.0 Type-A x6

19. Item: XLR Male to 3.5mm Male Audio Cable**Quantity: 2****Length: 15m****20. Item: XLR Male to Female Audio Cable****Quantity: 2****Length: 15m****21. Item: Mini HDMI to HDMI****Quantity: 2****Length: 3m****22. Item: XLR to 3.5mm Converter****Quantity: 2**