




## A Powerful BioInsecticide For Organic Use

Thrips

Aphids

Whiteflies

Mealybugs



Mites

Psyllids

Weevils





## What is NoFly?

NoFly WP is a high concentration of the active ingredient *Isaria fumosorosea* strain FE 9901, a naturally occurring insecticidal microorganism. This aggressive fungus is a natural predator to select insect pests while non-pathogenic to beneficials. NoFly WP is also compatible with many chemicals making it an excellent tool for use in an Integrated Pest Management program. NoFly WP is effective against whiteflies, aphids, thrips, mealybugs and other insect pests.


*Host Range:*  
Whiteflies,  
Aphids,  
Thrips, Mites,  
Mealybugs &  
other insect pests

## How it Works

When spores of NoFly WP come into contact with the insect pest they attach to the body and begin to grow almost immediately. Once the spore germ tube penetrates the host cuticle, fungal multiplication takes place through formation of hyphal bodies in the host hemocoel. The NoFly WP microbe mechanically disrupts the host's internal organs and initiates tissue necrosis. This leads to lack of feeding, inactivity and eventually death.

The end result? Insect pests sprayed with NoFly WP stop feeding in about 24 hours and are killed in about 5 days.


CROP	PEST	RATE	APPLICATION DIRECTIONS
All ornamentals, fruits & vegetables, tree fruit & nuts, potatoes, row crops, herbs, spices, hemp and other outdoor agriculture production crops	Eggs, larvae and adults of whiteflies, thrips, aphids, mealybugs, mites, spider mites, russett mites, bagrada bug, leaf hopper, plant bug, weevils, psyllids, fungus gnats and other insect pests	8 - 32 oz per acre	Apply at first symptoms of pest attack. Minimum 3 applications at 5-7 day intervals or shorter in severe infestations



\*Venom®, Daitol®, Knack®, Malathion®, Hero® and Courier® mix and rotation



Above Picture: Western Flower Thrip infected and killed by NoFly WP



Call 832.647.9663 for more information.

## Directions For Use

NoFly WP consists of spores of an entomopathogenic fungus that are susceptible to high temperatures, dryness and ultraviolet radiation. Avoid these potential adverse effects by applying the product in late afternoon or in the early morning and at mid to high relative humidity (if practical, pre-watering of crop is strongly suggested). Use sufficient water to ensure thorough coverage of the foliage including the underside of leaves.

## Features & Benefits


- Biological pesticide
- Attacks pests at all life stages from egg to adult
- Minimal residue issues
- Ideal for integrated pest management
- Safe for beneficial insects

## NoFly WP Fogger Application

- NoFly can be used with a cold fogger (e.g. Dramm AutoFogger)
- Do not use with heat-generating foggers
- Maximum dilution of 10-oz/gal of water

## Safe and Effective

*Isaria fumosorosea* FE 9901 is not a plant pathogenic organism and does not produce significant detrimental effects on beneficial insects, including bees and bumblebees. The only residues derived from applications of NoFly WP are short lived spores that do not present any environmental persistence concerns in soil, water or air. These characteristics make this product an ideal tool for Integrated Pest Management Programs.



## Technical Information

### Organism (Active Ingredient):

*Isaria fumosorosea*  
strain FE 9901

### General Description:

Naturally occurring fungus, geographically widespread, and common pathogen of insect pests

### Pests Suppressed/Controlled:

Whiteflies, aphids, thrips, psyllids, mealybugs, leaf hoppers, plant bugs, weevils, grasshoppers, Mormon crickets, locust, beetles (including darkling and hide beetles), mites (including russet, spider mites and chicken mites) bagrada bugs, lygus bugs and fungus gnats

### Origin:

Isolated from the carcass of a whitefly

### Temperature Tolerance:

Optimal temperature for sporelation of *Isaria* spores is between 72-84° F (22-28° C).

### Humidity:

Optimal humidity of *I. fumosorosea* FE 9901 is 50% or greater. If humidity is below 50%, spray product immediately after general watering or irrigation.

### PH Tolerance:

NoFly WP is unaffected by pH ranges from 4.0 - 9.0

### Shelf Life:

NoFly WP will remain viable at room temperature for up to 6 months. Refrigeration will extend the shelf life to 12 months. Storage recommendation at temperatures between 34° - 72° F.

### Chemical Compatibility:

NoFly WP is compatible with some synthetic and natural insecticides and fungicides. See backside of this brochure for current list.

**Contact your local rep for full list of compatible products.**

### UV Sensitivity:

The spores of NoFly WP are UV sensitive. Product should be sprayed in the early morning hours or evening to prevent degradation.



# NoFly WP Product Compatibility

Active Substance	Brand Names	Spore Survivability	Compatible
Copper oxychloride 50%		55.57%	NO
Fenarimol 12%		73.31%	NO
Iprodione 50% + Cyproconazole 10%		79.19%	NO
Piperalin	Pipron		NO
Azoxystrobin	Heritage		NO
Pyrimethanil 40%		85.84%	Partially
Streptomycin			YES
<i>Beauveria bassiana</i> 2.3%	Botanigard, Naturalis O	100%	YES
Natural pyrethrins 4%		100%	YES
Pirimicarb 50%		95.75%	YES
Acrinathrin 7.5		88.80%	YES
Imidacloprid 20-24%		94.34%	YES
Propamocarb 60.5%		100%	YES
<i>Bacillus</i> blend + <i>Streptomyces</i>	Armory	100%	YES
<i>Bacillus</i> sp.	DoubleNickel, Serenade	100%	YES

## NoFly Predator Insect Compatibility

Predator Name	Harmful to Predator
<i>Encarsia formosa</i>	NO
<i>Eretmocerus mundus</i>	NO
<i>Macrolophus caliginosus</i>	NO
<i>Orius laevigatus</i> (N1)	NO
<i>Apis mellifera</i> (contact)	NO
<i>Apis mellifera</i> (oral)	NO
<i>Amblyseius swirskii</i>	NO
<i>Bombus terrestris</i>	NO

### DISTRIBUTED BY:

Blacksmith BioScience  
25018 Spring Ridge Dr.  
Spring Texas 77386  
[www.blacksmithbio.com](http://www.blacksmithbio.com)  
832.647.9663