注意事项:

- 1,图示尺寸与实物尺寸可能略有差异,本企业有权修改取消上述产品,恕不另行通知, 若使用过期或作废的图纸,本企业将不负任何责任。
- 2,由于印刷的关系,正式产品的颜色与所示的图片有部分差异,一切以实物颜色为准。

佛山市彩悦包装有限公司

Foshan CY Packaging Co., Ltd.

塑料软包装 一体化解决方案

Integrated Solution For Plastic Flexible Packaging



CY PACK

------ 彩 悦 ------

www.cy-package.com

追求卓越品质,打造精专包装品牌!

Pursue excellent quality and build a brand of exquisite and professional packaging!



企业目录 Contents

企业篇 Enterprise Part 产品篇 Production Part

追求卓越品质,打造精专包装品牌!

Pursue excellent quality and build a brand of exquisite and professional packaging!

公司简介 Company Profile	03
企业架构 Managerial Structure	04
发展历史 History Development	05-06
质量监控 Quality Control	07-08
生产流程 Production Process	07-08

袋型汇总 All Kinds of Bag Formats	09
自立袋 Stand Up Pouches	10
咀袋 Spout Pouches	11
平底袋 Flat Bottom Bags	12
可回收包装袋 Recyclable Bags	13
可降解包装袋 Biodegradable bags	14
咖啡包装袋 Coffee Bags	15

物包装袋 Pet Food Bags	16
提手提袋 Easy Carry Handle Bags	17
链袋 Zipper Bags	18
边封 Three Side Sealed Bags	19
边封 Quad Sealed Bags	19
空包装袋 Vacuum Bags	20
.装卷膜 Packaging Roll Films	21

-01 -



企业简介 Company Profile

佛山市彩悦包装有限公司(前身:佛山市禅城区宝盛源包装印刷厂)成立于2005年,是一家专业生产纸塑彩印复合软包装的工贸一体型企业。主要产品有咖啡包装袋、宠物食品包装袋、平底袋、自立袋、易提手提袋、拉链袋、咀袋、真空袋、包装卷膜等,产品畅销中国国内,并远销欧美、澳大利亚、日本及东南亚地区。

工厂占地面积约6000平方米,按国际厂房标准设计建造无尘生产车间。公司现有11色和10色高速凹版印刷机、无溶剂复合机、分切机、制袋机等先进生产设备共40余台。此外,公司已获得了ISO,QS,BRC,SGS和专利等证书。并有专业QC团队和检测设备,对产品质量进行检测,真诚为客户提供优质的印刷包装产品。


Foshan CY Packaging Co., Ltd. (formerly: Foshan Chancheng BSY Packaging Printing Factory) was established in 2005. It is a manufacturer&trading company specializing in the production of paper-plastic color printing composite flexible packaging. The main products are coffee bags, pet food bags, flat bottom bags, stand up pouches, handle bags, zipper bags, spout pouches, vacuum bags, packaging roll films, etc. The products sell well in China and are exported to Europe, America, Australia, Japan and Southeast Asia.

The factory covers an area of about 6,000 square meters, and the dust-free production workshop is designed and built according to international factory building standards. The company currently has more than 40 sets of advanced production machines such as 10-color and 11-color high-speed gravure printing machines, solvent-free lamination machines, slitting machines, and bag making machines. In addition, the company has obtained certificates such as ISO, Q S, BRC, S G S and patents. What's important, there are professional QC team and testing equipments to check the product quality, and sincerely provide customers with high-quality printing and packaging.

企业架构 & 认证 Managerial structure & Certification







- 03 -

发展历史 History Development

2005



公司成立,一条生产传统包装产品的生产线。

The company was established, one production line for traditional packaging products.

2009



组建外贸部,与国际包装行业接轨, 生产的袋型更加多样化,并逐渐成 为国内包装行业的领航者。

Established the Ministry of Foreign Trade, in line with the international packaging industry, produced more diversified bag types, and gradually became the leader of the domestic packaging industry.

2015-2021





公司快速发展,增加了1条印刷生产线,搬到新的生产车间,厂房面积也从1800 m²扩大到了5600 m²。扩建外贸团队,加大市场开发力度,先后参加美国、日本等包装展会,得到了客户的一致好评。

The company developed rapidly, added a printing production line, moved to a new production workshop, and expanded the plant area from 1800m² to 5600m². Expand the foreign trade team, increase market development efforts, and have participated in packaging exhibitions in the United States and Japan, and have won unanimous praise from customers.

2008



参加外国展会,开始探索外贸市场,研发新型包装产品。

Participate in foreign exhibitions, start to explore foreign trade markets, and develop new packaging products.

2013



成为国内较早拥有八边封袋型智能生产机器的企业之一,并获得了ISO9001、ISO2200认证以及其他多项证书和专利。

It has become one of the earliest domestic enterprises with eight-side-sealed bag-type intelligent production machines, and has obtained ISO9001, ISO2200 certification and many other certificates and patents.

2022





公司发展需要,搬迁到新的厂房,并成立佛山市彩悦包装有限公司,将生产车间面积扩大至6000 ㎡。新增一台11色电子轴印刷机,以及多台高速分切机、制袋机设备,总生产机器多达40余台,更好地满足客户的需求。

The company moved to a new factory for development needs, and established Foshan CY Packaging Co., Ltd. to expand the production workshop area to 6000m². Added an 11-color electronic axis printing machine, as well as multiple high-speed slitting machines and bag making machines, with a total of more than 40 production machines to meet customer needs better.

- 05 -

生产流程 Production Process



产品设计及稿件处理 Artwork Design

制版 Plate Making 印刷 Printing

检品 Inspection 复合 Laminating 熟化 Drying 分切 Film Roll Cutting 制袋 Bag Making 成品入库 Finished Products

质量监控 Quality Control

配备先进的检测设备和仪器,可进行原材料和产品的各种物理和化学性质测试,主要测试项目包括:复合强度、阻氧性能、摩擦系数、残留溶剂、细菌数、耐蒸煮性等。

Equiped with the advanced testing equipment, which can fulfill your variety testing requirement of physical and chemical properties from the raw material to the finish product in the whole production process.







- 07 -

袋型汇总 All Kinds of Bag **Formats**

Detail of the bag













Stand up bag



Zipper bag





K-Seal stand up bag





异形袋 Shaped bag



Slider zipper



R 型袋 R-bag



收缩套管 / 标签 Shrink sleeve / label



带阀袋的搭接密封袋

Lap seal bag with valve bag

中封风琴袋 Middle seal organ bag





四边封 4 sides sealed bag





出气阀袋 Valve bag



Roll film

鳍 / 圏密封袋 Fin / lap seal pouch



印刷方式 Printing method

凹版印刷、数码印刷。

Gravure printing, digital Printing.

可用材料 Available material

PLA、PBAT、PET、VMPET、PE、 BOPP、Kraft Paper、ALOXPET、 AL, NY, MOPP, CPP, KPET

适合的市场 Suitable markets

休闲食品、医疗、营养产品、日用化学品、烘焙食 品、咖啡、冷冻食品、宠物食品、农产品、茶叶、 坚果、饮料、肉类、调味粉。

Snack foods, medical, nutritional products, household chemicals, baked goods, coffee, frozen foods, pet food, produce, tea, nuts, beverages, meat, seasoning powder.

可选功能 Optional features

撕裂口、按压闭合拉链、滑块拉链、单边拉链、圆 角、产品展示窗、挂孔、侧手提、出气阀、喷嘴。

Tear notch, press to close zippers, slider zipper, rounded corner,pocket zipper, produce display window,hanger hole, side handle, degassing valve, spout.

包装容量 Packaging capacity

100g-30kg, 8oz-100oz



- 09 -

咀袋 Spout Pouches

具有良好的气密性和足够的强度,方便饮用,质量轻,材料耗用少,方便运输。 可耐高温 100℃以上杀菌。咀袋还可以用于液体间的再填充,续填。

Spout allows for easy dispensing of liquid or powder with the convenience and security of a tamper evident closure, also less weight and energy to produce compared with the traditional containers, a number of styles and sizes are available to choose, from 80ml-5liters, can withstand as much as 100°C high temperature sterilization. The spout pouches can also be used for refilling between liquids.







平底袋 Flat Bottom Bags

平底袋是一种独特的袋子类型,有五个可打印区域,用于货架品牌建设。它展示了产品的高品质形象。平底袋的独特设计提供了卓越的稳定性、密封强度和气密性。

Flat bottom bags are a unique type of pouch with five panels of printable area for on-shelf brand building. It displays a product projects an image of high quality. And the unique design of the flat bottom bags provides superior stability, seal strength, and hermeticity.

可回收包装袋 Recyclable Bags



对环境更好,更经济。随着国际人们保护环境和保护地球意识的增强,可回收包装袋的销量逐年增加。

Better for the environment and more economical. With the enhancement of international people's awareness of protecting the environment and protecting the earth, the sales of recyclable packaging bags are increasing year by year.



100% 可生物降解包装! CY PACK 提供环保包装解决方案,并提供多种不同包装样式的 100% 可生物降解可堆肥。

100% Biodegradable Packaging! CY PACK providing eco-friendly packaging solutions and offer 100% Biodegradable Compostable options in many different packaging styles.

- 13 **-**



有白牛皮纸,黄牛皮纸,PET, PE, BOPP, PPC, 铝箔, 镀铝等材料结构可供选择。PBI, Goglio,TBC 品牌的单向出气阀,良好的气密 性高效保护咖啡豆不被空气破坏。

There are white kraft paper, brown kraft paper, PET, PE, BOPP, PPC, aluminum foil and other materials for choosing. one-way degassing valve from PBI, Goglio, TBC brands, good air tightness provides coffee beans with efficient protection from being damaged by air.Different bag formats are available.



贴条 Tin tie 拉链 Zipper

单边拉链 Pocket zipper



单向排气阀 degassing valve



咖啡豆 单向排气阀 Valve for coffee

单向排气阀 Valve for coffee powder

宠物包装袋 **Pet Food Bags**

阻隔性好,安全、卫生、容量大;常规宠物食品袋型有八边封袋、滑块拉链袋、 四边封袋,自立袋、普通拉链袋等多种类型。500g-30kg 容量的包装袋均可定制。

Good barrier, safety, healthy and large capacity; common pet food bag formats are flat bottom bags, slider zipper bags, four side sealed bag, stand up bags, zipper bags, and others. Packaging bags with a capacity of 500g-30kg all can be customized.



- 16 -









拉链袋 Zipper Bags



易提手提袋 Easy Carry Handle Bags 耐用,具有方便提举的侧手柄。 是我们的专利产品,可承重 30 公斤,可重复利用。

Durable, Easy to take with side handle. Our patented product, the easy-carry handled bag is designed to make lifting simple. Able to hold up to 30kg, it is reusable with slider zipper.



拉链袋具有使用方便,易于保存储存物的特性,可以根据客户的要求定制不同的袋型。拉链也可分为滑块拉链,双槽拉链,单槽拉链以及特殊拉链。滑块拉链袋专门用于5-30kg的大规格包装袋,尤其广泛应用于宠物食品的包装。

The zipper bag has the characteristics of easy to use and easy to store storage, and different bag types can be customized according to customer requirements. Zippers can also be divided into slider zippers, double-slot zippers, single-slot zippers and special zippers. Slider zipper bags are specially used for large-size packaging bags of 5-30kg, especially widely used in pet food packaging.



- 17 -

三边封 Three Side Sealed Bags

三边封是一种流行的袋型,用于装咖啡粉、香料、液体营养品等。

This is a popular style of bag for ground coffee, spices, liquids nutritional Products and so on.



四边封 Quad Sealed Bags

4边封袋也称为扁平袋。可用于高速包装应用。撕口、 圆角、按扣拉链、产品展示窗、衣架孔一应俱全。

The 4 Side Seal Bag is also referred as a Flat Pouch. Can be used for high speed packaging applications. Tear notch, rounded corners press to close zippers, product display window, hanger hole all are available.









我们的真空密封袋是聚尼龙袋,可承受高达 135 度的温度,并且非常清晰地展示产品。 其他特性包括良好的阻气性能和防潮性能、高透明度、出色的侧封强度以及抗撕裂和抗刺穿性。

Our vacuum sealer bags are poly nylon pouch bags that allow for fill temperatures of up to 135 degrees and are very clear for presenting your products. Other features include good oxygen and moisture barrier, high clarity, excellent side seal strength, and tear and puncture resistance.

- 19 -



材料参考表 Technic Data Of Raw Materials property

透氧率 透水率 OTR WVTP 类目 cc/ m² 24hrs g/m² 24hrs Category atm at 23℃ at 23℃ 90% RH 0% RH OPP20 1900 6.0 OPP30 1800 5.8 10.0 ABOPP19 2.3 PET12 85 55.0 6.0 CPP20 2000 APE60 2.5 5.0 CPP40 1700 5.0 NY15 260.0 140 1.4 AL7 AL9 1.1 1 KOP21 10 4.0 12.0 KNY17 8 KPET12 12.0 8 0.9 9.08 APET12 LLDPE40 5000 18.0 LLDPE50 4500 17.0 VMCPP25 25 1.0 2.0 VMPET12 2 MAT OPP20 1900 6.0 PEARL30 2200 9.0 2.0 ALOXPET12 1

The above informations in the sheet only for reference

复合包装的应用范围 Laminating Packing Application

类别 Pouch Shape	复合结构 Material Structure	用途及特点 Purpose and Property	
带咀自立袋 Spout stand up pouch	PET/AL/PET/PE	饮料、吸吸果冻、酸奶等 Juice,Jelly yoghurt, etc	
	PET/AL/NY/PE	饮料、吸吸果冻、酸奶等企鹅包 cheering bag for juice, jelly, yoghurt, etc	
	PET / NY / PE	洗发露、沐浴露、护发用品等 Shampoo, Bath cream, Hair care, ect	
	NY/PE	糖、粉剂型用品 Sugar and powder products	
中封、 风琴袋 Middle sealed & side gusset pouch	BOPP / CPP	速食面、饼干、速冻食品、各类	
	BOPP / M.CPP	休闲食品等 Noodle,cookies, frozen food, snake	
	BOPP / PE	foods	
拉链袋 Zipper pouch	PET / PE	各类休闲食品 all kinds of snack food	
	KPET / PE	肉制品、宠物食品等高阻隔包装 meat foods and pet food packing	
真空袋 Vacuum pouch	NY / PE	肉制品、海产品、果仁等 Meat products, sea food, nutlet, ect	
咖啡包装 Coffee pouch	OPP/AL/NY/PE	咖啡、咖啡豆等 Ground coffee, coffee beans, ect	
	PET/AL/PE		
高温蒸煮袋 Retort pouch	NY / R-CPP	121℃以上杀菌,小容量包装,	
	PET/AL/R-CPP	保存期一年 Sterilized above 121°C, small package,	
	PET / AL / NY / R-CPP	one year shelf life	
易撕封口膜 Easy peelable film	PET / AL / EPF	用于 PP,PS,PE 容器 , 适用于奶制品,肉制品,果酱等	
	PET / PET / EPF	Suitable for PP, PS, PE tray and used for dairy products and meat products	

cold seal

- 21 -

^{*} 此数值仅用作参考之用。