

*The Better Solutions
for **YOUR SUCCESS***



SENTA PACK
SENTA PACK MACHINERY & SERVICE CO. LTD.

more than
20 YEARS
EXPERIENCE IN BUSINESS

www.sentapack.com

COMPANY PROFILE

SENTA PACK MACHINERY & SERVICE CO., LTD.



VISION

To response the needs of customers, Increased production efficiency and competitive will be focused on the principle of partners and customers. *"We are ready to grow with the customers"*

เรา... เป็นผู้นำด้านเครื่องจักรในอุตสาหกรรมอาหารด้วยเทคโนโลยีที่ทันสมัย เพื่อตอบสนองต่อความต้องการของลูกค้าในการเพิ่มประสิทธิภาพการผลิตและขีดความสามารถในการแข่งขัน โดยเน้นหลักการเป็นพันธมิตรกับลูกค้าคือ *"เราพร้อมที่จะเติบโตไปพร้อมกับลูกค้า"*

***" THE BETTER SOLUTIONS
FOR YOUR SUCCESS "***

Senta Pack Machinery & Service Co., Ltd. was founded on March 2001 by Mr. Lumpool Ounruan, company's Managing Director.

Our company focus on the needs of food producer companies, our customers. Regarding high growth in their businesses, food producers need machine with high quality and high efficiency, including services and consulting closely. We then have team with experienced skill and expertise plus high technology, in order to support our customers to increase their potential in production.

Senta Pack Machinery & Service Co., Ltd. have gained trust from more than 500 customers, which include both corporations in food industry and SME food producers. All the success come from good quality of machines and impressive after sale services. We are always proud to choose and present the best solutions for our customers.

บริษัท เซนต้า แพ็ค แมชชีนเนอรี่ แอนด์ เซอร์วิส จำกัด ก่อตั้งขึ้นเมื่อเดือนมีนาคม พ.ศ. 2544 โดยคุณสำพล อุณเรือน กรรมการผู้จัดการบริษัท บริษัทได้เล็งเห็นถึงความต้องการของลูกค้ากลุ่มธุรกิจผู้ผลิตอาหาร โดยการเจริญเติบโตของธุรกิจที่เพิ่มมากขึ้นนั้นจำเป็นต้องใช้เครื่องจักรที่มีคุณภาพและประสิทธิภาพตลอดจนการดูแลและให้คำปรึกษาอย่างใกล้ชิด เราจึงได้จัดเตรียมทีมงานที่มีทักษะเชี่ยวชาญเฉพาะด้าน และเทคโนโลยีขั้นสูง เพื่อเพิ่มศักยภาพในการผลิตให้กับลูกค้าอีกด้วย

บริษัท เซนต้า แพ็ค แมชชีนเนอรี่ แอนด์ เซอร์วิส จำกัด ได้รับความไว้วางใจจากลูกค้าทั้งในกลุ่มธุรกิจอุตสาหกรรมอาหารขนาดใหญ่และกลุ่มธุรกิจ SMEs มากกว่า 500 ราย โดยความสำเร็จทั้งหมดนี้มาจากเครื่องจักรที่มีคุณภาพ รวมถึงการบริการหลังการขายที่ประทับใจ เราภูมิใจที่ได้เลือกและนำเสนอสิ่งที่ดีที่สุดให้กับลูกค้าของเราเสมอ

HEAD OFFICE :

19/99 Moo.4, Bang Kaew, Bang Phli, Samutprakarn, Thailand 10540
Tel : +66(0)2-136-3156 (Auto) Fax: +66(0)2-136-3160

BRANCH OFFICE (NORTH AREA) :

99/3 Moo.3, Umong, Muang Lumphun, Lumphun, Thailand 51130
Tel : +66(0)82-788-4178

SERVICE & SUPPORT TEAM >

Senta Pack Machinery & Service Co., Ltd. has been recognized as a professional brand. Moreover, we still have a team of technician with specific expertise, Everyone has trained directly from the manufacturer of machine to have know-how and quick solutions. At the same time, we also provide services regarding the spare parts and needed equipment for the machine. Always be on time and efficient service as required by customers for the confidence and satisfaction of customers is the most important.

บริษัท เซนต้า แม็ค แมชชีนเนอร์รี่ แอนด์ เซอร์วิส จำกัด นอกเหนือจากคุณภาพของเครื่องจักรที่เป็นที่ยอมรับ เรายังมีทีมงานที่มีความเชี่ยวชาญเฉพาะด้านไว้สำหรับบริการหลังการขายให้กับลูกค้าของเราอย่างมีประสิทธิภาพ โดยเจ้าหน้าที่และทีมงานของเราทุกคนได้ผ่านการฝึกอบรมจากโรงงานผู้ผลิตเครื่องจักรโดยตรง มีความชำนาญงานในการแก้ปัญหาอย่างถูกต้อง รวดเร็ว และแม่นยำ พร้อมให้คำปรึกษาเกี่ยวกับลูกค้า ได้ตลอดเวลา

อีกทั้งเรายังมีบริการเกี่ยวกับอะไหล่และอุปกรณ์ ที่จำเป็นสำหรับเครื่องจักร ไว้คอยบริการอย่างทันทั่วทั้งและมีประสิทธิภาพตามที่ลูกค้าต้องการเพื่อความเชื่อมั่นและความพึงพอใจของลูกค้าเป็นสำคัญ



SPARE PART

มีทีมงานผู้เชี่ยวชาญซึ่งผ่านการฝึกอบรมจากโรงงานผู้ผลิตเครื่องจักรฯ โดยตรง มีความชำนาญงานและเชี่ยวชาญ เป็นอย่างดี



CONSULT & SERVICE

พร้อมให้คำปรึกษาและบริการ ตลอดจนการแก้ไขปัญหาอย่างถูกต้อง รวดเร็ว แม่นยำและทันเวลา



EXPERT TEAM

ให้บริการเกี่ยวกับ Spare Part ที่จำเป็นต่างๆ ของเครื่องจักร


MISSION >

- > เราจักเป็นผู้นำในด้านคุณภาพของเครื่องจักรและเทคโนโลยีที่ทันสมัย
We are leaders in the quality of modern machine and technology
- > เราจักคำนึงถึงลูกค้า และตระหนักถึงผลประโยชน์ของลูกค้าเป็นสำคัญ
We take into account of customers and benefits for our customers priority
- > เราจักพัฒนาศักยภาพของบุคลากรให้ได้การบริการที่มีคุณภาพทั้งก่อนและหลังการขาย
We will develop the potential of personnel to get quality service both before and after sales

BRANCH OFFICE (SOUTH AREA) :

2/36 Moo.2, Karnjanavanich Rd., Pavong, Muang Songkhla, Songkhla, Thailand 90000
Tel : +66(0)7-459-2774 Fax : +66(0)7-459-2774





TT-8D-N



Stations



Wet Use



Simplex

APPLICATIONS

Noodles, Cheese, Seeds, Salts, Frozen Vegetables & Fruits, Snacks, Candy, Pet food, Seasoning, etc.

Model : TT-8D-N

Function : Pouch Filler / Sealer



Capacity (PPM) : 20 ~ 55

Pouch size : Width (mm) 120 ~ 260, Length (mm) 130 ~ 400

Filling Product : Solid, Powder

POUCH TYPE

POUCH ICON KEY ※



TT-9CW



Retort/Hotfill



Stations



Wet Use



Duplex

APPLICATIONS

Pet Food, Shelf-stable Ready Meals, Sauces, Liquid Detergent, etc.

Model : TT-9CW

Function : Pouch Filler / Sealer


Capacity (PPM) : 80 ~ 90

Pouch size : Width (mm) 80 ~ 150, Length (mm) 120 ~ 230

Filling Product : Solid, Liquid, Solid+Liquid, Powder


POUCH TYPE

POUCH ICON KEY ※



AUTOMATIC FILLING & SEALING MACHINE

ROTARY TYPE



TT-10CWS >



Retort/Hotfill



Stations



Wet Use



Duplex

APPLICATIONS

Pet Food, Shelf-stable Ready Meals, Sauces, Liquid Detergent, etc.

Model : TT-10CWS

Function : Pouch Filler / Sealer


Capacity (PPM) : 50 ~ 125

Pouch size : Width (mm) 70 ~ 100, Length (mm) 120 ~ 170

Filling Product : Solid, Liquid, Solid+Liquid, Powder

POUCH TYPE

POUCH ICON KEY ※



TVP-E4 >

VACUUM PACKAGING MACHINE



Stations



Wet Use



Simplex

APPLICATIONS

Curry Paste, Meatball, Corn, Ready Meals, etc.

Model : TVP-E4

Function : Vacuum type Pouch Filler / Sealer



Capacity (PPM) : 20 ~ 40

Pouch size : Width (mm) 100 ~ 220, Length (mm) ~ 300

Filling Product : Solid, Liquid, Solid+Liquid, Powder

POUCH TYPE

POUCH ICON KEY ※



METAHAWK 3 PLUS METAL DETECTOR

For inspection of grain and chip products.

For inspection of block meat, such as beef and pork.

For inspection of small products, such as confectionery bags.

For inspection of products packed in larger trays.



Drop type metal detector



Circuler type metal detector



Metal detector for needles




SD3-30 Type




SD3-45 Type

SX2554W / SX4074W X-RAY MACHINE / HYBRID X-RAY



Various Inspection Problems are Solved.

SXS2154HC1D / SXS3474HC1D HYBRID INSPECTION OF X-RAY AND OPTICAL SYSTEM



Various Inspection Problems are Solved.

METAHAWK 3 PLUS METAL DETECTOR

For inspection of large bag products and large box products.

For inspection of liquid or jam products.



SD3-45B Type



SD3-60 Type



Pipe transfer type metal detector




Auto checker with metal detector

REMAINING BONE INSPECTION SYSTEM

SPECIFICATIONS

Size of Machine : W365mm x L660mm x H50mm
 Transport weight : 10 kg
 Transport belt speed : 10-30m / min
 Belt width : 420mm



SXM3873HW / SXM3671MW

FOR MEAT

High resolution model provides high contrast and high resolution.

Bones are easily recognized accurately with high contrast and high resolution. Therefore, the possibility to overlook small bones is reduced.

Conceptual diagram of contrast differences: Low contrast, Medium contrast, High contrast.

Conceptual diagram of resolution differences: Low resolution, Medium resolution, High resolution.

Inspection of chicken leg meats
 Product to be inspected: Chicken leg meats in tray

Inspection of chicken breast meats
 Product to be inspected: Chicken breast meats in tray

Visual inspection assist function
 Foreign objects are marked to assist the visual inspection. Use of this assist function makes it possible to prevent bones from being overlooked by new workers. Therefore, the stable quality can be maintained regardless of workers' skills.

Various Inspection Problems are Solved.

SXV3873HW / SXV3671MW

FOR SEAFOOD PROCESSING

Remaining bone inspection system provides high contrast and high resolution.

Bones are easily recognized accurately with high contrast and high resolution. Therefore, the possibility to overlook small bones is reduced.

Conceptual diagram of contrast differences: Low contrast, Medium contrast, High contrast.

Conceptual diagram of resolution differences: Low resolution, Medium resolution, High resolution.

Inspection of half of salmon
 Captured by the SXV3873HW

Inspection of half of mackerel
 Captured by the SXV3671MW

Visual inspection assist function
 Foreign objects are marked to assist the visual inspection. Use of this assist function makes it possible to prevent bones from being overlooked by new workers. Therefore, the stable quality can be maintained regardless of workers' skills.

Various Inspection Problems are Solved.

BELT TYPE >



Specifications	AVP-6000 Series	AVP-6510W Series
Bar belt type	Singer bar	Double bar
Dimension	1788x1850x1250mm	1788x1850x1250mm
Seal length	1150mm	1150mmx2
Clearance below seal	400mm/500mm	220mmx2

MACHINE OUTPUT



Raw Material



Products



Result



AGP 4000 SERIES >

GAS FILLING MACHINE BELT TYPE



MACHINE OUTPUT



NF-20 SERIES >

VACUUM THERMOFORMING PACKAGING MACHINE



MACHINE OUTPUT





YS-6500W

UNIVERSAL SLICER

SPECIFICATIONS


Size of Machine : H 1,390 x W 815 x L 1,405 mm
Slicing Capacity : 150-800 kg / h
Slicing Size : 0-50 mm at one blade
Feed Port Size : W 130 x H 100 mm
Motor : 3-phase 200V 1,150W
Safety Device : Circuit breaker with sensors




Outlet long
conveyor for option use



Operate panel



Grinder



YS-3000X

SLICER

SPECIFICATIONS

Size of Machine : H 1,580 x W 900 x L 1,895 mm
Slicing Capacity : 300-1,000 kg / h
Slicing Size : 0-20 mm (Digital setting)
Feed Port Size : W 300 x H 130 mm
Motor : 3-phase 200V 1,650W
Safety Device : Circuit breaker with sensors



Wide conveyor



Slicing D Rotational revolution
circular blade is Blade




YS-8000

DICER

SPECIFICATIONS

Size of Machine : H 1,475 x W 1,350 x L 1,110 mm
Slicing Capacity : 1,000 kg / h (at 5 mm)
Slicing Size : 3-15 mm
Feed Port Size : W 458 mm
Motor : 3-phase 200V 2,300W
Safety Device : Circuit breaker with sensors



Large Drum



Feed Conveyor



Crosscut Knives



Circular Knives



Operation Box





ADW OMEGA >

MULTIHEAD SCALE

FEATURES

- Individual collating chute
- Streamlined main body
- YDB bucket
- Unitization of actuator and feeder
- Easily removable and attachable buckets
- Polygon-shaped feed and weigh buckets
- Optimum control of product flow



TSDW-205 >

SEMI AUTOMATIC TABLE-TOP DATAWEIGH

FEATURES

- Improvement in productivity
- Reduction in weighing loss
- Minimizing product damage
- Easy to clean
- Compact design



SDW-324WH2 >

SEMI AUTOMATIC DATAWEIGH

FEATURES

- High Speed and Optimum Performance
- Multifunctional
- Graphic display facilitates operation
- Printer provided as standard equipment
- Waterproof and Washable
- Barcode Reader (Option)



CSI06LW >

CHECK WEIGHER MACHINE

FEATURES

- Industry-Leading Performance Level
- Easy to Clean
- Water Proof
- Enhance Load Cell Protection: 3000N



FCP-600V >

CASE PACKER MACHINE

FEATURES


- Simple multipurpose design
- Both flexible and rigid package
- Vertical and horizontal pack patterns
- Self diagnosis and error recovery
- Versatile and cost effective
- Advanced motion control



COMPLETE LINE >

PREPARATION


• Slicer (YS-6500W)



PACKING

• Conveyor incline

• Packaging machine (TT-9CW)



WASHING MACHINE "TURBO WASH"

Performs cleaning on the production process such as plastic tray, stainless tray, plastic basket, chopping board that can increasing number of cleaned utensils while decreasing cost as the same time. By machine designed to support the various of utensils size. Cleaning system by high pressure water and water can control temperature. At the washing zone injector designed angle suitable for the utensils size purpose for the best cleaning all area. The machine can designed according to your requirements.

WSP-400

2 ZONES PRE-WASH, WASHING



SPECIFICATIONS

Tray size : W 1,400 x L 6,055 x H 1,720 mm

Capacity : 900-1,200 pcs / hr

Washing System : Pre-Zone, Wash-Zone

Water System : Recycle water pressure 5-6 kg / cm

Heating System : Stream or Electric

WSP-600

3 ZONES PRE-WASH, WASHING, RINSE



SPECIFICATIONS

Tray size : W 1,402 x L 6,202 x H 1,940 mm

Capacity : 900-1,200 pcs / hr

Washing System : Pre-Zone, Wash-Zone, Rinse-Zone

Water System : Recycle water pressure 5-6 kg / cm

Heating System : Stream or Electric

WSP-1000

PRE-WASH, WASHING, RINSE (FOR CHICKEN CAGE)



SPECIFICATIONS

Tray size : W 17,230 x L 6,050 x H 1,940 mm

Capacity : 600-1,000 pcs / hr

Washing System : Pre-Zone, Wash-Zone, Rinse-Zone


Water System : Recycle water pressure 5-6 kg / cm

Heating System : Stream or Electric



INSPECTION

- Metal Detector (SD3-45)
- Checkweigher (CSI06LW)
- X-Ray (SX4074W)



WASHING

- Washing Machine (WSP-600+Dryer)





SENTA PACK MACHINERY & SERVICE CO., LTD.

19/99 Moo. 4, Bang Kaew, Bang Phli, Samutprakarn, Thailand 10540

Tel : +66(0)2-136-3156 (Auto)

Fax : +66(0)2-136-3160

E-mail : marketing@sentapack.com **Website :** www.sentapack.com



Line Official



Website



Facebook Fanpage