



HIGH PERFORMANCE TRAILER LIGHTING & ACCESSORIES



Manufactured Exclusively by Metra Electronics:

Heise LED Lighting Systems are engineered and manufactured to meet all international standards. Heise's product line of bright, durable, state-of-the-art LED lights continues to grow, making it one of the top global leaders in the lighting market.

iBEAM Safety Systems manufactures dependable products for safer driving. iBEAM products utilize the latest technology and high-quality materials to help make blind spots a thing of the past.

The Install Bay is a one-stop-shop for reliable and cost-effective products in the aftermarket automotive accessories industry. These tools, hardware, and installation accessories are trusted in the majority of today's professional install shops.

Metra's 70+ year history, experience and approach to engineering and manufacturing ensures that all of these brands' products stand out among the competitors and are the highest quality available.

HIGH PERFORMANCE TRAILER LIGHTING & ACCESSORIES

Auxiliary driving and fog lights are intended for use solely as auxiliary lighting. They are not intended to be used for headlight purposes, nor are they certified for headlight usage. Auxiliary lights are designed to improve visibility during night time driving and inclement weather. Irresponsible use of any auxiliary light can be dangerous and illegal. Auxiliary driving lights are intended to supplement the high-beam of a standard headlamp system. They are not intended for use alone or with the low-beam of a standard headlamp system. Lighting laws vary from state to state.

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.HeiseLED.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.

• TRAILER LED2-5

• MARKER LIGHTS5-7

• TRAILER ACCESSORIES . . . 9

• FLANGES &
GROMMETS10-11

• LIGHTBARS &
BRACKETS12-13

• MONITORS & CAMERAS . . .15-18

• TRAILER WIRING
& ACCESSORIES19-23

• TOOLS & ACCESSORIES23-29

• TRAILER WIRING
REFERENCE GUIDE30-31



Better Construction, Inside and Out

Heise's LED lighting products integrate advanced thermal management, short circuit and open circuit protection and many other innovative features to repel moisture and extend the overall life of the product. Many of the lights are designed with virtually unbreakable materials to withstand the elements in even the harshest environments. All products undergo rigorous testing during the development and manufacturing process and once again before leaving the factory.

TRAILER LIGHT LED BAR


HE-TR1501

THINLINE LED STOP/TURN/TAIL/BACKUP LIGHT

13 LED

NEW!

- 10 LEDs: Stop, turn, taillight functions
- Hard wire connections
- FMVSS S T I R/U3
- @12VDC .1A for backup
- 3 LEDs for backup lights
- Red & white polycarbonate lens
- @ 12VDC .445A for stop/turn LEDs
- @12VDC .03A for taillight



OVAL TRAILER LED


HE-TR6001

6 INCH OVAL TRAILER LED LIGHT W/ GROMMET

14 LED

NEW!

- 14 red LEDs: Stop, turn, taillight functions
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .06A for taillight
- Sonically sealed, weather-resistant
- 6" rubber grommet
- FMVSS S2 T2 I6 / I6 / R



HE-TR6002

6 INCH OVAL TRAILER LED LIGHT W/ GROMMET

14 LED

NEW!

- 14 amber LEDs: Turn functions
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .06A for taillight
- Sonically sealed, weather-resistant
- 6" rubber grommet
- FMVSS S2 T2 I6 / I6 / R



HE-TR6003

6 INCH OVAL TRAILER LED LIGHT W/ GROMMET

14 LED

NEW!

- 14 white LEDs: Backup function
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .24A for backup
- Sonically sealed, weather-resistant
- 6" rubber grommet
- FMVSS S2 T2 I6 / I6 / R



OVAL TRAILER LED

HE-TR6004

6 INCH OVAL LED STOP/TURN/TAIL/BACKUP LIGHT

10 LED

NEW!

- 10 LEDs: Stop, turn, taillight functions
- Sonically sealed, weather-resistant
- PMMA lens and ABS housing
- 12VDC .43A for stop/turn LEDs
- @12VDC .06A for taillight
- 4 LEDs for backup lights
- PL-3 connector + male bullet
- FMVSS S2 T2 I6 R
- @12VDC .24A for backup



HE-TR6005

6 INCH OVAL TRAILER LED LIGHT

14 LED

NEW!

- 14 red LEDs: Stop, turn, taillight functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- @12VDC .06A for taillight
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .38A for stop/turn LEDs



HE-TR6006

6 INCH OVAL TRAILER LED LIGHT

14 LED

NEW!

- 14 amber LEDs: Turn functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .06A for turn signal




HE-TR6007

6 INCH OVAL TRAILER LED LIGHT

14 LED

NEW!

- 14 white LEDs: Backup functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .24A for backup



OPTIONAL PARTS FOR 6 INCH OVAL LED LIGHTS PG 11

- HE-TRM101 Surface Mount
- HE-TRM102 Rubber Grommet

ROUND TRAILER LED


HE-TR4001

4 INCH ROUND TRAILER LED LIGHT WITH GROMMET

14 LED

NEW!

- 14 red LEDs: Stop, turn, taillight functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- @ 12VDC .38A for stop/turn LEDs
- PL-3 connector with grommet
- PMMA lens and ABS housing



HE-TR4002

4 INCH ROUND TRAILER LED LIGHT WITH GROMMET

14 LED

NEW!

- 14 amber LEDs: Turn functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector with grommet
- PMMA lens and ABS housing
- @12VDC .06A for turn



HE-TR4003

4 INCH ROUND TRAILER LED LIGHT WITH GROMMET

14 LED

NEW!

- 14 white LEDs: Backup functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector with grommet
- PMMA lens and ABS housing
- @12VDC .24A for backup




HE-TR4004

4 INCH ROUND LED STOP/TURN/ TAIL/BACKUP LIGHT

10 LED

NEW!

- 10 LEDs: Stop, turn, taillight functions
- PL-3 connector + male bullet
- PMMA lens and ABS housing
- @ 12VDC .43A for stop/turn LEDs
- @12VDC .06A for taillight
- 4 LEDs for backup lights
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- @12VDC .24A for backup



OPTIONAL PARTS FOR 4 INCH ROUND LED LIGHTS PG 11

- HE-TRM103 Surface Mount
- HE-TRM104 Rubber Grommet

ROUND TRAILER LED



HE-TR4005

4 INCH ROUND TRAILER LED LIGHT

14 LED

NEW!

- 14 red LEDs: Stop functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .06A for taillight



HE-TR4006

4 INCH ROUND TRAILER LED LIGHT

14 LED

NEW!

- 14 amber LEDs: Turn functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector
- Amber PMMA lens and ABS housing
- @12VDC .06A for turn




HE-TR4007

4 INCH ROUND TRAILER LED LIGHT

14 LED

NEW!

- 14 white LEDs: Backup functions
- Sonically sealed, weather-resistant
- FMVSS S2 T2 I6 / I6 / R
- PL-3 connector
- PMMA lens and ABS housing
- @12VDC .24A for backup



OPTIONAL PARTS

FOR 4 INCH ROUND LED LIGHTS PG 11

- HE-TRM103 Surface Mount
- HE-TRM104 Rubber Grommet

MARKER / CLEARANCE LIGHT WITH REFLECTOR


HE-TRRF01

MARKER / CLEARANCE LIGHT WITH REFLECTOR

2 LED

NEW!

- 2 LED: Side marker functions
- Hardwire connections
- FMVSS A2 P2
- Red LED and reflector in one
- PMMA lens and ABS housing
- @12VDC - 0.03A




HE-TRRF02

MARKER / CLEARANCE LIGHT WITH REFLECTOR

2 LED

NEW!

- 2 LED: Side marker function
- Hardwire connections
- FMVSS A2 P2
- Amber LED and reflector in one
- PMMA lens and ABS housing
- @12VDC - 0.03A



ROUND MARKER / CLEARANCE LIGHT




HE-TR2501

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - red
- PL-10 plug on housing
- FMVSS P2 P3
- Grommets included
- PMMA lens and ABS housing
- @12VDC - 0.03A



HE-TR2502

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - amber
- PL-10 plug on housing
- FMVSS P2 P3
- Grommets included
- PMMA lens and ABS housing
- @12VDC - 0.03A



HE-TR2503

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - white
- PL-10 plug on housing
- FMVSS P2 P3
- Grommets included
- PMMA lens and ABS housing
- @12VDC - 0.03A



HE-TR2504

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - red
- PMMA lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3



HE-TR2505

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - amber
- Lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3



HE-TR2506

2.5 INCH ROUND MARKER / CLEARANCE LIGHT

9 LED

NEW!

- 9 LED round marker - white
- PMMA lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3

OPTIONAL PART
FOR 2.5 INCH ROUND MARKER / CLEARANCE LIGHTS PG 11

HE-TRM105 Rubber Grommet

ROUND MARKER / CLEARANCE LIGHT

HE-TR2001 2 INCH ROUND MARKER / CLEARANCE LIGHT

6 LED

NEW!

- 6 LED round marker - red
- PMMA lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3



HE-TR2002 2 INCH ROUND MARKER / CLEARANCE LIGHT

6 LED

NEW!

- 6 LED round marker - amber
- PMMA lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3




HE-TR2003 2 INCH ROUND MARKER / CLEARANCE LIGHT

6 LED

NEW!

- 6 LED round marker - white
- PMMA lens and ABS housing
- @12VDC - 0.03A
- PL-10 plug on housing
- FMVSS P2 P3



OPTIONAL PART FOR 2 INCH ROUND MARKER / CLEARANCE LIGHTS PG 11

HE-TRM106 Rubber Grommet

HE-TR7501 0.75 INCH ROUND MARKER / CLEARANCE LIGHT

3 LED

NEW!

- 3 LED round marker - red
- Hardwire connections
- FMVSS P2
- Sonically sealed, weather-resistant
- Polycarbonate Lens
- @12VDC - 0.03A



HE-TR7502 0.75 INCH ROUND MARKER / CLEARANCE LIGHT

3 LED

NEW!

- 3 LED round marker - amber
- Hardwire connections
- FMVSS P2
- Sonically sealed, weather-resistant
- Polycarbonate lens
- @12VDC - 0.03A




HE-TR7503 0.75 INCH ROUND MARKER / CLEARANCE LIGHT

3 LED

NEW!

- 3 LED round marker - white
- Hardwire connections
- FMVSS P2
- Sonically sealed, weather-resistant
- Polycarbonate lens
- @12VDC - 0.03A



measurements with HE-TRM07 or HE-TRM08

OPTIONAL PARTS FOR 0.75 INCH ROUND MARKER / CLEARANCE LIGHTS PG 11

HE-TRM107 Stainless Steel Flange
HE-TRM108 Rubber Grommet



HE-TRWH01

0.18 INCH BULLET CONNECTOR

10 PACK

NEW!

- Bulk 10 pack of 0.18" bullet connectors
- Used for the following lights: HE-TR6004 and HE-TR4004



HE-TRWH02

PL-10 MALE 2 PIN CONNECTOR

10 PACK

NEW!

- Bulk 10 pack of PL-10 connectors
- Used for the following lights: HE-TR25xx and HE-TR20xx series
- 2-pin male



HE-TRWH03

PL-3 MALE RIGHT ANGLE CONNECTOR

10 PACK

NEW!

- Bulk 10 pack of PL-3 connectors
- Use with HE-TR60xx and HE-TR40xx
- 3-pin male



HE-TRWH04

PL-3 FEMALE CONNECTOR

10 PACK

NEW!

- Bulk 10 pack of PL-3 connectors
- Mating connector for HE-TRWH03
- 3-pin female
- Two PL-3 female connectors per harness



HE-TRWH05

2 SWITCH M/L OUTLET ADAPTER

NEW!



BULK FLANGES & GROMMETS

HE-TRM01

6 INCH OVAL SURFACE MOUNT

10 PACK

NEW!

• 6" plastic flange

• Bulk 10 pack



HE-TRM02

6 INCH OVAL GROMMET

10 PACK

NEW!

• 6" rubber grommet

• Bulk 10 pack



HE-TRM03

4 INCH ROUND SURFACE MOUNT

10 PACK

NEW!

• 4" stainless steel flange

• Bulk 10 pack



HE-TRM04

4 INCH ROUND GROMMET

10 PACK

NEW!

• 4" rubber grommet

• Bulk 10 pack



HE-TRM05

2.5 INCH ROUND GROMMET

10 PACK

NEW!

• 2.5" rubber grommet

• Bulk 10 pack



HE-TRM06

2 INCH ROUND GROMMET

10 PACK

NEW!

• 2" rubber grommet

• Bulk 10 pack



HE-TRM07

0.75 INCH ROUND STAINLESS FLANGE

10 PACK

NEW!

• .75" stainless steel flange

• Bulk 10 pack



HE-TRM08

0.75 INCH ROUND GROMMET

10 PACK

NEW!

• .75" rubber grommet

• Bulk 10 pack



FLANGES & GROMMETS

HE-TRM101 6 INCH OVAL SURFACE MOUNT

NEW!

- 6" plastic flange
- Single pack



HE-TRM102 6 INCH OVAL GROMMET

NEW!

- 6" rubber grommet
- Single pack



HE-TRM103 4 INCH ROUND SURFACE MOUNT

NEW!

- 4" stainless steel flange
- Single pack



HE-TRM104 4 INCH ROUND GROMMET

NEW!

- 4" rubber grommet
- Single pack



HE-TRM105 2.5 INCH ROUND GROMMET

NEW!

- 2.5" rubber grommet
- Single pack



HE-TRM106 2 INCH ROUND GROMMET

NEW!

- 2" rubber grommet
- Single pack



HE-TRM107 0.75 INCH ROUND STAINLESS FLANGE

NEW!

- .75" stainless steel flange
- Single pack



HE-TRM108 0.75 INCH ROUND GROMMET

NEW!

- .75" rubber grommet
- Single pack

BRAKE LIGHT FLASHERS

IBLEDBLF STROBE FLASH CONTROLLER FOR LED BRAKE LIGHT

EA

- For use with LED third brake lights
- Flashes third brake light for greater visibility



IBBLF BRAKE LIGHT FLASHER

EA

- For use with non-LED third brake lights
- Flashes third brake light for greater visibility


LED LIGHTBARS

COMMON FEATURES

DL-DR8 8 INCH LED LIGHT BAR

NEW!


- Wattage: 36W
- Raw lumens: 2160LM
- Current consumption @ 13.8V: 2.6A
- IP rating: IP67



DL-DR22 22 INCH LED LIGHT BAR

NEW!


- Wattage: 120W
- Raw Lumens: 7200LM
- Current Consumption @ 13.8V: 8.7A
- IP rating: IP67



DL-DR32 32 INCH LED LIGHT BAR

NEW!

- Wattage: 180W
- Raw lumens: 10800LM
- Current consumption @ 13.8V: 13.1A
- IP rating: IP67



DL-CL1 4 INCH PAIR LED CUBE LIGHTS

NEW!

- Wattage: 36W
- Raw lumens: 2160LM
- Current consumption @ 13.8V: 2.6A
- IP rating: IP67



LIGHTBAR BRACKETS

MPS-B01 8 INCH UNIVERSAL LIGHTBAR BRACKET

MPS-B02 22 INCH UNIVERSAL LIGHTBAR BRACKET

MPS-B03 32 INCH UNIVERSAL LIGHTBAR BRACKET



INPUT VOLTAGE: 10-30V DC

COLOR TEMPERATURE: 6000K

BEAM PATTERN: COMBO: FLOOD (90) & SPOT (8)

HOUSING MATERIAL: DIE-CAST ALUMINUM

COLOR: BLACK

MEMBRANE: MILITARY BREATHER

LENS MATERIAL: POLYCARBONATE

ELECTRONICS: INTEGRATED-EPOXY ENCAPSULATED

HARDWARE: ALUMINUM

OPERATING TEMPERATURE: -40°C TO +60°C

PROTECTION: REVERSE POLARITY



HE-WL3 **4.75** INCH DIAGONAL WORK LIGHT **9** LED

Wattage: 90W • **Raw Lumens:** 7200 • **Lux @ 10M:** 35 • **Beam Pattern:** 90° Flood
Current Consumption @ 13.8V: 4.6A

• Modular design allows multiple lights to be connected together to form one long light
 4.75"W x 6"H x 4.50"D

HE-WL1 **3.625x2** INCH RECTANGLE WORK LIGHT **33** LED

Wattage: 60W • **Raw Lumens:** 726 • **Lux @ 10M:** .1 • **Beam Pattern:** 120° Flood
Current Consumption @ 13.8V: .3 A • **Lens Design:** Unique Waffle



3.75"W x 3"H x .75"D



HE-WL2 **3.625x1.75** INCH DUAL WORK LIGHT **2** LED

Wattage: 10W • **Raw Lumens:** 800 • **Lux @ 10M:** 28 • **Beam Pattern:** 90° Flood
Current Consumption @ 13.8V: .4 A

3.50"W x 2.50"H x 2.50"D

COMMON FEATURES

INPUT VOLTAGE: 10-30V DC

COLOR TEMPERATURE: 6000K

HOUSING MATERIAL: DIE-CAST ALUMINUM

COLOR: BLACK

LENS MATERIAL: PC

MOUNTING BRACKET: DIE-CAST ALUMINUM

HOLE DIMENSIONS: MOUNTING BOLT DRILL - .25"

ELECTRONICS: INTEGRATED-EPOXY ENCAPSULATED

HARDWARE: STAINLESS 316

IP RATING: IP67

PROTECTION: REVERSE POLARITY

SQUARE DRIVING LED LIGHTS



3.5"W x 3.75"H x 2.375"D


HE-DL8 **5.5** INCH **24** LED

Wattage: 72W • **Raw Lumens:** 5760
Lux @ 10M: 500 • **Beam Pattern:** 20° Spot
Current Consumption @ 13.8V: 3.2 A
Mounting Bracket: 304L with Stainless Steel Hardware
Operating Temperature: -49°F to 185° F

LICENSE PLATE MOUNT

HE-FLPUS

- Designed for front or rear license plate
- Mounts a cube, work or driving light



HE-CL2S2PK **3** INCH **4** LED

Wattage: 12W • **Raw Lumens:** 960
Lux @ 10M: 205 • **IP Rating:** IP68
Beam Pattern: 5° Spot
Current Consumption @ 13.8V: .9 A

Heise HE-DLWH1 dual light wiring harness included

2 LIGHT PACK



MONITORS & CAMERAS



TE-7VS-4 7 INCH MONITOR WITH QUAD CAMERA INPUT

- 7" color LCD display
- Heavy-duty tilting bracket mount
- Display 1 to 4 cameras simultaneously
- Multiple display layouts
- 4-pin DIN camera input connectors
- Compatible with TE-WTR wireless camera kit
- Includes remote



TE-4WCM 7 INCH WIRELESS MONITOR WITH QUAD OUTPUT

- 7" color LCD screen
- Built-in 2.4Ghz WiFi system for linking with wireless cameras (sold separately)
- Pairs with up to 4 wireless cameras
- 137m / 450ft unobstructed wireless range
- Display 1 to 4 cameras simultaneously
- Activation trigger for reverse (backup) cam
- 4 channel DVR recording capability
- Max. 128gb microSD card



TE-CCWRM COMMERCIAL WIRELESS PORTABLE CAMERA

- 2.4Ghz wireless camera, 394ft range
- Built-in, strong magnetic base
- Built-in rechargeable lithium battery
- 12 hours of run time (in daylight)
- Overcharge protection
- 0 lux
- 120° of diagonal view
- FITS: UNIVERSAL



TE-WPC-M HEAVY DUTY WIRELESS CAMERA + NIGHT VISION

- High quality metal housing
- Built-in microphone
- 1/3" CMOS camera
- 0 lux night vision / 12 IR LEDs
- 3dB antenna with 120m unobstructed range



HE-TR1501

PG 2



HE-TR6004

PG 3



HE-TRRF02

PG 5



QUICK DISCONNECT CABLES

TE-TCEX-1

DUAL CAMERA QUICK DISCONNECT CABLE

NEW!

- 3.5ft trailer coil cable & 1.5ft 2 camera connection
- 32ft extension cable with quick disconnect
- Stainless steel quick disconnects
- Water resistant seals
- Used for trailer hitches
- Allows for 2 camera connections - 1 audio and video and 1 video only
- 4-pin DIN connections for cameras



TE-TRBRKT

PAIR OF TRAILER QUICK DISCONNECT BRACKETS

NEW!

- Mounting bracket for quick disconnects
- Open slot for easy running of cable
- Includes 2 brackets
- Heavy-duty metal



TE-CTR3

3 METER COILED CONNECTOR TRAILER CABLE

- Cable for commercial cameras
- Coiled cable to adjust for different trailer tongue lengths
- 3m / 9.8ft in length
- 4-pin DIN connectors



CAMERAS & CABLES



TE-CCM HEAVY-DUTY NIGHT VISION CAMERA + MICROPHONE

- High quality metal housing
- Built-in microphone
- 0 lux night vision / 18 IR LEDs
- Extension cable not included



TE-CCS HEAVY-DUTY NIGHT VISION SIDE-VIEW CAMERA

- High quality metal housing
- 0 lux night vision / 18 IR LEDs
- Extension cable not included



TE-HEX10 HD 4-PIN DIN EXTENSION CABLE

- HD extension cable for HD commercial cameras
- 4-pin DIN connectors
- 10m / 32.8ft
- Can be used in place of TE-CEX10



TE-HEX20 HD 4-PIN DIN EXTENSION CABLE

- HD extension cable for HD commercial cameras
- 4-pin DIN connectors
- 20m / 65.6ft
- Can be used in place of TE-CEX20



TRAILER WIRING




TRAILER CONNECTORS

BLACK PVC HOUSING WITH COPPER INTERNALS

ALL COPPER HOOK-UP WIRE

IBTH12	12GA 2 PIN/2 PIN RED/BLACK	EA/1FT	IBT-E01	6 PIN ROUND/4 WAY FLAT	EA	IBT-E05	7 WAY BLADE TO TRAILER END	EA
IBTH16	16GA 2 PIN/2 PIN RED/BLACK	EA/1FT	IBT-E02	7 PIN ROUND/6 WAY ROUND	EA	IBT-E06	7 WAY BLADE TO VEHICLE END	EA
IBTH18	18GA 2 PIN/2 PIN RED/BLACK	EA/1FT	IBT-E03	7 WAY BLADE/4 WAY FLAT	EA	IBT-E07	7 BLADE 12V LED TESTER	EA
			IBT-E04	7 WAY BLADE/5 WAY FLAT	EA	IBT-E08	MOUNTING BRACKET	EA



ALL COPPER TRAILER WIRING PLUGS

Connectors that allow the basic hookup of the three lighting functions (running, turn and brake lights) plus one pin is provided for a ground wire (IBTH4P). One pin is available to provide support for another function (IBTH5P).

IBTH4P	4-WAY 18GA	5PK
IBTH5P	5-WAY 18GA	5PK



ALL COPPER TRAILER HARNESS

IBTH8P72 12GA, 16GA, 8 PIN 72" **5PK**

For custom harness applications:
12Ga = RD, WT, BK
16Ga = YL, BN, GN, BL, GY

ALL COPPER TRAILER WIRE

Wire recommended for RV, boats and utility trailers.


3 CONDUCTOR TRAILER WIRE

TWBGY14100	14GA BRN/GRN/YEL	100FT SPL	
TWBGY16100	16GA BRN/GRN/YEL	100FT SPL	
TWBGY18100	18GA BRN/GRN/YEL	100FT SPL	

4 CONDUCTOR TRAILER WIRE

TWBGYW14100	14GA BRN/GRN/YEL/WHT	100FT SPL	
TWBGYW16100	16GA BRN/GRN/YEL/WHT	100FT SPL	
TWBGYW18100	18GA BRN/GRN/YEL/WHT	100FT SPL	

2 CONDUCTOR TRAILER WIRE

TWBKRD14100	14GA BLACK/RED	100FT SPL	
TWBKRD16100	16GA BLACK/RED	100FT SPL	
TWBKRD18100	18GA BLACK/RED	100FT SPL	

BULK TRAILER WIRE COLORS

GPT is designed for electrical usage in fleet vehicles. PVC coated high temp rated.

US18500R	18GA US GPT WIRE RED	EA/500FT
US18500BL	18GA US GPT WIRE BLUE	EA/500FT
US18500BR	18GA US GPT WIRE BROWN	EA/500FT
US18500GR	18GA US GPT WIRE GREEN	EA/500FT
US18500OR	18GA US GPT WIRE ORANGE	EA/500FT
US18500PL	18GA US GPT WIRE PURPLE	EA/500FT
US18500WT	18GA US GPT WIRE WHITE	EA/500FT
US18500YL	18GA US GPT WIRE YEL	EA/500FT

ALL COPPER JACKETED PRIMARY WIRE

Wire recommended for auto/truck/construction and light marine. Heavy duty PVC outer jacket is abrasion resistant and protects against moisture, oil, acid, and salt.


2 CONDUCTOR

JPWBW8100	8GA BLACK/WHITE	EA/100FT
JPWBW10100	10GA BLACK/WHITE	EA/100FT
JPWBW12100	12GA BLACK/WHITE	EA/100FT
JPWBW14100	14GA BLACK/WHITE	EA/100FT
JPWBW16100	16GA BLACK/WHITE	EA/100FT



3 CONDUCTOR

JPWBGW10100	10GA BLK/GRN/WHT	EA/100FT	
JPWBGW12100	12GA BLK/GRN/WHT	EA/100FT	
JPWBGW14100	14GA BLK/GRN/WHT	EA/100FT	
JPWBGW16100	16GA BLK/GRN/WH	EA/100FT	

4 CONDUCTOR

JPWBGRW10100	10GA BLK/GRN/RED/WHT	EA/100FT	
JPWBGRW12100	12GA BLK/GRN/RED/WHT	EA/100FT	
JPWBGRW14100	14GA BLK/GRN/RED/WHT	EA/100FT	
JPWBGRW16100	16GA BLK/GRN/RED/WHT	EA/100FT	

COPPER JACKETED PRIMARY WIRE

JPW6100	6 X 14GA	100FT SPL	
JPW7100	4 X 14GA, 3 X 12GA	100FT SPL	

MAINTENANCE PRODUCTS



DIELECTRIC GREASE

IB05113 DI-ELECTRIC GREASE 3.3 OZ EACH

HEAT SHRINK TERMINAL KIT

• Assorted heat shrink butts, push ons, rings, and spades

IBK-HS120 CONNECTOR KIT - 120 PIECE (HEAT SHRINK) EACH



BUTT CONNECTORS

HEAT SHRINK

HSYBCM	YELLOW 24/26 HS BUTT	100/BAG
HSRBC	RED 22/18 HS BUTT	100/BAG
HSBBC	BLUE 16/14 HS BUTT	100/BAG
HSYBC	YELLOW 12/10 HS BUTT	50/BAG
HSRBC8	RED 8 GA HS BUTT	25/BAG



HSRBC



HSBBC



HSYBC



SHSBBC



SHSRBC

HEAT SHRINK WITH SOLDER

SHSBBC	HS BLUE BUTT CONN W/SOLDER 16/14 GA	10 PK
SHSRBC	HS RED BUTT CONNECTOR W/SOLDER 22/18 GA	10 PK
SHSWBC	HS WHITE BUTT CONNECTOR W/SOLDER 26/24 GA	10 PK
SHSYBC	HS YELLOW BUTT CONNECTOR W/SOLDER 12/10 GA	10 PK

RING TERMINALS



HSRRT10



HSBRT10



HSYRT16

HEAT SHRINK RING TERMINALS

HSRRT8	RED 22/18 #8 HS RING	100/BAG	HSBRT8	BLUE 16/14 #8 HS RING	100/BAG	HSYRT8	YELLOW 12/10 #8 HS RING	50/BAG
HSRRT10	RED 22/18 #10 HS RING	100/BAG	HSBRT10	BLUE 16/14 #10 HS RING	100/BAG	HSYRT10	YELLOW 12/10 #10 HS RING	50/BAG
HSRRT14	RED 22/18 1/4" HS RING	100/BAG	HSBRT14	BLUE 16/14 1/4" HS RING	100/BAG	HSYRT14	YELLOW 12/10 1/4" HS RING	50/BAG
HSRRT516	RED 22/18 5/16" HS RING	100/BAG	HSBRT516	BLUE 16/14 5/16" HS RING	100/BAG	HSYRT516	YELLOW 12/10 5/16" HS RING	50/BAG
HSRRT38	RED 22/18 3/8" HS RING	100/BAG	HSBRT38	BLUE 16/14 3/8" HS RING	100/BAG	HSYRT38	YELLOW 12/10 3/8" HS RING	50/BAG
						HSYRT12	YELLOW 12/10 1/2" HS RING	50/BAG

SPADE TERMINALS



HSBVLST6



HSBVST8

HEAT SHRINK SPADE TERMINALS

HSBVLST6	BLUE 16/14 HS #6 SNAP SPADE	100/BAG
HSBVST8	BLUE 16/14 HS #8 SPADE	100/BAG
HSBVST10	BLUE 16/14 HS #10 SPADE	100/BAG
HSRVST8	RED 22/18 HS #8 SPADE	100/BAG
HSRVST10	RED 22/18 HS #10 SPADE	100/BAG

BULLET CONNECTORS



HSRMB



HSBFB

HEAT SHRINK MALE & FEMALE

HSRMB	RED 22/18 HS MALE BULLET .187	100/BAG
HSBMB	BLUE 16/14 HS MALE BULLET .157	100/BAG
HSRFB	RED 22/18 HS FEMALE BULLET .187	100/BAG
HSBFB	BLUE 16/14 HS FEMALE BULLET .157	100/BAG



HSFYD



HSBMFI



HSRMD

HEAT SHRINK FEMALE

FI=FULLY INSULATED

HSRFFI	RED 22/10 .250 HS FEMALE FI QD	100/BAG
HSBFFI	BLUE 16/14 .250 HS FEMALE FI QD	100/BAG
HSYFFI	YELLOW 12/10 .250 HS FEMALE FI QD	50/BAG
HSRFD	RED 22/18 .250 HS F QD	100/BAG
HSFBD	BLUE 16/14 .250 HS F QD	100/BAG
HSFYD	YELLOW 12/10 .250 HS F QD	50/BAG

HEAT SHRINK MALE

FI=FULLY INSULATED

HSRMFI	RED 22/10 .250 HS MALE FI QD	100/BAG
HSBMFI	BLUE 16/14 .250 HS MALE FI QD	100/BAG
HSYMF1	YELLOW 12/10 .250 HS MALE FI QD	50/BAG
HSRMD	RED 22/18 .250 HS M QD	100/BAG
HSMBD	BLUE 16/14 .250 HS M QD	100/BAG
HSMYD	YELLOW 12/10 .250 HS M QD	50/BAG



RG38



RG12

RUBBER GROMMETS

RG18	RUBBER GROMMETS 1/8" ID	100/BAG
RG316	RUBBER GROMMETS 3/16" ID	100/BAG
RG14	RUBBER GROMMETS 1/4" ID	100/BAG
RG516	RUBBER GROMMETS 5/16" ID	100/BAG
RG38	RUBBER GROMMETS 3/8" ID	100/BAG
RG12	RUBBER GROMMETS 1/2" ID	100/BAG

GROMMETS

LONG BARREL GROMMETS

LSB8	8 GAUGE LONG BARREL GROMMET .26" ID	25/BAG
LSB4	4 GAUGE LONG BARREL GROMMET .40" ID	25/BAG
LSB1	1/0 GAUGE LONG BARREL GROMMET .63" ID	25/BAG



LSB8



LSB4



LSB1



3M ELECTRICAL TAPE

SUPER33-10

SUPER 33+ ELECTRICAL TAPE 3/4" X 52'

10 PK

EXTERIOR HARNESSING TAPE

IB51026

tesa 3/8" X 25M EXTERIOR HARNESS TAPE

16/SLV

IB51036

tesa OEM HARNESSING TAPE EXTERIOR 3/4" X 82'

16/SLV

TAPE



tesa

CABLE TUBING / CLAMPS / MOUNTS / TIES



WIRE LOOM INSTALL TOOL

SLT-08	WIRE LOOM INSTALL TOOL - 1/4 - 7/16 INCH	EACH
SLT-15	WIRE LOOM INSTALL TOOL - 1/2 - 5/8 INCH	EACH



CABLE CLAMPS

BCC18	CABLE CLAMPS 1/8" BLACK	100/BAG
BCC316	CABLE CLAMPS 3/16" BLACK	100/BAG
BCC14	CABLE CLAMPS 1/4" BLACK	100/BAG
BCC516	CABLE CLAMPS 5/16" BLACK	100/BAG
BCC38	CABLE CLAMPS 3/8" BLACK	100/BAG
BCC12	CABLE CLAMPS 1/2" BLACK	100/BAG
BCC34	CABLE CLAMPS 3/4" BLACK	100/BAG
BCC1	CABLE CLAMPS 1" BLACK	100/BAG

SPLIT LOOM TUBING - BLACK

Polyethylene 200 degree LOOM dispenser boxed with Metra label

SLT145	SPLIT LOOM TUBING 200 DEG 1/4" DISPENSER BOXED	EACH
SLT385	SPLIT LOOM TUBING 200 DEG 3/8" DISPENSER BOXED	EACH
SLT122	SPLIT LOOM TUBING 200 DEG 1/2" DISPENSER BOXED	EACH
SLT1	SPLIT LOOM TUBING 200 DEG 1" DISPENSER BOXED	EACH



MOUNTING HOLE CABLE TIES

BMCT6	6" SCREW MOUNT BLACK - 40 LB.	100/BAG
BMCT7	7.5" SCREW MOUNT BLACK - 50 LB.	100/BAG
BMCT11	11" SCREW MOUNT BLACK - 50 LB.	100/BAG



BLACK CABLE TIES

BCT4-1	4" BLACK CABLE TIES - 18 LB.	1000/BAG
BCT6-1	6" BLACK CABLE TIES - 30 LB.	1000/BAG
BCT8-1	8" BLACK CABLE TIES - 40 LB.	1000/BAG
BCT18	18" BLACK CABLE TIES - 50 LB.	100/BAG



STORAGE CONTAINER

IB12STORAGE	12 SLOT STORAGE CONTAINER	EACH
-------------	---------------------------	------



FUSE & HEAT SHRINK KITS

FUSE BULK KITS

IBATMLPKIT	ATMLP FUSE KIT / ASSORTED AMLP FUSES IN RETAIL STORAGE KIT	EACH	IBATCKIT	ATC FUSE ASSORTED / ATC FUSES IN RETAIL STORAGE KIT	EACH	IBATMKIT	ATC FUSE ASSORTED / ATM FUSES IN RETAIL STORAGE KIT	EACH
------------	--	------	----------	---	------	----------	---	------



HEAT SHRINK TUBING KIT

3MHSKIT	HEAT SHRINK KIT	EACH
---------	-----------------	------



CLIPS & SCREWS


STAINLESS

FW188	#10 18-8 S.S. FLAT WASHER	10/BAG
FW316S	#10 316 S.S. FLAT WASHER	10/BAG
NTSC1024	#10-24 18-8 S.S. HX NYLON INSERT	100/BAG
POHSC10134	#10 X 1-3/4 18-8 S.S. PHIL OVAL	100/BAG
POHSC102	#10 X 2 18-8 S.S. PHIL OVAL	100/BAG
POHSC834	#8 X 3/4 18-8 S.S. PH OVAL	100/BAG
PPHSC1024114	#10 X 24 1-1/4" PHIL PAN	100/BAG
PPHSC141	#14 X 1 18-8 S.S. PHIL PAN	100/BAG
PPHSS101	#10 X 1 18-8 S.S. PH PAN	100/BAG
PPHSS81	#8 X 1 18-8 S.S. PH PAN	100/BAG

WIRE CLIPS

Screw Mount

IBCLIP8	8AWG WIRE CLIPS	4/BAG
IBCLIP10	10AWG WIRE CLIPS	4/BAG



GROUNDING KIT + KIT RE-ORDER PARTS



GROUNDING KIT

Contains enough parts for 50 grounds. Replacement parts can be purchased.

PZGGRKT	PROFESSIONAL HIGH CURRENT KIT	EACH
---------	-------------------------------	------



HIGH SPEED DRILL BIT

PZGDRILL	135° SPLIT POINT AND SHOULDER TIP	EACH
----------	-----------------------------------	------



BRUSH TIP

PZGBRUSH	STAINLESS STEEL WIRES CUT DOWN TO BARE METAL QUICKLY	EACH
----------	--	------




LOCK WASHERS

PZGLWS	INTERNAL/EXTERNAL ANODIZED	50/PK
--------	----------------------------	-------



CUTTING BOLTS

PZGBOLT	ZINC ANODIZED THREAD 5/16"	50/PK
---------	----------------------------	-------



LOCK NUTS

PZGLNUT	ANODIZED FLANGED SERRATED	50/PK
---------	---------------------------	-------



NUT DRIVER

PZGDRIVER	MAGNETIZED NUT SETTER 5/16" BOLT 1/2" DRIVER	EACH
-----------	--	------



ELECTRICAL GEL

PZGGEL	ANTI-CORROSION ELECTRICAL CONNECTION GEL	EACH
--------	--	------



SAFETY GLASSES

PZGLASSES	CLEAR SAFETY GLASSES	EACH
-----------	----------------------	------

SOLDER & WORKLIGHTS



IBPS100K



SOLDER KIT

IBP2KC	WELLER PROFESSIONAL SELF-IGNITING CORDLESS BUTANE	EACH
--------	---	------

A lightweight, compact cordless butane soldering and hot air tool. Fast heat-up for high productivity, melts solder in less than 40 seconds. 25-75 watts.

SOLDERING IRON KIT

IBPS100K	WELLER SUPER PRO SELF-IGNITING BUTANE SOLDERING IRON KIT	EACH
----------	--	------

Professional quality, features "auto switch" safety shut-off and iron plated tip. Provides up to 125 watts of power.

PT1	.031 SINGLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
-----	--	------

PPT2	.094 SINGLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
------	--	------

PPT5	.031 DOUBLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
------	--	------

PPT6	.094 DOUBLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
------	--	------

SOLDER

SDR1	.040 ROSEN CORE SOLDER 1 LB SPOOL 60/40 KESTER	EACH
------	--	------

SDR14	.062 ROSEN CORE SOLDER .25 LB SPOOL 60/40	EACH
-------	---	------

ESDR-1	.040 ROSEN CORE SOLDER 1LB SPOOL 60/40 ECONOMY	EACH
--------	--	------

ASDR1	1LB .062 ALUMINUM SOLDER	EACH
-------	--------------------------	------

GFLUX2	2 OZ. GOLDEN FLUX FOR ASDR1 ONLY	EACH
--------	----------------------------------	------



SDR1

SOLDERING STATION

IBWLC100	WELLER 40 WATT	EACH
----------	----------------	------

Variable power control produces 5-40 watts. Quality, lightweight pencil iron, natural sponge tip cleaning pad. Includes ST3 iron plated copper tip.

IBST3	.125" REPLACEMENT TIP	EACH
-------	-----------------------	------



WORKLIGHTS

SL864	60 LED W/50FT 18/2 CORD REEL	EACH
-------	------------------------------	------

The Bayco Hanging Worklight on 50ft. retractable reel is 60 LEDs on the body of a hanging worklight, giving you the ability to keep working longer. 60 LED floodlight creates 120 lumens. Dual-position magnet hook hangs horizontally and vertically.

SL2125	60 LED W/25FT 18/2 CORD	EACH
--------	-------------------------	------

SLR2166	66 LED RECHARGEABLE SPOT WITH MAG HOOK	EACH
---------	--	------



SL2125



SL864



SLR2166

KNIFE CUTTING & SCISSORS & SCRAPER



UTILITY KNIFE

Heavy-duty cutter features a comfortably contoured ABS plastic handle with a ratchet wheel blade locking mechanism. Includes LB Blade.

OLFBNL	RATCHET LOCK, 18MM CUTTER	EACH
--------	---------------------------	------

Replacement blade for OLFBNL

OLFLB10B	18MM, 8 SEGMENTS PER STRIP	10/PK
----------	----------------------------	-------

Replacement blade for OLFLB10B

Features a special enhanced coating. Blade cuts faster and resists build-up. Excellent for cutting tough materials like thick corrugated, Gator Board, Corplast, wallboard, rubber and more.



SLIDE LOCK UTILITY KNIFE

OLFAA1	SLIDE LOCK UTILITY KNIFE	EACH
--------	--------------------------	------

9mm cutter features an ABS non-slip handle with a full length stainless steel blade channel. Auto-locking blade slider has micro, 26 blade stop positions. Includes a pocket-clip/blade snapper which firmly attaches to the cutter.

OLFAB10B	9MM, 13 SEGMENTS PER STRIP	10/PK
----------	----------------------------	-------

Replacement blade for OLFAA1

OLFAB50B	9MM, 13 SEGMENTS PER STRIP	50/PK
----------	----------------------------	-------

Replacement blade for OLFAA1



TOP SHEET CUTTER

OLFTS1	TOP SHEET CUTTER	EACH
--------	------------------	------

Its unique design lets you cut the top layer while preserving those below. Can use it on cardstock, thin films, plastic sheeting, tape and more.

OLFTSB1	TOP SHEET CUTTER BLADE	5/PK
---------	------------------------	------

Replacement blade for OLFTS1



ECONOMY CUTTER

114-58	KNIFE 13PT SNAP BLADE	EACH
--------	-----------------------	------

114-62	REPLACEMENT BLADES	10/PK
--------	--------------------	-------



SNAP-OFF GRAPHICS KNIFE

OLFSAC1	STAINLESS STEEL SNAP-OFF GRAPHICS KNIFE WITH 30 DEGREE ANGLE	EACH
---------	--	------

The acute 30° angle easily cuts cardboard, plastics, Coroplast™, foam board, Gator Board and more. It features an auto-lock. Pocket clip/blade snapper for convenience.

OLFA1160B	9MM, 7 SEGMENTS PER STRIP	10/PK
-----------	---------------------------	-------

Replacement blade for OLFSAC1



CUSHION GRIP KNIFE

OLFAK4	INCLUDES 2 PRECISION ART BLADES	EACH
--------	---------------------------------	------

This versatile knife features an acetone resistant, anti-slip cushion grip handle. The bottom is weighted slightly for better balance and stability in cutting. The anti-roll device offers safety and its quick spin, easy blade change.

OLFKB4S	#11 PRECISION BLADE	5/PK
---------	---------------------	------

Replacement blade for OLFAK4.



STANDARD DUTY CUTTER

OLPAZ	CUTTER	EACH
-------	--------	------

Rubber grip insert, positive side lock

OL9281	ABS STAINLESS BLADES	10/PK
--------	----------------------	-------

OL9282	ABS STAINLESS BLADES	50/PK
--------	----------------------	-------

RAZOR BLADES

IBBLADE	SINGLE EDGE STEEL-BACK #12	100/PK
---------	----------------------------	--------



DISPENSER PACK

120-01	UTILITY REPLACEMENT BLADES	100/PK
--------	----------------------------	--------



STAINLESS STEEL KNIFE

OLFA	KNIFE	EACH
------	-------	------

Auto locking blade, stainless steel handle and built-in safety blade stripper

OL9281	ABS STAINLESS BLADES	10/PK
--------	----------------------	-------

OL9282	ABS STAINLESS BLADES	50/PK
--------	----------------------	-------



ART KNIFE

OLFAK5	ART KNIFE/WEEDING PICK	EACH
--------	------------------------	------

30 included




MULTI-PURPOSE SCRAPER

OLFSCRL	2 1/3"	EACH
---------	--------	------

Handy scraper features high-quality 2 1/3" stainless steel blades and strong, acetone resistant handles. Stainless steel blades offer better protection against rusting for longer use.

OLGSB-1S	MULTI-GRIP 4-3/4"	EACH
----------	-------------------	------

OLFSCRL	REPLACEMENT BLADE FOR OLGSB-1S	EACH
---------	--------------------------------	------



EDGE SCISSORS

OLFSCS2	7" STAINLESS STEEL, SERRATED	EACH
---------	------------------------------	------

These heavy-duty scissors easily cut the toughest industrial materials, including polymers, wire, Kevlar®, vinyl, rubber, fabric, aircraft composites and other materials.

OLFSCS4	5" PRECISION, SMOOTH	EACH
---------	----------------------	------

These precision scissors are ideal for fine, intricate cutting on graphics, vinyl, film, leather, Kevlar™ cloth, polystyrene and more. Industrial strength Blades are made of stainless steel and fully extend into the handle.

HAND TOOLS



DOOR PANEL REMOVER

IB35350

EACH

Removes door panel fasteners even in tight spaces. The bent handle design allows use where space is limited and provides extra prying force.

DOOR UPHOLSTERY REMOVER

IB35400

EACH

For plastic fasteners. Rugged tool with a large, comfortable handle.



CRIMPING/CUTTING TOOL

IB1005

JOURNEYMAN

EACH

Soft handle material on outer surface and hard, black material on inner surface for comfort & durability. Use for insulated and uninsulated terminals & connectors. Accommodates wire from 10-22 awg, wire cutter in nose.



CRIMPING/CUTTING TOOL

IB1006

NON-INSULATED TERMINALS CONNECTORS 10-22 AWG

EACH

Three different cutting blades; anvil, copper, curved and steel. Cleanly shears 6-32 & 8-32 screws.



CRIMPING/CUTTING TOOL

IB1005

INSULATED AND NON-INSULATED TERMINALS AND CONNECTORS 10-22 AWG

EACH

Accommodates wire from no. 10 to 22 awg. Specially hardened wire cutter in nose. Tapered nose design for working in tight spaces.



SCRIBE

IB31800

EACH

Ideal for marking most metal and softer materials.



HAMMER CRIMPER

IBHDCHRP

LARGE GAUGE

EACH



"O" RING AND SEAL PICK

IB31840

EACH

Ideal for marking most metal and softer materials. Heat treated carbon steel point and surfaces.

WIRE PULLER

MEG20

EACH

Helps pull and/or push cable and wire in any difficult area. Bullet shaped tip for penetrating rubber boots, grommets and wire loom wraps. 24" overall length.

CRIMPING TOOL

IB2006

6" AWG TO 4/0 COMPOUND

EACH


All-in-one integral crimp nest with no removable parts or rotating dies. Adjustable screw allows user to control crimp depth.

CUTTERS & WIRE STRIPPERS & CRIMPERS & SAW BLADES



CABLE CUTTER
IB63020 | **KURVE MULTI** | **EACH**

Three different cutting blades; anvil, copper, curved and steel. Cleanly shears 6-32 & 8-32 screws. Double-dipped comfort grips with curved handles.



WIRE STRIPPER
IB1011 | **MULTI PURPOSE** | **EACH**

Strips 10-20 awg wire, bend shapes, pulls and loops wire, coil springs.

ECONOMY



10" MULTI CRIMPER/CUTTER
TMT10 | **EACH**

Patented 3-in-1 quality crimping tool designed for quick splice T-tap clipping, wire cutting and connector crimping.



CABLE CUTTER
TCT8 | **CUTS UP TO 4 GAUGE** | **EACH**



WIRE STRIPPER
IB1004 | **EACH**

Cuts, strips and loops 12-26 solid and stranded wire. Adjustable slide stop with set screw for repeat stripping work.



DIAGONAL CUTTERS
IBD275-5 | **MIDGET LIGHTWEIGHT** | **EACH**

5" Lightweight. Shears wire up to 14 awg with flush cutting action, compact head, steel hold-open spring, plastic-covered handles.



8" T-TAP CRIMPER/CUTTER
TTT08 | **EACH**

Patented 2-in-1 wire quick splice T-tap clipper and wire cutter. Hot forged and specially heat treated alloy for extra durability.



5" STRIPPER AND CUTTER
HW-9006 | **EACH**

5" made of carbon steel and hardened with black-oxide finish.



WIRE STRIPPER CUTTER
IB11045 | **EACH**

Strips 10-18 awg solid wire, easy to read wire gauge markings and coil spring.



DIAGONAL CUTTERS
IBD209-4 | **MIDGET POINTED NOSE (4")** | **EACH**

Sharp pointed nose for precise tip cutting and trimming printed circuit boards.



CRIMPER
HW-9013 | **EACH**

For stripping wires from 22-12 awg. Crimper made of carbon steel and hardened. Crimps red 22-18 awg, blue 16-14 awg, yellow 12-10 awg.

AIR SAW BLADES

ABS24	24TPI 1/2"	EACH
ABS24-5	24TPI 1/2"	5/PK
ASB18-5	18TPI 1/2"	5/PK
ASB10-5	10TPI 1/2"	5/PK

Bi-metal blades bend and resist breaking. High speed steel teeth provide long-lasting cutting edge

BITS & HAND TOOLS



UNIBIT

IB59001	13 INCREMENTS FRACTIONAL: 1/8" - 1/2"	EACH
---------	--	------

Double fluted design eliminates skidding and makes for easier resharping. Also features laser etched hole sizes, anti-skid tip and drill points so there is no pilot hole needed. Works with most metals.

UNIBIT

IB59003	9 INCREMENTS FRACTIONAL: 1/4" - 3/4"	EACH
---------	---	------

Double fluted design eliminates skidding and makes for easier resharping. Also features laser etched hole sizes, anti-skid tip and drill points so there is no pilot hole needed. Works with most metals.

BIT SET

IB32526	32 PIECE STANDARD TIP BIT SET	EACH
---------	-------------------------------	------

Durable PVC black block allows for easy storage of standard bits. Block slides over most screwdriver shafts for easy bit access and storage. Industrial strength, heat-treated steel bits for long-lasting use.

SKEWDRIVER



SKEWDRIVER



SKEWDRIVER



SKEWDRIVER PRO®

HW-9001	EACH
---------	------

The Skewdriver® is a bevel gear offset screwdriver that uses the rotary handle action of a regular screwdriver to access awkward and hard to reach places. The sturdy removable hollow handle allows use with any cord free 1/4" drill and acts as a handy storage for bits.

SKEWDRIVER PRO® KIT

SPK4040	EACH
---------	------

The Skewdriver® Pro SPK4040 kit features an offset bit driver, a right-angle tool that's perfect for removing the screws that secure some dash speaker grilles, getting to screws in hard-to-reach trim pieces, or working in tight quarters anywhere in your car or home.

BEVEL-GEAR DRIVER

P9801H	EACH
--------	------

Die cast Skewdriver® Pro offset bevel gear driver, with NEW SUPER GEARS, 3 times stronger than previous models, has stabilizer lock screw, ANSI impact ready input shaft, black chrome finish.

SKEWDRIVER



SKEWDRIVER



OFFSET HI-SPEED HEAD

HD-105	HEAVY DUTY 105° OFFSET HI-SPEED HEAD	EACH
--------	--------------------------------------	------

Made for heavy-duty power units. Rated at more than 500 in/lbs of torque/2000rpm. Lets you get your power unit into tight spots with drills, spade drills, grinders, buffers, nuts and screws.

GEAR DRIVER

RGS-5299	OFFSET GEAR DRIVER	EACH
----------	--------------------	------

WRENCH SET

PBS-1438	3/8" AND 1/4" WRENCH SET	EACH
----------	--------------------------	------

PBX 1400 Powerbox accessory with 7 piece English and Metric sockets.

TESTERS & GENERATORS & PROBES & MULTIMETERS



HANDY CIRCUIT TESTER
IB25600 EACH

Hooded probe protects your fingers and automatically centers the wires. Small size allows easy use even in the tightest places. Works up to 28 volts.



CIRCUIT TESTER
IB27450 COMPUTER SAFE EACH

Safe for use on 12volt automotive computer circuits. Tool draws less than 21 M.A. at 12 volts D.C. With an operating range of 3-12 Volts.

- Red glow - positive
- Green glow - negative



INNOVA

TEST LIGHT / CIRCUIT TESTER
3410 EACH

Ergonomic grip design with 6-foot test leads. Transparent handle shows bright LEDs to identify connections:
Green = Ground Present
Red = Voltage Present



PISTOL & VOLT PROBE
76600 HI-VIS VOLTPRO CIRCUIT TESTER EACH

Indicates power and grounds. Test the circuit's ability to deliver current and identify loose, corroded or broken wires. Capture intermittent spikes or drops in voltage. Take voltage snapshots in any mode, any time.

- Dynamic voltage drop testing
- Computer safe
- Power and ground LED indicators
- Voltage snapshot
- Min/max glitch capture



AUTO-RANGING DMM
3320 10 MegOhm/UL EACH

Auto-Ranging™ scales eliminate the need to dial in the correct range when making electronic measurements. 10 MegOhm input impedance for safe automotive and household uses. Large digital display. Single-setting resistance function for voltage (AC & DC). Color-coded LEDs display battery quick check. Includes attachable test leads, holders and stand.



MANUAL MULTIMETERS
MM300 MANUAL RANGING EACH

- Measures up to 600V AC/DC voltage, 10A AC/DC current and 2Mff resistance
- Tests batteries, diodes and continuity
- CAT III 600V safety rating









AUTO MULTIMETERS
MM400 AUTO RANGING EACH





- Measures up to 600V AC/DC voltage, 10A AC/DC current and 40 Mff resistance
- Measures capacitance, temperature, frequency, duty-cycle, and test diodes and continuity
- CAT III 600V safety rating

TRAILER WIRING REFERENCE GUIDE


VEHICLE-SIDE CONNECTIONS



TRAILER-SIDE CONNECTIONS



TRAILER WIRING REFERENCE GUIDE



TERMS & CONDITIONS

TERMS

Net 30 days from date of invoice on approved accounts. Minimum order: \$50 per invoice, orders less than required minimum incur a \$20 service charge.

FREIGHT

Freight on board (F.O.B.) from point of shipment.

CREDIT

In order to establish a credit line with Metra, an application for credit must be submitted listing a minimum of two (2) trade references and a bank with their addresses and phone numbers and must be signed by a principal or authorized officer of the company. A credit line will be established by our credit Manager and must be maintained in a current status according to our terms (net 30 days). Credit not established or revoked requires remittance with order. Will be placed on any amounts that are 30 days or more past due.

RESALE TAX EXEMPTION CERTIFICATE

California customers must provide a valid resale card before an order can be placed.

CLAIMS

Title and risk of loss passes to buyer at F.O.B. Shipping point and all claims must be filed with Carrier. Any discrepancies must be reported to Metra within ten (10) days of receipt of shipment.

RETURNS

All sales are final. No returns or exchanges will be allowed without prior written authorization from Metra. All returns are subject to a 20% handling charge, must be in a saleable condition, and must have been purchased within sixty (60) days of return request. No stock balancing permitted. Copies of invoices must be mailed in advance for any return authorization (R.A.).

WARRANTY

The warranty covers defects in the original material and workmanship except when:

- Installed by anyone who is NOT an authorized Metra Electronics® retailer, dealer or distributor.
- Any product is purchased from an unauthorized retailer, dealer or distributor.
- Any product that has had its serial number and/or model number altered, damaged, removed or replicated.

The warranty will NOT be honored if any damage or malfunctions occur due to the following scenarios:

- When the defect or damage results from shipping,
- Installation or removal of the product.
- During repair or attempt to repair without authorization from Metra Electronics.
- Other causes not related to an actual manufacturing defect.
- Any cosmetic damage that occurs to the product during normal use i.e. normal wear and tear.
- Any consumable components on the product such as a fuse or battery.
- Any accidents, acts of nature, misuse, abuse, neglect, unauthorized product modifications, or failure to follow product owner's manual instructions during installation and use.

Metra Electronics® the manufacturer of Heise LED Lighting Systems® warrants this products only to the original purchaser.

BACK ORDERS


If an item is temporarily unavailable for immediate shipment, we will back-order the item and ship as soon as possible from the nearest available warehouse, unless otherwise instructed.

Metra reserves the right to make changes in or deletions of products or prices without prior notice.

*Metra will not assume any responsibility for damages to person or property due to incorrect interpretation of the material in this publication. Metra is not responsible for typographical or printing errors. Reproductions of editorial or pictorial content is strictly prohibited without prior consent from Metra.

VISA, MASTERCARD, DISCOVER & AMERICAN EXPRESS ACCEPTED





Check out our other *LED Products* online!

HeiseLED.com

WARNING: This catalog does not advise whether a State of California Proposition 65 warning is required for a particular item of merchandise. To learn whether a particular item of merchandise requires a California Proposition 65 warning, please be sure to look up and read the particular merchandise's listing on Metra's website www.HeiseLED.com, as well as read the particular merchandise's packaging. When a California Proposition 65 warning is present on Metra's website listing for the particular merchandise, or on the particular merchandise's packaging, a compliant California Proposition 65 warning is to be provided to the purchasing California consumer prior to the sale of the particular merchandise.



CORPORATE HEADQUARTERS

Metra Electronics Corporation
460 Walker Street
Holly Hill, FL 32117-2699

Metra Corporate: 386.257.1186
Metra 12Volt & International Sales: 386.257.2956
Sales Fax: 386.258.3940

WAREHOUSE OPERATIONS

Daytona Beach, FL
Dallas, TX
Freehold, NJ
Lexington, KY
Fresno, CA
Long Beach, CA

OVERSEAS OPERATIONS

Taipei, Taiwan R.O.C. • Hong Kong



HE-TRAILER20



© Copyright 2020 - Metra Electronics Corporation



[www.facebook.com/
MetraElectronics](http://www.facebook.com/MetraElectronics)



[www.twitter.com/
MetraElectronic](http://www.twitter.com/MetraElectronic)



[www.youtube.com/
user/MetraElectronics](http://www.youtube.com/user/MetraElectronics)



[www.instagram.com/
/MetraElectronics](http://www.instagram.com/MetraElectronics)



Order Anytime Day or Night
at www.MetraDealer.com



Download Catalogs at
www.MetraOnline.com

460 WALKER STREET • HOLLY HILL, FL 32117 • METRADEALER.COM