



# Restricted Substances Specification

990-00012-00-C

# 1.0 Introduction

## 1.1 Scope

### CONTENTS

1-1	<a href="#">1.0 Introduction</a>
2-1	<a href="#">2.0 Restrictions for Products</a>
3-1	<a href="#">3.0 Restrictions for Packaging</a>
4-1	<a href="#">4.0 Restrictions for Manufacturing Processes</a>
5-1	<a href="#">5.0 Reportable Substances</a>
6-1	<a href="#">6.0 Future Phase Out for Products</a>
7-1	<a href="#">7.0 Future Phase Out for Manufacturing Process</a>
8-1	<a href="#">8.0 Supplier Demonstration of Conformance</a>
9-1	<a href="#">9.0 Additional Requirements</a>
10-1	<a href="#">10.0 References</a>
11-1	<a href="#">11.0 Revision History</a>
A-1	<a href="#">Appendix A – CAS Chemicals</a>

At Google, our values reflect the fundamental importance of inclusion, openness, science, and commitment to the environment. Operating our business in an environmentally sustainable way has been a core value from the beginning. Our goal is to design, manufacture, and sell products that are safe, efficient, and sustainable. One of the ways we do this is by eliminating hazardous substances and work toward creating and integrating safer substitutes.

The Google Restricted Substances Specification describes our commitment to the elimination of hazardous chemicals in all Google branded consumer products, accessories, manufacturing processes, and retail packaging. We want to ensure that once we eliminate a chemical of concern, it stays out. The restrictions in this specification are a compilation of international regulations and Google policies.

We require all suppliers to adhere to the restrictions and reporting requirements detailed in this specification for Google branded consumer hardware and it does not apply to the parts or products of other Google affiliates and subsidiaries such as Nest Labs, Verily, Calico Labs, or Waymo. All requirements in the specification go into effect on the date of publication.

Questions regarding the Google Restricted Substances Specification should be directed to [env-compliance@google.com](mailto:env-compliance@google.com).

# 1.2 Definitions

**Antimicrobial:** A substance or agent that kills microorganisms or stops their growth.

**Article:** The smallest discrete object whose shape, surface or design determines its function to a greater degree than its chemical composition (e.g., a plastic housing, stainless steel screw). (See the guidance provided by the EU Chemicals Agency).

**Assembly/Sub-Assembly:** A collection of articles composed of components and materials (e.g., a populated PCB, display assembly, connector, battery pack).

**Biocide:** See Antimicrobial.

**CAS:** Chemical Abstract Service registry number is an internationally recognized number to uniquely identify a chemical.

**EEE:** Electrical and electronic equipment.

**Exemption:** The condition of not being subject to the requirement in the specification. Google authorizes exemptions on a limited basis where the substance is not regulated by law but Google has determined that it is not technically feasible or a compliant material is not readily available to meet the requirements of the intended application (see Waiver for temporary deviations).

**Global Warming Potential:** The cumulative direct and indirect warming impacts integrated over a period of time from the emission of a unit of mass of gas relative to carbon dioxide, which is assigned a value of 1.

**Google Policy:** Google restrictions that go beyond regulatory requirements based on their hazard or toxicological profile, corporate initiative, or best practices.

**Homogeneous Material:** A material of uniform composition throughout or a material, consisting of a combination of materials, that cannot be disjoined, disaggregated, or separated into different materials by mechanical actions such as unscrewing, cutting, crushing, grinding, and abrasive processes. The definition is consistent with Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS 2). Examples of homogeneous materials include a plastic cover to a computer screen, a copper wire inside a cable, and the solder component of a solder joint. All EEE consist of many different homogeneous materials and the maximum concentration values are applied to each of the homogeneous materials individually.

**Intentionally Added:** The deliberate use in the formulation of a product, subpart, or material where its continued presence is desired to provide a specific characteristic, appearance, or quality.

**Manufacturing Process Chemical:** Those chemicals that are used during the course of manufacturing a product and maintaining the related equipment but that are not integrated into the product (e.g., a cleaner, degreaser, machine cutting fluid). This does not include substances, materials, parts, or components that are specified for integration into the product (e.g., paints, inks, coatings).

**Non-detect/Not detectable:** Below the validated test method detection limit for a particular compound in a particular matrix.

**Packaging:** Materials used to protect the finished product during shipment to the end-customer.

**ppm:** Parts per million by weight of a substance, equivalent to 1 mg/kg or 0.0001% by weight. For manufacturing process chemicals with breathing zone limits expressed in ppm, it refers to parts of vapor or gas per million parts of contaminated air by volume at 25°C and 1 atmosphere.

**Prolonged Skin Contact:** Contact with the skin for potentially more than 10 minutes on three or more occasions or 30 minutes on one or more occasions within two weeks.

**Waiver:** A temporary, conditional, and time-bound approved deviation to a requirement.

# 2.0 Restrictions for Products

The following restrictions apply to all homogenous materials in Google consumer products and accessories, or uncured formulations as designated.

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Antimony Trioxide	1309-64-4	All materials	1000 ppm	Glass and ceramics	Flame retardant, opacifying agent for glass / ceramics.	Google Policy
Arsenic and its compounds	Includes but is not limited to: 7440-38-2	Glass and Non-Metals	50 ppm	Semiconductor or substrates and dopants, and optical lenses (e.g., GaAs semiconductors, LEDs)	Opacifying agent for glass / ceramics. Manufacture of semiconductors and printed circuit boards.	EC 1907/2006 and amendments (REACH) Google Policy
		Metals and Alloys	1000 ppm		Present in raw materials that are used for copper and lead refining.	EC 1907/2006 and amendments (REACH) Google Policy
Asbestos and its compounds	See Appendix A	All materials	Shall not be used		Thermal insulator, fiber filled plastic parts, composites.	EC 1907/2006 and amendments (REACH) Swiss Chemical Risk Reduction Ordinance (ORRChem)
Aromatic Amines, Azo Colorants, and Azo Dyes	See Appendix A	All materials	30 ppm sum total content		Dye or colorant for plastics and textiles, polyurethane production, hardener for epoxy resin and adhesives, intermediates for high performance polymers.	EC 1907/2006 and amendments (REACH) GB 18401-2010 (China) GB 20400-2006 (China) Google Policy US TSCA 40 CFR 721.1660 Taiwan CNS 15290
Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)	68921-45-9	All materials	Non-detect (< 0.1 ppm)		Antioxidant in lubricants.	Canadian Environmental Protection Act, 1999
Beryllium and its compounds	Includes but is not limited to: 7440-41-7	All materials	1000 ppm		Beryllium-copper alloys in contacts of electrical connectors and EMI springs. Beryllium oxide insulator in radio transceiver modules.	Google Policy IEEE 1680.1
Benzene	71-43-2	Solvents in paints, primers, coatings, inks, lubricants and adhesives	100 ppm in the wet formulation		Solvents in paints, primers, coatings, inks, and adhesives.	Google Policy Canadian Environmental Protection Act, 1999

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Bisphenol A (BPA)	80-05-7	Materials in direct contact with user's skin	50 ppm residual	Materials not accessible by the user under normal use conditions	Monomer in polycarbonate and related polymers.	Google Policy California Proposition 65 Canadian Environmental Protection Act, 1999
Bromine (Br) and its compounds	Includes but is not limited to: 7726-95-6	All materials	900 ppm Br 1500 ppm Br + Cl	Notwithstanding conformance to all global regulations, product certifications, and market requirements, the following are exempted.  -Bromine used in pigments in display and camera color filters  -Plastics, elastomers, and textiles where bromine originates from pigments/dyes	Adhesives, coatings, colorants, pigments, paints, solder flux.	UL 110 IEEE 1680.1 Google Policy Swedish Act 2016:1067
Brominated Flame Retardants (BFRs)	Includes but is not limited to those found in Appendix A	All materials	Shall not be used  Note: Demonstrated bromine levels < 900 ppm can be used to indicate the material does not contain a BFR		Flame retardant for plastic & rubber parts, plastic parts of electrical components, printed circuit boards, flexible printed circuits, adhesives, coatings, paints.	Google Policy
Cadmium and its compounds	Includes but is not limited to: 7440-43-9	Battery cells and packs	20 ppm	See Appendix A.	Electrodes of nickel-cadmium batteries.	2011/65/EC 2013/56/EU
		All other materials	100 ppm	Google approved RoHS exemptions. See Table 2.1.	Pigment or stabilizer in plastic/rubber parts used in electrical components, printed circuit boards, flexible printed circuits, adhesives, coatings, paints. Alloying element in copper parts.	IEEE 1680.1 2011/65/EU Tawian BSMI RoHS China RoHS 2 - GB/T 26572 IEEE 1680.1
Chlorinated Paraffins, Short Chain (SCCP)  Chlorinated Paraffins, Medium Chain (MCCP)	85535-84-8 85535-84-9	All SCCPs (C10 - C13) All MCCPs (C14 - C17)	1000 ppm sum total content		Lubricants and coolants in metal cutting and metal forming operations and as secondary plasticizers and flame retardants in plastics.	EC 1907/2006 and amendments (REACH) US EPA SNUR 2070-AJ73

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Chlorine (Cl) and its compounds	Includes but is not limited to: 7782-50-5	All materials	900 ppm Cl 1500 ppm Br + Cl	Notwithstanding conformance to all global regulations, product certifications, and market requirements, the following are exempted:  -Chlorine used in pigments in display and camera color filters  -Plastics, elastomers, and textiles where chlorine originates from pigments/dyes  -Chlorine as a process residual (e.g, NaCl, catalysts).	Wire and cable insulation/jacket, plastic and rubber parts, plastic parts of electrical components, adhesives, coatings, paints, tubing, conformal coatings, solder flux.	UL 110 IEEE 1680.1 Google Policy Swedish Act 2016:1067
Chlorinated Flame Retardants (CFRs)	Includes but is not limited to those found in Appendix A	All materials	Shall not be used  Note: Demonstrated chlorine levels < 900 ppm can be used to indicate the material does not contain a CFR		Plastic, elastomers, rubbers, adhesives.	Google Policy
Chlorinated Organic Solvents	See Appendix A	Solvents in paints, primers, coatings, inks, lubricants and adhesives	1000 ppm in the 'wet', uncured formulation			EC 1907/2006 and amendments (REACH) Google Policy Canadian Environmental Protection Act, 1999
Chromium, hexavalent and its compounds (Cr(VI), Cr6+)	Includes but not limited to: 18540-29-9	Leather	3 ppm		Leather processing and corrosion protection for metal parts and fasteners.	EC 1907/2006 and amendments (REACH)
		Finishes and coatings	Non-detect (< 0.1 ppm)			Google Policy 2011/65/EU
		All other materials	1000 ppm			Google Policy 2011/65/EU
Dimethyl fumarate (DMFu)	624-49-7	All materials	0.1 ppm		Fungicide and mold inhibitor used in leather, desiccant.	2010/153/EC EC 1907/2006 and amendments (REACH) UL110
Endangered Species of Flora and Fauna	Not applicable	All materials	Shall not be used		Wood paneling, pallets, paper, packaging, veneers, coverings, and leather.	US Lacey Act EU Timber Regulation

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Formaldehyde	50-00-0	Textiles and Leather	75 ppm		Thermoset plastics (urea formaldehyde, melamine), adhesives for plywood and particleboard and fiber board plywood, finishers to make fabrics crease-resistant.	GB 18401 (China) Germany ChemVerbotsV Taiwan CNS 15290
		Composite wood products	0.05 ppm (emission)			US 40 CFR 770.10 US California Air Resources Board Japan Law 112
		All other materials	300 ppm			Google Policy
<b>Halogenated Diphenyl Methanes</b>		All materials	Non-detect (< 0.1 ppm)		Dielectric fluids in capacitors and transformers, heat transfer fluids, hydraulic fluids, plasticizers, dye solvents, germicides.	EC 1907/2006 and amendments (REACH)
Monomethyl tetrachloro diphenyl methane	76253-60-6					
Monomethyl dichloro diphenyl methane	81161-70-8					
Monomethyl dibromo dipenyl methane	99688-47-8					
<b>Hexabromocyclododecane (HBCDD)</b>		All materials	100 ppm		Flame retardant.	EU 2016/293 amending Annex I of EC 850/2004
Hexabromocyclododecane	25637-99-4					
1,2,5,6,9,10-Hexabromocyclododecane	3194-55-6					
alpha-Hexabromocyclododecane	134237-50-6					
beta-Hexabromocyclododecane	134237-51-7					
gamma-Hexabromocyclododecane	134237-52-8					
Lead and its compounds	Includes but not limited to: 7439-92-1	Battery Cells	40 ppm		Solder, coatings, glass, steel, copper alloys, aluminum alloys, plastics, stabilizer, pigment, drying agent in paintas and coatings.	2006/66/EC
		Plastic and elastomeric materials, paints, inks, non metallic and non-ceramic coatings	90 ppm total			Consumer Product Safety Improvement Act of 2008 (CPSIA) California Proposition 65
		All other materials	1000 ppm	Google approved RoHS exemptions. See Table 2.1.		2011/65/EC
Mercury and its compounds	Includes but not limited to: 7439-97-6	Battery Cells	1 ppm			Taiwan Battery Laws Korea Battery Laws New York Env Law § 27-0719 2006/66/EC Google Policy
		Plastic materials, paints, inks, non-metallic and non-ceramic coatings	60 ppm			Consumer Product Safety Improvement Act of 2008 (CPSIA)
		All other materials	1000 ppm		Compact fluorescent lights, switches, dyes.	2011/65/EC
Musk Xylene (5-tert-butyl-2,4,6-trinitro-m-xylene)	81-15-2	All materials	Non-detect (<0.1 ppm)		Fragrance fixative.	EC 1907/2006 and amendments (REACH)



Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Nickel and its compounds	7440-02-0	Parts and materials with direct and prolonged skin contact	0.28 µg / cm <sup>2</sup> / week Ni leach rate		Metal plating, alloying element in stainless steel.	EC 1907/2006 and amendments (REACH) UL110
Organotin (Organostannic) Compounds	See Appendix A	Textiles and Leather	1 ppm		Adhesive, paint, stabilizer, catalyst, and additive.	Taiwan CNS 15290
		All other materials	1000 ppm by weight of tin			EC 1907/2006 and amendments (REACH) 2009/425/EC Canadian Environmental Protection Act, 1999
Ozone Depleting Chemicals (ODCs)	See Appendix A	All materials	Non-detect (< 0.1 ppm)		Foaming agent, semi-conductor manufacturing.	Montreal Protocol US Clean Air Act Google Policy
<b>Perchlorates</b>		All materials	0.006 ppm		Coin / Button cell batteries.	CA DTSC Perchlorate Contamination Prevention Act (AB 826)
Sodium perchlorate	7601-89-0					
Potassium perchlorate	7778-74-7					
Ammonium perchlorate	7790-98-9					
Lithium perchlorate	7791-03-9					
Magnesium perchlorate	10034-81-8					
Perfluorooctane Sulfonates (PFOS) and its compounds	See Appendix A	Textiles	1 µg/m <sup>2</sup> coated area		Surfactant, impregnation agent in textiles, photolithographic chemicals.	EU/757/2010 Canadian Environmental Protection Act, 1999
		Mixtures / Preparations	10 ppm			
		All other materials	1000 ppm			
Perfluorooctanic Acid (PFOA) and its compounds	See Appendix A	Textiles / Coated Area	1 µg/m <sup>2</sup> coated area		Surfactant, impregnation agent in textiles, photolithographic chemicals.	Norway FOR-2004-06-01-922 Canadian Environmental Protection Act, 1999 EC 1907/2006 and amendments (REACH)
		Mixtures / Preparations	10 ppm			
		All other materials	1000 ppm			
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)-	3846-71-7	All materials	5 ppm			EC 1907/2006 and amendments (REACH) Japanese Chemical Substances Control Law
Phthalates	See Appendix A	All materials	1000 ppm sum total content		Plasticizer	California Proposition 65 EC 1907/2006 and amendments (REACH) 2011/65/EC and amendments Google Policy

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
<b>Polybrominated Biphenyl (PBB)</b> Polybrominated biphenyls Firemaster BP-6 Hexabromobiphenyl Octabromobiphenyl Decabromobiphenyl	Examples include but not limited to: 67774-32-7 59536-65-1 36355-01-8 27858-07-7 13654-09-6	All materials	1000 ppm sum total content		Flame retardant in plastics and printed circuit boards.	2011/65/EC EC 1907/2006 and amendments (REACH)
<b>Polybrominated Diphenyl Ether (PBDE)</b> Polybrominated diphenyl ether Pentabromodiphenylether Octabromodiphenylether Decabromodiphenylether	Examples include but not limited to: 1163-19-5 32534-81-9 32536-52-0 1163-19-5	All materials	1000 ppm sum total content		Flame retardant in plastics and printed circuit boards.	2011/65/EC
Polychlorinated Biphenyl (PCB)	1336-36-3	All materials	Non-detect (< 0.1 ppm)		Capacitor, transformer, heat transfer fluids, lubricants.	EC 850/2004 Japan Chemical Substances Control Law
Polychlorinated Naphthalene (PCN)	70776-03-3	All materials	Non-detect (< 0.1 ppm)		Lubricants, paint, capacitors, wood preservative.	Japanese Chemical Substances Control Law Google Policy
Polychlorinated Terphenyl (PCT)	61788-33-8	All materials	Non-detect (< 0.1 ppm)		Capacitor, transformer, heat transfer fluids, lubricants.	EC 1907/2006 and amendments (REACH) Google Policy
Polycyclic Aromatic Hydrocarbons (PAHs)	See Appendix A	All materials and parts in dermal contact >30 seconds	1 ppm per individual PAH compound 10 ppm for sum of all listed PAHs		Plastics, dyes, carbon black.	EC 1907/2006 and amendments (REACH) California Proposition 65 Google Policy
Polyvinyl Chloride (PVC) and its copolymers	9002-86-2	All materials	Shall not be used Note: Demonstrated chlorine levels < 900 ppm can be used to indicate the material does not contain PVC		Electrical insulator, wire insulation, cable jackets, tape, tubing, shock and vibration dampening cushions, plastic films packaging clamshells.	Google Policy UL 110
Radioactive Substances	n/a	All materials	Ionizing radiation not detected above background levels		Ionization smoke sensors, phosphorescent inks.	EU-D 96/29/Euratom Japanese laws for the Regulation of Nuclear Source Material, Nuclear Fuel Material, and Reactors (1986)

Substance Name	CAS	Scope	Limit	Exemptions	Typical Uses	Reference
Tetrabromobisphenol-A (TBBPA)	79-94-7	All materials	Shall not be used Note: Demonstrated bromine levels < 900 ppm can be used to indicate the material does not contain TBBPA		Flame retardants in plastics, printed circuit boards, wire insulation, cable jacketing, tape, and tubing.	Google Policy Swedish Act 2016:1067
REACH Restricted Substances (Annex XVII of EC 1907/2006)	Refer to the ECHA website for the individual restrictions at: <a href="https://echa.europa.eu/addressing-chemicals-of-concern/restrictions/substances-restricted-under-reach">https://echa.europa.eu/addressing-chemicals-of-concern/restrictions/substances-restricted-under-reach</a>	All relevant materials restricted under Annex XVII	Refer to Annex XVII			EC 1907/2006 and amendments (REACH)

# Table 2.1 Google Approved RoHS Exemptions

Substance	Exemption	Description
Cadmium	8b	Cadmium and its compounds in electrical contacts.
	13b-II	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of the Annex.
Lead	6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0.35% lead by weight and in batch hot dip galvanised steel components containing up to 0.2% lead by weight.
	6(b)-I	Lead as an alloying element in aluminium containing up to 0.4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling.
	6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0.4% by weight.
	6(c)	Copper alloy containing up to 4% lead by weight.
	7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead).
	7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound.
	7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC.
	13(a)	Lead in white glasses used for optical applications.
	13(b)-I	Lead in ion coloured optical filter glass types.
Mercury	None	
Hexavalent Chromium	None	
Polybrominated biphenyl (PBB)	None	
Polybrominated diphenyl ether (PBDE)	None	
Dibutyl phthalate (DBP)	None	
Butyl benzyl phthalate (BBP)	None	
Bis-(2-ethylhexyl) phthalate (DEHP)	None	
Diisobutyl phthalate (DIBP)	None	

Note: This table of approved exemptions may be amended periodically as the EU Commission expires, renews and splits exemptions

# 3.0 Restrictions for Packaging

The following restrictions apply to all homogenous materials in Google's retail packaging.

Substance	CAS	Scope	Limit	Typical Uses	Reference
Arsenic and its compounds	Includes but is not limited to: 7440-38-2	Wood products and pallets	2 ppm	Wood preservative.	EC 1907/2006 and amendments (REACH)
Bisphenol A (BPA)	80-05-7	Thermal Paper	Non-detect (< 0.1 ppm)		Google Policy EC 1907/2006 and amendments (REACH)
Bromine and its compounds	Includes but is not limited to: 7726-95-6	All homogenous materials in packaging	900 ppm Br 1500 ppm Br + Cl		Google Policy
Cadmium (Cd)	7440-43-9	All homogenous materials in packaging	100 ppm (Cd + Cr-6 +Hg + Pb)		94/62/EC (Packaging Directive) US Toxics Packaging Clearinghouse (TPCH)
Chlorine and its compounds	Includes but is not limited to: 7782-50-5	All homogenous materials in packaging	900 ppm Cl 1500 ppm Br + Cl		Google Policy
Chromium, hexavalent (Cr-VI, Cr6+)	18540-29-9	All homogenous materials in packaging	100 ppm (Cd + Cr-6 +Hg + Pb)		94/62/EC (Packaging Directive) US Toxics Packaging Clearinghouse (TPCH)
Lead (Pb)	7439-92-1	All homogenous materials in packaging	100 ppm (Cd + Cr-6 +Hg + Pb)		94/62/EC (Packaging Directive) US Toxics Packaging Clearinghouse (TPCH)
Mercury (Hg)	7439-97-6	All homogenous materials in packaging	100 ppm (Cd + Cr-6 +Hg + Pb)		94/62/EC (Packaging Directive) US Toxics Packaging Clearinghouse (TPCH)
Ozone Depleting Chemicals (ODCs)	See Appendix	All materials	Non-detect (< 0.1 ppm)		Montreal Protocol US Clean Air Act Google Policy
Polystyrene, Expanded (EPS)	9003-53-6	All homogenous materials in packaging	Shall not be used as packaging material in the primary product packaging	Packaging cushions.	Google Policy
Polyvinyl chloride (PVC)	9002-86-2	All homogenous materials in packaging	Shall not be used. Note: Demonstrated chlorine levels < 900 ppm can be used to indicate the material does not contain PVC		Google Policy

# 4.0 Restrictions for Manufacturing Processes

The following restrictions apply to Supplier manufacturing operations as designated.

Manufacturing Process Chemicals	CAS	Scope	Limit	Reference
Benzene	71-43-2	Supplier's manufacturing operations including cleaning agents, degreasers and demolding solutions	No intentional use (< 100 ppm content) Breathing zone < 0.1 ppm (0.32 mg/m <sup>3</sup> )	NIOSH Google Policy
Beryllium and its compounds	7440-41-7	Supplier's manufacturing operations where beryllium-copper alloys or beryllium oxide is used	Breathing zone < 0.0005 mg/m <sup>3</sup>	California OSHA PEL GBZ 2.1 2007
Chlorinated Organic Solvents	See Appendix A	Supplier's manufacturing operations including cleaning agents, degreasers and demolding solutions	No intentional use (< 1000 ppm sum total content) Breathing zone < 0.05 ppm	Google Policy
n-Hexane	110-54-3	Supplier's manufacturing operations including cleaning agents, degreasers and demolding solutions	No intentional use (< 100 ppm sum total content) Breathing zone < 28 ppm (100 mg/m <sup>3</sup> )	ACGIH GBZ 2.1 2007 Google Policy
N-methylpyrrolidone (NMP)	872-50-4	Cleaning agents, degreasers and demolding solutions in Supplier's manufacturing operations except under controlled conditions and approved by Google	No intentional use (< 100 ppm sum total content) Breathing zone < 10 ppm (40 mg/m <sup>3</sup> )	AIHA TWA California OSHA Google Policy
Ozone Depleting Chemicals (ODCs)	See Appendix A	Supplier's manufacturing operations	No intentional use	Montreal Protocol US Clean Air Act
Perfluorooctane Sulfonates (PFOS) and PFOS salts	See Appendix A	Supplier's manufacturing operations except of controlled conditions of IC photolithography and photographic coating processes where they are no known alternatives	No intentional use (< 10 ppm content) Breathing zone < 0.005 mg/m <sup>3</sup>	Stockholm Convention on Persistent Organic Pollutants EU Regulation 850/2004 (as amended by 757/2010) Canada Regulation SOR/2008-177
Sulfur Hexafluoride (SF <sub>6</sub> )	2551-62-4	Supplier's manufacturing operations except of controlled conditions of IC manufacturing (e.g. etching, plasma cleaning) where there are no known alternatives	Breathing zone < 1000 ppm (6000 mg/m <sup>3</sup> )	High GWP OSHA
Toluene	108-88-3	Cleaning agents, degreasers and demolding solutions in Supplier's manufacturing operations	No intentional use (<100 ppm content) Breathing zone <10 ppm (37 mg/m <sup>3</sup> )	ACGIH (2015) California OSHA PEL Google Policy

# 5.0 Reportable Substances

Suppliers are required to report the presence of chemicals of concern in all homogenous materials as detailed below. Suppliers shall report to the Environmental Compliance team at env-compliance@google.com.

Substance	CAS	Reporting Limit	Scope	Typical Uses	References
Antimicrobials and Biocides	n/a	Detectable levels	All homogenous materials	Antimicrobial additives in textiles and adhesives (e.g. silver-ion).	US EPA FIFRA EU BPR Regulation 528/2012
California Proposition 65 List of Chemicals	<a href="https://oehha.ca.gov/proposition-65/proposition-65-list">https://oehha.ca.gov/proposition-65/proposition-65-list</a>	Detectable levels	All homogenous materials	Various.	California Proposition 65
Cobalt and its compounds	7440-48-4	100 ppm	All homogenous materials	Metal alloys, batteries, catalysts, pigments, and coloring.	EC 1907/2006 and amendments (REACH) Canadian Environmental Protection Act, 1999 Washington State Children Safe Products Act
Diphenylamine, substituted (SDPA)	See Appendix	Detectable levels	All homogenous materials	Antioxidants used in adhesives, resins, polymer coatings, paper products.	Canadian Environmental Protection Act, 1999
IEC 62474 Declarable Substances	<a href="http://std.iec.ch/iec62474/iec62474.nsf/MainFrameset">http://std.iec.ch/iec62474/iec62474.nsf/MainFrameset</a>	Refer to the declarable substance list for applicable reporting limits	All homogenous materials	Various.	IEEE 1680.1 Google policy
Nanomaterials	Many	Detectable levels	Engineered materials that contain particles, in an unbound state or as an aggregate or an agglomerate, and where, for 50% or more of the particles in the number size distribution, one or more external dimensions are in the size range 1-100 nanometer (nm)	Silver nanoparticles, carbon nanotubes and graphene, nanoscale cerium dioxide, nano titanium dioxide, nanoscale iron, and nanometer-size copper particles.	France Decree No. 2012-232 Environmental Code Article L. 523-4
Washington State's List of Chemicals of High Concern to Children (CHCC)	<a href="http://apps.leg.wa.gov/WAC/default.aspx?cite=173-334-130">http://apps.leg.wa.gov/WAC/default.aspx?cite=173-334-130</a>	Detectable levels (> 0.1 ppm) if used intentionally 100 ppm if present as a contaminant	All homogenous materials	Various.	Washington State - Children's Safe Products Act

# 6.0 Future Phase-Out for Products

Google intends to phase out hazardous chemicals to protect human health and the environment. The substances below are subject to future restriction. Suppliers must take action to report the current use in Google materials, parts, and components and proactively identify suitable replacements.

Substance Name	CAS	Scope	Priority	Limit	Reference
Bisphenol F	620-92-8	All homogenous materials	1	50 ppm residual	Google policy
Bisphenol S	80-09-1	All homogenous materials	1	50 ppm residual	Google policy
Ethylbenzene	100-41-4	Solvents in paints, primers, coatings, inks, lubricants and adhesives	1	1000 ppm in the wet formulation	Google policy
Toluene	108-88-3	Solvents in paints, primers, coatings, inks, lubricants and adhesives	1	1000 ppm in the wet formulation	Google policy
REACH Candidate List of Substances of Very High Concern (SVHC)	Refer to ECHA website for the most current list: <a href="http://echa.europa.eu/candidate-list-table">http://echa.europa.eu/candidate-list-table</a>	Articles as defined by REACH	2	1000 ppm at the article level	IEEE 1680.1 UL110
REACH Authorized Substances (Annex XIV of EC 1907/2006)	Refer to ECHA website for the most current list: <a href="https://echa.europa.eu/addressing-chemicals-of-concern/authorisation/recommendation-for-inclusion-in-the-authorisation-list/authorisation-list">https://echa.europa.eu/addressing-chemicals-of-concern/authorisation/recommendation-for-inclusion-in-the-authorisation-list/authorisation-list</a>	All homogenous materials	2	1000 ppm at the article level	EC 1907/2006 and amendments (REACH)
Xylene and its isomers	1330-20-7 95-47-6 108-38-3 106-42-3	Solvents in paints, primers, coatings, inks, lubricants and adhesives	2	1000 ppm in the wet, uncured formulation	Google policy



# 7.0 Future Phase Out for Manufacturing Process

Google intends to phase out hazardous chemicals to protect human health and the environment. The substances below are subject to future restriction. Suppliers must take action to report the current use in manufacturing of Google parts and components and proactively identify suitable replacements.

Substance Name	CAS	Scope	Priority	Limit	Reference
Hydrofluorocarbons (HFCs)	See Appendix A	Supplier to evaluate whether alternatives are available for existing and new applications (e.g. refrigerant), to understand existing ban or restriction for some applications/jurisdictions, and to address concerns and associated business risks due to high potential to phase out/down or severely restrict use of the chemical in the future.	1	TBD	Montreal Protocol amendment to phase out stating 2019-2028 because High GWP, CA ARB to cut high GWP HFCs
Perfluorocarbons (PFCs)	See Appendix A	Supplier to evaluate whether alternatives are available for existing and new applications (e.g. solvents for electronics or metal cleaning), to understand existing ban or restriction for some applications/jurisdictions, and to address concerns and associated business risks due to high potential to phase out/down or severely restrict use in the future.	1	TBD	High GWP

# 8.0 Supplier Demonstration of Conformance

Suppliers must submit test reports from certified labs at the homogeneous material level for the following substances:

Substance Name	Test Method	Scope
Arsenic (As)	Total digestion followed by ICP-MS	Glass
Beryllium (Be)	US EPA 3050B US EPA 3052 Others approved by Google	Metals and alloys Note: The manufacturer may submit a certified mill test certificate for the specific metal alloy in lieu of testing.
Bisphenol A	Solvent extraction followed by LC-MS	External plastic materials with the potential for skin contact under normal use conditions.
Bromine Chlorine	EN 14582 or US EPA SW-846 5050/9056	All homogenous materials except metals, glass, and ceramics.
Cadmium (Cd) Hexavalent Chromium (Cr6+) Lead (Pb) Mercury (Hg)	IEC 62321	All materials.
Polybrominated biphenyl (PBB) Polybrominated diphenyl ether (PBDE)	IEC 62321	All materials except metals, glass, and ceramics.
Bis(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP)	IEC 62321	All materials except metals, glass, and ceramics.
Additional substances upon request		

## 8.1 Test Report Requirements

- Test reports must be at the homogenous material level.
- Test reports must be no more than 2 years old from the date submitted to Google or Google’s manufacturing partners. Test reports older than 2 years will be rejected.
- A nationally or internationally certified laboratory must issue the test report. Results from supplier-owned laboratories are acceptable if the lab is independently certified (e.g., ISO 17025)
- Test results based on X-ray Fluorescence Spectroscopy (XRF) are not acceptable.
- The most currently published revision of a test method specification is to be used.
- Test reports shall be provided at the suppliers expense.

## 8.2 Supplier Declarations of Conformity (SDoC)

Suppliers are required to submit declarations of conformity to through a process defined by Google. Suppliers are also required to submit declarations and test reports to Google’s manufacturing partners as requested.

## 8.3 Refresh Policy

Google may request updated test reports at its sole discretion, at the supplier’s expense, as a demonstration of conformance. Test reports are valid for the life of the component provided that constituent materials have not changed. In this event, suppliers should be prepared to show evidence that constituent materials have not changed.

## 8.4 Data Retention Policy

All compliance documentation (e.g., test reports and declarations) must be retained by the supplier for a minimum of 10 years as part of the supplier's record-keeping process. Digital formats are acceptable unless otherwise noted. Suppliers are also expected to have compliance assurance processes and systems to control and maintain the data.

## 8.5 Waiver/Deviation Process

Suppliers must contact Google in writing if they are seeking a waiver or deviation to a requirement in this specification. The following information must be provided in the request:

1. The substance name
2. CAS number
3. The concentration of the substance in the homogenous material (ppm or % wt/wt)
4. The reason why a deviation is necessary
5. When the deviation will be resolved

Google will review the request and provide a decision by email. Suppliers can contact Google at [env-compliance@google.com](mailto:env-compliance@google.com) for more information.

## 9.0 Additional Requirements

### 9.1 Reformulation Notification

Suppliers are required to notify Google and obtain consent before reformulating or implementing any change that will affect the chemical composition (intentional or residual) of a material and its potential to comply with this specification.

### 9.2 Alternatives Assessment for Safer Chemistry

In order to reduce the potential for regrettable substitutions when phasing out a chemical of concern, suppliers are required to perform an alternatives assessments using a comprehensive chemical hazard assessment framework such as the GreenScreen<sup>®</sup> for Safer Chemicals or the US EPA Safer Choice criteria. The supplier should focus on selecting chemistry with inherently low hazard toxicological properties. The supplier shall conduct a hazard evaluation at its expense or obtain the evaluation from its sub-suppliers.

## 10.0 References

2009/425/EC: Commission Decision 2009/425/EC of 28 May 2009 amending Council Directive 76/769/EEC: As regards restrictions on the marketing and use of organostannic compounds for the purpose of adapting its Annex I to technical progress.

2010/153/EC: Prolonging the validity of Decision 2009/251/EC requiring Member States to ensure that products containing the biocide dimethylfumarate are not placed or made available on the market.

2011/65/EU: The restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS Recast"). This directive replaces the directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

2011/696/EU: Commission recommendation of 18 October 2011 on the definition of nanomaterial.

2013/56/EU: 2013/56/EU Directive amended 2006/66/EC Directive of the European Parliament and of the Council of 6 September 2006 on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC.

40 CFR 721.1660 - Benzidine-based chemical substances.

40 CFR 770.10 - Formaldehyde emission standards.

814.81 Ordinance of 18 May 2005 on the Reduction of Risks relating to the Use of Certain Particularly Dangerous Substances, Preparations and Articles (Chemical Risk Reduction Ordinance, ORRChem

94/62/EC: Directive of the European Parliament and of the Council on Packaging and Packaging waste, 94/62/EC, December 1994.

ACGIH: American Conference of Governmental Industrial Hygienist (ACGIH), Guide to Occupational Exposure Values, 2013.

AIHA TWA: The AIHA Guideline Foundation Workplace Environmental Exposure Levels® (WEELs®) provide guidance for protecting most workers from adverse health effects related to occupational chemical exposures expressed as time-weighted average (TWA).

CA DTSC: California Department of Toxic Substances Control; Perchlorate Contamination Prevention Act of 2003, AB 826.

Cal OSHA: California Department of Public Health, Occupational Health Branch, PELs, Title 8, section 5155/AC-1.

California Prop 65: The Safe Drinking Water and Toxic Enforcement Act of 1986, California Health and Safety Code, Division 20, Chapter 6.5, sections 25249.5 through 25249.13.

Canadian Environmental Protection Act, 1999 (CEPA 1999): Chemicals Management Plan, Section 71.

ChemVerbotsV: Chemical Prohibition Ordinance, Germany.

Children's Safe Products Act (CSPA): Washington State's Children's Safe Products Act reporting List of Chemicals of High Concern to Children (CHCC), US.

China RoHS: Administration methods for use of hazardous substance in electrical and electronic products, Ministry of Industry and Information Technology of People's Republic of China, Order#32, January 21, 2016.

CLP Regulation (EC) No. 1272/2008: Classification, Labeling and Packaging complements Dangerous Substances Directive (67/548/EEC) and the Dangerous Preparations Directive (1999/45/EC) replaced by REACH directive.

CNS 15290 Safety of Textile Products (General Requirements). Taiwan.

Commission Regulation (EU) 2016/293 of 1 March 2016 amending Regulation (EC) No 850/2004 of the European Parliament and of the Council on persistent organic pollutants as regards Annex I (Text with EEA relevance)

CPSIA, 2008: Consumer Product Safety Improvement Act of 2008—Public Law 110-314; US.

Directive 2006/66/EC of the European Parliament and of the Council of 6 September 2006 on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC

Directive 2013/59/Euratom - protection against ionising radiation

EC/757/2010: Commission Regulation (EU) No. 757/2010 amending Regulation (EC) No. 850/2004 of the European Parliament and of the Council on persistent organic pollutants (perfluorooctane sulfonates) as regards Annexes IV and V.

EN 14582:2007: Characterization of waste. Halogen and sulfur content. Oxygen combustion in closed systems and determination methods. British Standards Institute, 2007

EN 1811:2011: Reference test method for release of nickel from all post assemblies that are articles intended to come into direct and prolonged contact with the skin.

EPA SW-846 5050/9056: Bomb preparation method for solid waste; Method 9056: Determination of inorganic anions by ion chromatography. EPA, 1994.

EU Timber Regulation: Regulation laying down the obligations of operators who place timber and timber products on the market: (EU) No. 995/2010.

France Decree No. 2012-232, Environmental Code Article L. 523-4: Annual declaration of nanoparticles in substances

GB 18401: Chinese National General Safety Technical Code for Textile Products: GB 18401—2010.

GB 20400: Limit of Harmful Matters in Leather and Fur, 2006 (Chinese mandatory standard).

GB/T 26572: Chinese Standards on the Requirements of Concentration Limits for Certain Restricted Substances in Electrical and Electronic Products, 2011.

GBZ 2.1-2007: Occupational exposure limits for hazardous agents in the workplace in China, 1 November 2007.

IEC 62321: Determination of certain substances in electrotechnical products. IEC, 2008. Updates in 2013 and 2015.

IEEE 1680: IEEE STD 1380-2006, IEEE Standard for Environmental Assessment of Personal Computer Products, Including Laptop Personal Computers, Desktop Personal Computers, and Personal Computer Monitors, IEEE, 2006.

Japan Chemical Substances Control Law (CSCL): Japanese Chemical Substances Control Law (CSCL) and amendments, 2011.

Japan Law 112 - Act on Control of Household Products Containing Harmful Substances

Japanese Laws: Japanese Laws for the Regulation of Nuclear Source Material, Nuclear Fuel Material, and Reactors, 1986.

Lacey Act (16 U.S.C. §§ 3371–3378): Amended in the Food, Conservation, and Energy Act of 2008 (Pub.L. 110-234, H.R. 2419, 122 Stat. 923, enacted May 22, 2008), expanded its protection to a broader range of plants and plant products (Section 8204. Prevention of Illegal Logging Practices).

Montreal Protocol: Montreal Protocol on Substances that Deplete the Ozone Layer, September 1987.

New York Environmental Law § 27-0719 regarding Battery management and disposal.

NIOSH: National Institute for Occupational Safety and Health (NIOSH) Pocket Guide to Chemical Hazards, Center for Disease Control and Prevention (CDC), 2014.

Norway FOR-2004-06-01-922: Regulations relating to restrictions on the use of healthhazardous chemicals and other products (Product Regulations).

REACH 1907/2006 and amendments: Annex XVII of Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

REACH, Article 59 (10): Candidate List of substances of very high concern for Authorisation under REACH regulation.

REACH: Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products Text with EEA relevance

Sweden Law (2016: 1067) a tax on chemicals in certain electronics

Taiwan BSMI RoHS: CNS 15663 is the technique standards of Taiwan BSMI RoHS.

UL110 Standard for Sustainability for Mobile Phones, ed. 2: 2017

US Clean Air Act of 1963: An Act to improve, strengthen, and accelerate programs for the prevention and abatement of air pollution. 42 U.S. Code Chapter 85

US EPA 3050B: EPA method describing acid digestion of sediments, sludges, and soils.

US EPA 3052: EPA method describing microwave assisted acid digestion of siliceous and organically based matrices.

US EPA 5021A: Method to determine volatile organic compounds in soils and other solid matrices using equilibrium headspace analysis.

US EPA, SNUR 2070-AJ73: EPA's significant new use rule for short-chain chlorinated paraffins, under TSCA Section 5(a)(2), December 2014.

## 11.0 Revision History

Revision	Changes
Rev A	Initial release
Rev. B	Added in Table 1 restricted substances table: red phosphorus, Brominated/chlorinated flame retardants, poly vinyl chloride and all phthalates. Removal from reportable substances table: Brominated/chlorinated flame retardants, poly vinyl chloride and all phthalates.
Rev. C	<p>New format. Updated and added definitions. Updated all references. Added product restrictions for antimony trioxide, arsenic, BNST, beryllium, benzene, BPA, elemental bromine and chlorine, chlorinated organic solvents, DMFu, endangered species, halogenated diphenyl methanes, musk xylene, organotins, PFOA, TBBPA, and REACH restricted substances. Expanded Azo dyes/colorants category to cover Aromatic amines, Azo colorants, and Azo dyes. Cadmium - added limit for batteries. Hexavalent Chromium - added limit for leather. Formaldehyde - Added limits for textiles, leather, composite wood products, and other materials. HBCDD - reduced limit from 1000 ppm to 100 ppm. Lead - removed subcategory for cable jacketing and added a lower limit for polymeric materials, paints, inks, and non-metallic and non-ceramic coatings. Mercury - added limit for batteries and a lower limit for plastic materials, paints, inks, and non-metallic and non-ceramic coatings. Nickel - changed limit from 1000 ppm content to a leach rate limit. Organotins - expanded scope of chemicals covered and updated limits. PFOS - added limits for textiles, mixtures / preparations, and all other materials. Phthalates - changed limit from 1000 ppm individual to 1000 ppm sum total content. PVC - updated limit to 'non-use' from 1000 ppm. Removed red phosphorus from product restrictions. Retired all Google approved exemptions for: all mercury exemptions, 5a, 5b, 7b, and 15. Added approved exemptions to align with recent EU Commission delegated directives. Packaging restrictions - Added new limits for arsenic, BPA, elemental bromine and chlorine, and PVC. Removed the separate section for non-electronic product restrictions. Reportable substances - added antimicrobials / biocides, California Proposition 65, cobalt and its compounds, nanomaterials, Washington State's List of Chemicals of High Concern to Children, and IEC 62474 substances of concern. Removed bismuth from reportables. The following previous reportables became newly restricted in this revision: antimony trioxide, arsenic and its compounds, beryllium and its compounds, BPA, PFOA, and TBBPA. Added new sections for manufacturing process chemical restrictions, future phase out for both products and manufacturing process chemicals, supplier demonstration of conformance, reformulation notification, alternatives assessment for safer chemistry, references, and appendix.</p>



# Appendix A – Referenced Substances

## A.1 Aromatic Amines, Azo Colorants and Azo Dyes

CAS	Substance Name
101-14-4	2,2'-dichloro-4,4'-methylenedianiline (MOCA)
101-77-9	4,4'-Methylenedianiline (MDA)
101-80-4	4,4'-Oxydianiline
106-47-8	4-Chloroaniline
119-90-4	3,3'-Dimethoxybenzidine
119-93-7	3,3'-Dimethylbenzidine
120-71-8	p-Cresidine
122-39-4	N,N-Diphenylamine
137-17-7	2,4,5-Trimethylaniline
139-65-1	4,4'-Thiodianiline
60-09-3	4-aminoazobenzene
615-05-4	2,4-Diaminoanisole
838-88-0	4,4'-methylenedi-o-toluidine
90-04-0	o-Anisidine
91-59-8	2-Naphthylamine
91-94-1	3,3'-Dichlorobenzidine
92-67-1	4-Biphenylamine
92-87-5	Benzidine
95-53-4	o-Toluidine
95-69-2	4-Chloro-o-toluidine
95-80-7	2,4-Diaminotoluene
97-56-3	o-aminoazotoluene
99-55-8	2-Amino-4-nitrotoluene
95-68-1	2,4-Xylidine
87-62-7	2,6-Xylidine

## A.2 Asbestos and its compounds

CAS	Substance Name
1332-21-4	Asbestos
77536-66-4	Actinolite
12172-73-5	Amosite
77536-67-5	Anthrophyllite
12001-29-5 132207-32-0	Chrysotile
12001-28-4	Crocidolite
77536-68-6	Tremolite

## A.3 Brominated Flame Retardants

CAS	Substance Name
94334-64-2	TBBPA carbonate oligomer
21850-44-2	TBBPA-bis(2,3-dibromopropyl ether)
25327-89-3	TBBPA-bis(allyl ether)
4162-45-2	TBBPA-bis(2-hydroxyethyl ether)
13654-09-6	Decabromobiphenyl (DeBB)
632-79-1	Tetrabromophthalic anhydride (TBPA)
20566-35-2	TBPA diester/ether diol
32588-76-4	Ethylene bis(tetrabromophthalimide)
24407-32-7	3,4,5,6-Tetrabromophthalimide
25357-79-3	Disodium salt of tetrabromophthalate
25637-99-4 3194-55-6	Hexabromocyclododecane (HBCD)
3322-93-8	Dibromoethyldibromocyclohexane
52907-07-0	Ethylenebis(5,6-dibromonorbornane-2,3-dicarboximide)
3296-90-0	Dibromoneopentyl glycol (DBNPG)
36483-57-5	Tribromoneopentyl alcohol (TBNPA)
593-60-2	Vinyl bromide (VBr)
118-79-6	2,4,6-Tribromophenol (TBP)
37853-59-1	1,2-Bis(tribromophenoxy)ethane (HBPE)
3278-89-5	2,4,6-Tribromophenyl allyl ether (TBP-AE)
69882-11-7	Poly(dibromophenylene oxide) (PDBPO)
85-22-3	Pentabromoethylbenzene (5BEB)
58965-66-5	Tetradecabromo-1,4-diphenoxybenzene (TDBDPB)
59447-55-1	Poly(pentabromobenzyl acrylate) (PBB-PA)
31780-26-4	Polydibromostyrene (PDBS)
88497-56-7	Brominated polystyrene (BrPS)
3194-57-8	Tetrabromocyclooctane

## A.4 Chlorinated Flame Retardants

CAS	Substance Name
115-28-6	Chlorendic acid
115-96-8	Tris(2-chloroethyl)phosphate (TCEP)
13560-89-9	Dechlorane plus
13674-84-5	2-Propanol, 1-chloro-, 2,2',2"-phosphate (TCPP)
13674-87-8	tris (1,3-dichloro-2-propyl) phosphate (TDCPP)

## A.5 Chlorinated Organic Solvents

CAS	Substance Name
Chlorinated Methanes [6 items]	
75-27-4	Bromodichloromethane
56-23-5	Carbon tetrachloride
67-66-3	Chloroform
124-48-1	Dibromochloromethane
75-09-2	Methylene chloride
74-87-3	Methyl chloride
Chlorinated Ethanes [9 items]	
75-00-3	Chloroethane
75-34-3	1,1-Dichloroethane
107-06-02	1,2-Dichloroethane
67-72-1	Hexachloroethane
76-01-7	Pentachloroethane
630-20-6	1,1,1,2-Tetrachloroethane
79-34-5	1,1,2,2-Tetrachloroethane
71-55-6	1,1,1-Trichloroethane
79-00-5	1,1,2-Trichloroethane
Chlorinated Ethylenes [6 items]	
75-35-4	1,1-Dichloroethylene
540-59-0	1,2-Dichloroethylene
156-59-2	cis-1,2-Dichloroethylene
156-60-5	trans-1,2-Dichloroethylene
127-18-4	Tetrachloroethylene
79-01-6	Trichloroethylene

## A.6 Diphenylamine, substituted (SDPA)

CAS	Substance Name
68608-77-5	Benzenamine, 2-ethyl-N-(2-ethylphenyl)-, (tripropenyl) derivatives
10081-67-1	Benzenamine, 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]-
15721-78-5	Benzenamine, 4-(1,1,3,3-tetramethylbutyl)-N-[4-(1,1,3,3-tetramethylbutyl)phenyl]-
24925-59-5	Benzenamine, 4-nonyl-N-(4-nonylphenyl)-
101-67-7	Benzenamine, 4-octyl-N-(4-octylphenyl)-
4175-37-5	Benzenamine, 4-octyl-N-phenyl-
36878-20-3	Benzenamine, ar-nonyl-N-(nonylphenyl)-
27177-41-9	Benzenamine, ar-nonyl-N-phenyl-
26603-23-6	Benzenamine, ar-octyl-N-(octylphenyl)-
68608-79-7	Benzenamine, N-phenyl-, (tripropenyl) derivatives
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene
184378-08-3	Benzenamine, N-phenyl-, reaction products with isobutylene and 2,4,4-trimethylpentene
68442-68-2	Benzenamine, N-phenyl-, styrenated

## A.7 Hydrofluorocarbons (HFCs)

CAS	Substance Name
75-46-7	HFC-23 (CHF <sub>3</sub> )
75-10-5	HFC-32 (CH <sub>2</sub> F <sub>2</sub> )
593-93-3	HFC-41 (CH <sub>3</sub> F)
138495-42-8	HFC-43-10mee (C <sub>5</sub> H <sub>2</sub> F <sub>10</sub> )
354-33-6	HFC-125 (C <sub>2</sub> H <sub>5</sub> F)
359-35-3	HFC-134 (CHF <sub>2</sub> CHF <sub>2</sub> )
811-97-2	HFC-134a (CH <sub>2</sub> FCF <sub>3</sub> )
430-66-0	HFC-143 (CH <sub>2</sub> FCHF <sub>2</sub> )
420-46-2	HFC-143a (C <sub>2</sub> H <sub>3</sub> F <sub>3</sub> )
624-72-6	HFC-152 (CH <sub>2</sub> FCH <sub>2</sub> F)
75-37-6	HFC-152a (C <sub>2</sub> H <sub>4</sub> F <sub>2</sub> )
353-36-6	HFC-161 (CH <sub>3</sub> CH <sub>2</sub> F)
431-89-0	HFC-227ea (C <sub>3</sub> H <sub>7</sub> F)
677-56-5	HFC-236cb (CH <sub>2</sub> FCF <sub>2</sub> CF <sub>3</sub> )
431-63-0	HFC-236ea (CHF <sub>2</sub> CHF <sub>2</sub> CF <sub>3</sub> )
690-39-1	HFC-236fa (C <sub>3</sub> H <sub>2</sub> F <sub>6</sub> )
679-86-7	HFC-245ca (C <sub>3</sub> H <sub>3</sub> F <sub>5</sub> )
460-73-1	HFC-245fa (CHF <sub>2</sub> CH <sub>2</sub> CF <sub>3</sub> )
406-58-6	HFC-365mfc (CH <sub>3</sub> CF <sub>2</sub> CH <sub>2</sub> CF <sub>3</sub> )

## A.8 Organotin (Organostannic) Compounds

CAS	Substance Name
Multiple	Monobutyltin (MBT) Compounds
Multiple	Monooctyltin (MOT) Compounds
Multiple	Dibutyltin (DBT) Compounds
Multiple	Diocetyl tin (DOT) Compounds
Multiple	Tetrabutyltin (TeBT)
Multiple	Tetraoctyltin (TeOT)
Multiple	Tributyltin (TBT) Compounds
Multiple	Tricyclohexyltin (TCyT) Compounds
Multiple	Triphenyltin (TPhT) Compounds

## A.9 Ozone Depleting Substances

CAS	Substance Name
CAS	Substance Name
75-69-4	Trichlorofluoromethane (CFC-11)
75-71-8	Dichlorodifluoromethane (CFC-12)
75-72-9	Chlorotrifluoromethane (CFC-13)
354-56-3	Pentachlorofluoroethane (CFC-111)
76-12-0	Tetrachlorodifluoroethane (CFC-112)
76-12-0	1,1,2,2-Tetrachloro-1,2-difluoroethane (CFC-112)
76-11-9	1,1,1,2-Tetrachloro-2,2-difluoroethane (CFC-112a)

## A.9 Ozone Depleting Substances (CONTINUED)

CAS	Substance Name
76-13-1	Trichlorotrifluoroethane (CFC-113)
76-13-1	1,1,2-Trichloro-1,2,2 trifluoroethane (CFC-113)
354-58-5	1,1,1-Trichloro-2,2,2 trifluoroethane (CFC-113a)
76-14-2	Dichlorotetrafluoroethane (CFC-114)
76-15-3	Monochloropentafluoroethane (CFC-115)
422-78-6, 135401-87-5	Heptachlorofluoropropane (CFC-211)
422-78-6	1,1,1,2,2,3,3-Heptachloro-3-fluoropropane (CFC-211aa)
422-81-1	1,1,1,2,3,3,3-Heptachloro-2-fluoropropane (CFC-211ba)
3182-26-1	Hexachlorodifluoropropane (CFC-212)
2354-06-5; 134237-31-3	Pentachlorotrifluoropropane (CFC-213)
29255-31-0	Tetrachlorotetrafluoropropane (CFC-214)
2268-46-4	1,2,2,3-Tetrachloro-1,1,3,3-tetrafluoropropane (CFC-214aa)
-	1,1,1,3-Tetrachloro-2,2,3,3-tetrafluoropropane (CFC-214cb)
1599-41-3	Trichloropentafluoropropane (CFC-215)
1599-41-3	1,2,2-Trichloropentafluoropropane (CFC-215aa)
76-17-5	1,2,3-Trichloropentafluoropropane (CFC-215ba)
-	1,1,2-Trichloropentafluoropropane (CFC-215bb)
-	1,1,3-Trichloropentafluoropropane (CFC-215ca)
4259-43-2	1,1,1-Trichloropentafluoropropane (CFC-215cb)
661-97-2	Dichlorohexafluoropropane (CFC-216)
422-86-6, 76-18-6	Monochloroheptafluoropropane (CFC-217)
75-61-6	Dibromodifluoromethane (Halon 1202)
353-59-3	Bromochlorodifluoromethane (Halon 1211)
75-63-8	Bromotrifluoromethane (Halon 1301)
124-73-2	Dibromotetrafluoroethane (Halon 2402)
56-23-5	Tetrachloromethane (carbon tetrachloride)
71-55-6	1,1,1-Trichloroethane (methyl chloroform)
74-83-9	Bromomethane (methyl bromide)
74-96-4	Bromoethane (ethyl bromide)
2314-97-8	Trifluoroiodomethane (trifluoromethyl iodide)
74-87-3	Chloromethane (methyl chloride)
1868-53-7	Dibromofluoromethane
1511-62-2	Bromodifluoromethane
373-52-4	Bromofluoromethane
306-80-9	Tetrabromofluoroethane
-	Tribromodifluoroethane
354-04-1	Dibromotrifluoroethane
124-72-1	Bromotetrafluoroethane
-	Tribromofluoroethane
75-82-1	Dibromodifluoroethane
421-06-7	Bromotrifluoroethane
358-97-4	Dibromofluoroethane
420-47-3	Bromodifluoroethane
762-49-2	Bromofluoroethane
-	Hexabromofluoropropane

## A.9 Ozone Depleting Substances (CONTINUED)

CAS	Substance Name
-	Pentabromodifluoropropane
-	Tetrabromotrifluoropropane
-	Tribromotetrafluoropropane
431-78-7	Dibromopentafluoropropane
2252-78-0	Bromohexafluoropropane
-	Pentabromofluoropropane
-	Tetrabromodifluoropropane
-	Tribromotrifluoropropane
-	Dibromotetrafluoropropane
460-88-8	Bromopentafluoropropane
-	Tetrabromofluoropropane
70192-80-2	Tribromodifluoropropane
431-21-0	Dibromotrifluoropropane
679-84-5	Bromotetrafluoropropane
75372-14-4	Tribromofluoropropane
460-25-3	Dibromodifluoropropane
421-46-5	Bromotrifluoropropane
51584-26-0	Dibromofluoropropane
-	Bromodifluoropropane
1871-72-3	Bromofluoropropane
74-97-5	Bromochloromethane
75-43-4	Dichlorofluoromethane (HCFC-21)
75-45-6	Chlorodifluoromethane (HCFC-22)
593-70-4	Chlorofluoromethane (HCFC-31)
134237-32-4	Tetrachlorofluoroethane (HCFC-121)
354-14-3	1,1,2,2-Tetrachloro-1-fluoroethane (HCFC-121)
354-11-0	1,1,1,2-Tetrachloro-2-fluoroethane (HCFC-121a)
41834-16-6	Trichlorodifluoroethane (HCFC-122)
354-21-2	1,2,2-Trichloro-1,1-difluoroethane (HCFC-122)
354-15-4	1,1,2-Trichloro-1,2-difluoroethane (HCFC-122a)
354-12-1	1,1,1-Trichloro-2,2-difluoroethane (HCFC-122b)
34077-87-7	Dichlorotrifluoroethane (HCFC-123)
90454-18-5	Dichloro-1,1,2-trifluoroethane
306-83-2	2,2-dichloro-1,1,1-trifluoroethane
354-23-4	1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a)
812-04-4	1,1-dichloro-1,2,2-trifluoroethane (HCFC-123b)
63938-10-3	Chlorotetrafluoroethane (HCFC-124)
2837-89-0	2-chloro-1,1,1,2-tetrafluoroethane
354-25-6	1-chloro-1,1,2,2-tetrafluoroethane (HCFC-124a)
27154-33-2, 134237-34-6	Trichlorofluoroethane (HCFC-131)
359-28-4	1-Fluoro-1,2,2-trichloroethane
811-95-0	1,1,2-Trichloro-1-fluoroethane (HCFC-131a)
2366-36-1	1,1,1-trichloro-2-fluoroethane (HCFC-131b)
25915-78-0	Dichlorodifluoroethane (HCFC-132)
0431-06-01	1,2-Dichloro-1,2-difluoroethane (HCFC-132)
471-43-2	1,1-Dichloro-2,2-difluoroethane (HCFC-132a)
1649-08-7	1,2-Dichloro-1,1-difluoroethane (HCFC-132b)

## A.9 Ozone Depleting Substances (CONTINUED)

CAS	Substance Name
1842-05-3	1,1-Dichloro-1,2-difluoroethane (HCFC-132c)
1330-45-6, 431-07-2	Chlorotrifluoroethane (HCFC-133)
1330-45-6	1-Chloro-1,2,2-trifluoroethane (HCFC-133)
75-88-7	2-Chloro-1,1,1-trifluoroethane (HCFC-133a)
421-04-5	1-Chloro-1,1,2-trifluoroethane (HCFC-133b)
25167-88-8	Dichlorofluoroethane (HCFC-141)
430-57-9	1,2-Dichloro-1-fluoroethane (HCFC-141)
430-53-5	1,1-Dichloro-2-fluoroethane (HCFC-141a)
1717-00-6	1,1-Dichloro-1-fluoroethane (HCFC-141b)
25497-29-4	Chlorodifluoroethane (HCFC-142)
338-65-8	2-Chloro-1,1-Difluoroethane (HCFC-142)
75-68-3	1-Chloro-1,1-difluoroethane (HCFC-142b)
338-64-7	1-Chloro-1,2-difluoroethane (HCFC-142a)
110587-14-9	Chlorofluoroethane (HCFC-151)
762-50-5	1-Chloro-2-fluoroethane (HCFC-151)
1615-75-4	1-Chloro-1-fluoroethane (HCFC-151a)
134237-35-7, 29470-94-8	Hexachlorofluoropropane (HCFC-221)
422-26-4	1,1,1,2,2,3-Hexachloro-3-fluoropropane (HCFC-221ab)
134237-36-8	Pentachlorodifluoropropane (HCFC-222)
422-49-1	1,1,1,3,3-pentachloro-2,2-difluoropropane (HCFC-222ca)
422-30-0	1,2,2,3,3-pentachloro-1,1-difluoropropane (HCFC-222aa)
134237-37-9	Tetrachlorotrifluoropropane (HCFC-223)
422-52-6	1,1,3,3-Tetrachloro-1,2,2-trifluoropropane (HCFC-223ca)
422-50-4	1,1,1,3-Tetrachloro-2,2,3-trifluoropropane (HCFC-223cb)
134237-38-0	Trichlorotetrafluoropropane (HCFC-224)
422-54-8	1,3,3-Trichloro-1,1,2,2-tetrafluoropropane (HCFC-224ca)
422-53-7	1,1,3-Trichloro-1,2,2,3-tetrafluoropropane (HCFC-224cb)
422-51-5	1,1,1-Trichloro-2,2,3,3-tetrafluoropropane (HCFC-224cc)
127564-92-5	Dichloropentafluoropropane (HCFC-225)
128903-21-9	2,2-Dichloro-1,1,1,3,3-pentafluoropropane (HCFC-225aa)
422-48-0	2,3-Dichloro-1,1,1,2,3-pentafluoropropane (HCFC-225ba)
422-44-6	1,2-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225bb)
422-56-0	3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca)
507-55-1	1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)
13474-88-9	1,1-Dichloro-1,2,2,3,3-pentafluoropropane (HCFC-225cc)
431-86-7	1,2-Dichloro-1,1,3,3,3-pentafluoropropane (HCFC-225da)
136013-79-1	1,3-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225ea)
111512-56-2	1,1-Dichloro-1,2,3,3,3-pentafluoropropane (HCFC-225eb)
134308-72-8	Chlorohexafluoropropane (HCFC-226)
431-87-8	2-Chloro-1,1,1,3,3,3-hexafluoro-propane (HCFC-226da)
134190-48-0	Pentachlorofluoropropane (HCFC-231)
421-94-3	1,1,1,2,3-pentachloro-2-fluoro-propane (HCFC-231bb)
134237-39-1	Tetrachlorodifluoropropane (HCFC-232)
460-89-9	1,1,1,3-Tetrachloro-3,3-difluoropropane (HCFC-232fc)
134237-40-4	Trichlorotrifluoropropane (HCFC-233)
7125-84-0, 7125-83-9	1,1,1-Trichloro-3,3,3-trifluoropropane (HCFC-233fb)

## A.9 Ozone Depleting Substances (CONTINUED)

CAS	Substance Name
127564-83-4	Dichlorotetrafluoropropane (HCFC-234)
425-94-5	1,2-Dichloro-1,2,3,3-tetrafluoropropane (HCFC-234db)
134237-41-5	Chloropentafluoropropane (HCFC-235)
460-92-4	1-Chloro-1,1,3,3,3-pentafluoropropane (HCFC-235fa)
134190-49-1	Tetrachlorofluoropropane (HCFC-241)
666-27-3	1,1,2,3-Tetrachloro-1-fluoropropane (HCFC-241db)
134237-42-6	Trichlorodifluoropropane (HCFC-242)
460-63-9	1,3,3,Trichloro-1,1-difluoropropane (HCFC-242fa)
134237-43-7	Dichlorotrifluoropropane (HCFC-243)
7125-99-7	1,1-dichloro-1,2,2-trifluoropropane
338-75-0	2,3-dichloro-1,1,1-trifluoropropane
460-69-5	3,3-dichloro-1,1,1-trifluoropropane
134190-50-4	Chlorotetrafluoropropane (HCFC-244)
679-85-6	3-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244ca)
421-75-0	1-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244cc)
134190-51-5	Trichlorofluoropropane (HCFC-251)
818-99-5	1,1,3-Trichloro-1-fluoropropane (HCFC-251fb)
421-41-0	1,1,2-Trichloro-1-fluoropropane (HCFC-251dc)
134190-52-6	Dichlorodifluoropropane (HCFC-252)
819-00-1	1,3-Dicloro-1,1-difluoropropane (HCFC-252fb)
134237-44-8	Chlorotrifluoropropane (HCFC-253)
460-35-5	3-chloro-1,1,1-trifluoropropane (HCFC-253fb)
134237-45-9	Dichlorofluoropropane (HCFC-261)
7799-56-6	1,1-Dichloro-1-fluoropropane (HCFC-261fc)
420-97-3	1,2-Dichloro-2-fluoro-propane (HCFC-261ba)
134190-53-7	Chlorodifluoropropane (HCFC-262)
420-99-5	1-Chloro-2,2-difluoropropane (HCFC-262ca)
102738-79-4	2-Chloro-1,3-difluoropropane (HCFC-262da)
421-02-3	1-Chloro-1,1-difluoropropane (HCFC-262fc)
134190-54-8	Chlorofluoropropane (HCFC-271)
420-44-0	2-Chloro-2-fluoropropane (HCFC-271ba)
430-55-7	1-Chloro-1-fluoropropane (HCFC-271 fb)

## A.10 Perfluorocarbons (PFCs)

CAS	Substance Name
75-73-0	Tetrafluoromethane (CF <sub>4</sub> )
76-16-4	Hexafluoroethane (C <sub>2</sub> F <sub>6</sub> )
76-19-7	Octafluoropropane (C <sub>3</sub> F <sub>8</sub> )
355-25-9	Perfluorobutane (C <sub>4</sub> F <sub>10</sub> )
115-25-3	Perfluorocyclobutane (C <sub>4</sub> F <sub>8</sub> )
678-26-2	Perfluoropentane (C <sub>5</sub> F <sub>12</sub> )
355-42-0	Perfluorohexane (C <sub>6</sub> F <sub>14</sub> )
335-57-9	Perfluoroheptane (C <sub>7</sub> F <sub>16</sub> )
307-34-6	Perfluorooctane (C <sub>8</sub> F <sub>18</sub> )



## A.11 Perfluorooctanoic Acid (PFOA) and its compounds

CAS	Substance Name
2395-00-8	PFOA Potassium Salt
3108-24-5	Ethyl PFOA
335-67-1	PFOA
335-66-0	Perfluorooctanoyl fluoride
335-93-3	PFOA Silver Salt
335-95-5	PFOA Sodium Salt
376-27-2	Methyl PFOA
3825-26-1	PFOA Ammonium Salt

## A.12 Perfluorooctane Sulfonates (PFOS) and its compounds

CAS	Substance Name
144089-15-6	PFOS Tetraethylammonium salt
1691-99-2	N-ethylheptadecafluoro-n-(2-hydroxyethyl)octanesulphonamide
1763-23-1	Perfluorooctane sulfonic acid
2355-31-9	N-[(heptadecafluorooctyl)sulfonyl]-n-methyl-glycine
24448-09-7	Heptadecafluoro-n-(2-hydroxyethyl)-n-methyloctanesulphonamide
251099-16-8	1-Decanaminium, N-decyl-N,N-dimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate
2795-39-3	Potassium perfluorooctanesulfonate
2806-24-8	Perfluorooctane sulfonamidoacetic acid
29081-56-9	Ammonium heptadecafluorooctanesulphonate
29457-72-5	Lithium perfluorooctane sulfonate
2991-50-6	N-ethyl-n-((heptadecafluorooctyl)sulfonyl)-glycine
307-35-7	Perfluorooctanesulfonyl fluoride
31506-32-8	Heptadecafluoro-N-methyloctanesulphonamide
4021-47-0	PFOS Sodium Salt
45298-90-6	PFOS Ion
56773-42-3	Tetraethylammonium perfluorooctanesulfonate
70225-39-5	diethanolamine perfluorooctanesulfonate
754-91-6	Perfluorooctanesulfonamide

## A.13 Phthalates

CAS	Substance Name
117-81-7	Diethylhexyl phthalate (DEHP)
117-82-8	Bis-(2-methoxyethyl) phthalate (DMEP)
117-84-0	Di-n-Octyl phthalate (DNOP)
131-11-3	Dimethyl phthalate (DMP)
131-16-8	Di-n-propylphthalate (DPrP)
131-18-0	Di-n-pentyl phthalate (DnPP)
26761-40-0	Di-isodecyl phthalate (DIDP)
27554-26-3	Di-iso-octylphthalate (DIOP)
28553-12-0	Diisononyl phthalate (DINP)
605-50-5	Di-iso-pentyl phthalate (DIPP)
68515-42-4	1,2-Benzenedicarboxylic acid, di-C9-11-branched and linear alkyl esters (DHNUP)
68515-48-0	1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

## A.13 Phthalates (CONTINUED)

CAS	Substance Name
68515-49-1	1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich
68515-50-4	di-hexylphthalate, branched and linearm (DHxP)
68515-51-5 68648-93-1	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate
71850-09-4	Di-iso-hexylphthalate (DIHxP)
71888-89-6	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)
776297-69-9	n-Pentyl-isopentyl phthalate (nPIPP)
84-61-7	Dicyclohexyl phthalate (DCP)
84-66-2	Diethyl phthalate (DEP)
84-69-5	Diisobutyl phthalate (DIBP)
84-74-2	Dibutyl phthalate (DBP)
84-75-3	Di-n-hexyl phthalate (DnHP)
84-76-4	Di-n-nonylphthalate (DNP)
84777-06-0	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (DPP)
85-68-7	Butylbenzyl phthalate (BBP)

## A.14 Polycyclic Aromatic Hydrocarbons (PAHs)

CAS	Substance Name
83-32-9	Acenaphthene
208-96-8	Acenaphthylene
120-12-7	Anthracene
56-55-3	Benzo(a)anthracene
218-01-9	Benzo(a)phenanthrene (chrysene)
50-32-8	Benzo(a)pyrene
205-99-2	Benzo(b)fluoranthene
192-97-2	Benzo(e)pyrene
191-24-2	Benzo(g,h,i)perylene
205-82-3	Benzo(j)fluoranthene
207-08-9	Benzo(k)fluoranthene
206-44-0	Benzo(j,k)fluorene (Fluoranthene)
189-55-9	Benzo(r,s,t)pentaphene
226-36-8	Dibenz(a,h)acridine
224-42-0	Dibenz(a,j)acridine
53-70-3	Dibenzo(a,h)anthracene
5385-75-1	Dibenzo(a,e)fluoranthene
192-65-4	Dibenzo(a,e)pyrene
189-64-0	Dibenzo(a,h)pyrene
191-30-0	Dibenzo(a,l)pyrene
194-59-2	7H-Dibenzo(c,g)carbazole
86-73-7	Fluorene
193-39-5	Indeno(1,2,3-cd)pyrene
3697-24-3	5-Methylchrysene
91-20-3	Naphthalene
85-01-8	Phenanthrene
129-00-0	Pyrene
27208-37-3	Cyclopenta[c,d]pyrene
2381-21-7	1-methylpyrene