

# SONANCE

SPECIFICATION GUIDE



# WELCOME TO SONANCE

At Sonance, we believe that audio should sound superb. That is a given. We at Sonance also believe that speakers should blend in with the design of a space, whether it is a home, a business, indoors or outdoors; speakers should be an integral part of the design of a space in addition to providing excellent, comfortable listening enjoyment. The right choice not only complements your design, it becomes a part of the design, as deliberate and personal as the flooring below and the lighting above.

Over 30 years since inventing the first in-wall speaker, we realize that our history, innovative approach and relationships not only drive our dedication to the audio channel, but also inform our unique TRUFIG mounting technology and inspire the creation of our IPORT solutions. It is these core values that will continue to lead the way for whatever we might dream up next. We are so proud to invite you to experience the new Sonance: a simple brand refresh that both recalls our roots and launches us boldly into the future. This is SONANCE: BEYOND SOUND.

# SONANCE

BEYOND SOUND

## DESIGNED TO DISAPPEAR

Technology should disappear into architecture...this simple philosophy continues to inspire everything we do. Our hidden audio solutions deliver an even, balanced sound experience that is nothing short of magical, blending into any style, installation, or budget.

## AUTHENTIC PARTNERSHIP

Every day at our home base in San Clemente, CA, you will find passionate, immensely knowledgeable people forging some of the strongest relationships in our industry. From our customer-centric culture to our not-to-be-missed Studio Seminars, we aim to define what authentic partnership looks like. Connecting our strategy and products to your company, we help unlock the most value possible for your business. [OUR TEAM IS YOUR TEAM.](#)

## A HERITAGE OF INNOVATION

The history of our independently-owned company is rooted in a deep knowledge of our customers and construction. From award-winning audio solutions to our unique TRUFIG mounting technology to our IPORT solutions that hold, charge, and protect tablets, customers rely on our culture of creativity to continue to push the boundaries of technology and design.

# TABLE OF CONTENTS

6-8	<b>WE BELIEVE</b>
9-26	<b>DISTRIBUTED AUDIO</b>
15-16	Invisible Series
17-18	Architectural Series
19-22	Visual Performance
23-26	Amplifiers
27-40	<b>SURROUND SOUND</b>
31-34	Reference
35-38	Subwoofers
39-40	Soundbar
41-60	<b>OUTDOOR AUDIO</b>
45-48	Sonance Landscape Series
49-54	Sonance Garden Series
55-56	Sonance Patio Series
57-58	VP Extreme
59-60	Mariners and Rocks
61-68	<b>COMMERCIAL SOLUTIONS</b>
65-66	Omni
67-68	Professional Series
69-74	<b>IPOINT</b>
75-78	<b>TRUFIG</b>
79-80	<b>DESIGN SERVICES</b>
81-83	<b>INDEX</b>

# WE BELIEVE

## WE BELIEVE SPEAKERS SHOULD BLEND IN WITH THE DESIGN OF YOUR SPACE...



Audio is very much an integral part of the overall design of a space. When consideration is taken during the conceptual phase, the audio design can be a purposeful and elegant addition to a room while providing stunning audio to enhance the activities of everyday life. By paying attention to the architectural elements in a room, we often take cues from the size, shape, and trim of the lighting fixtures in the ceiling when considering a great speaker layout. The expansive Sonance finish options help to prompt the question, "How Do You Want Your Sound to Look?"

Lights in a ceiling are often selected to achieve suitable illumination for even coverage and to visually complement the design of the space. In order to achieve a harmony between lights and speakers, it makes sense for them to have a similar appearance. You can suit every aesthetic by selecting speakers that are the same shape, size, and installation profile as the lighting.



## ...AND BE COMFORTABLE TO LISTEN TO.

Music is a simple yet powerful element that enhances our day-to-day activities. We believe that audio should provide a comfortable listening environment by delivering fidelity, output and proper coverage. Just as a great lighting plan provides even, balanced coverage of light, a great speaker layout should provide even, balanced coverage of sound. The result is an enveloping sound experience that allows for comfortable conversation anywhere in the room.




SONANCE  
DISTRIBUTED  
AUDIO

# A BETTER APPROACH TO AUDIO

## TRADITIONAL AUDIO COVERAGE

Only two speakers in a room often results in uneven volume throughout the space; too loud under the speakers and too quiet away from them.




## UNBALANCED SOUND

Uneven audio levels will compromise the mood in the room, resulting in "hot spots". Similarly, if there are only two lights in a room, there would be problems with hot spots where some areas are too bright and other areas are too dim.



## EVEN, BALANCED COVERAGE

By designing a system of multiple speakers, hidden subwoofers and DSP amplification, sound is evenly distributed throughout the space.




## IMMERSIVE SOUND

Sonance audio solutions can scale to meet the need of any space, from the open concept design of a great room to the intimate setting of a smaller bedroom or study. Everyone enjoys the perfect audio level, no matter where they are in the room.




## SEE NOTHING

Sonance Invisible Speakers are the pinnacle of the Sonance “Designed to Disappear” strategy. After a multi-year development process, the all-new Motion Flex Invisible Series line incorporates new breakthroughs in installation and audio quality, and firmly entrenches Sonance as the unrivaled leader in discreet performance audio.



Sonance Invisible Series speakers and woofers are finished using TRUFIG mounting technology, a standardized custom installation method that has revolutionized the industry, saving integrators time and money by making the process predictable, reliable, and repeatable.

## MOTION FLEX TECHNOLOGY



**MOTION FLEX TECHNOLOGY:** A suite of advancements in invisible speaker engineering for unparalleled acoustic performance from an invisible speaker.

**WAVE FLEX DRIVE UNIT:** High-bandwidth midrange and high-frequency transducer that leverage the bending-wave principle, delivering velvety-smooth mids and crystal clear highs.

**AIR FLEX WOOFER:** Glass-fiber woofer coupled to an acoustically inert diaphragm to move a pocket of air like a piston for robust and powerful bass.

**ACOUSTICALLY ISOLATED BAFFLE:** The diaphragm is split into two active areas that are completely isolated to enable ultra-low distortion sonic transparency like never before.

**CONSTANT DIRECTIVITY CROSSOVER (CDX):** The proprietary Sonance CDX provides uniquely smooth off-axis frequency response for greater fidelity and coverage and almost 180° of horizontal and vertical dispersion.

**SONANCE DEPTH IDENTIFICATION SENSING CALIBRATION (DISC) SYSTEM:** Uses a high-accuracy depth gauge and embedded locator discs to measure the thickness of a finish applied over the surface of a Sonance Invisible Speaker, allowing for a consistent finish and performance within specifications every time.

### SPEAKERS



**IS10**  
Dimensions (WxHxD): 16 1/8" x 28 21/32" x 3 5/32"  
(409mm x 728mm x 80mm)

**IS8**  
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 3 5/32"  
(409mm x 613mm x 80mm)

**IS6**  
Dimensions (WxHxD): 16 1/8" x 16 1/8" x 3 5/32"  
(409mm x 409mm x 80mm)

### WOOFERS



**IS15W**  
Dimensions (WxHxD): 32 7/32" x 32 7/32" x 3 55/64"  
(818mm x 818mm x 98mm)

**IS10W**  
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 3 5/32"  
(409mm x 613mm x 80mm)

### COMMERCIAL SPEAKER




**IS8T**  
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 3 55/64"  
(409mm x 613mm x 98mm)

# ARCHITECTURAL SERIES

## STUNNINGLY SIMPLE

Sonance Architectural Series products provide the ultimate blend of high performance and the premium aesthetic of our signature TRUFIG finish. The completely flush and bezel-less grilles disappear into the surrounding ceiling surface while the state-of-the-art driver materials and cutting-edge design elevate the listening experience.




Architectural Series mounting platforms use TRUFIG mounting technology to provide precision alignment with light fixtures and other room elements. The result is completely flush and the highest quality finish for drywall, plaster, wood and other solid surfaces preserving the design integrity of the space.

### DISCREET OPENING



#### AS38RS


Dimensions (DiaxD): 3 7/8" x 3 13/16"  
(99mm x 98mm)



Discreet Gypsum Mounting Platform Round



Discreet Gypsum Mounting Platform Square



Discreet Solid Surface Mounting Platform SQ & R

#### DISCREET GYPSUM MOUNTING PLATFORM

5/8" (16mm) Square or Round  
1/2" (13mm) Square or Round

#### DISCREET SOLID SURFACE MOUNTING PLATFORM

Square and Round


Dimensions (WxHxD): 12" x 31 7/8" x 1 15/32"  
(305mm x 810mm x 38mm)

### MEDIUM



#### AS68RS


Dimensions (DiaxD): 8" x 5 3/16"  
(203mm x 132mm)



Medium Gypsum Mounting Platform Round



Medium Gypsum Mounting Platform Square



Medium Solid Surface Mounting Platform SQ & R

#### MEDIUM GYPSUM MOUNTING PLATFORM

5/8" (16mm) Square or Round  
1/2" (13mm) Square or Round

#### MEDIUM SOLID SURFACE MOUNTING PLATFORM

Square and Round

Dimensions (WxHxD): 16 3/8" x 30 13/32" x 3 13/16"  
(416mm x 772mm x 97mm)

### BANDPASS SUBWOOFERS

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.



#### BPS8

Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24" (235mm x 313mm x 610mm)

Accessories: ASBPC6RS  
Medium 5/8" (16mm) or 1/2" (13mm) Gypsum MP SQ or R  
Medium Solid Surface MP SQ & R



#### BPS6 TL



Square or Round Discreet Gypsum Mounting Platform TL for in-wall applications and shallow depth construction.



Thin-line Bandpass Slot Connector



#### BPS6 TL

Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8" (1000mm x 279mm x 86mm)

Accessories: ASBPC3RS TL  
5/8" (16mm) or 1/2" (13mm) Gypsum MP SQ or R TL  
Thin-line Bandpass Slot Connector



#### BPS6

Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4"  
(200mm x 303mm x 400mm)


Accessories: ASBPC3RS  
Discreet 5/8" (16mm) or 1/2" (13mm) Gypsum MP SQ or R  
Discreet Solid Surface MP SQ & R  
Thin-line Bandpass Slot Connector



# VISUAL PERFORMANCE

## SOLUTIONS FOR ALL

Sonance Visual Performance speakers and subwoofers set the industry standard for the visual finish of in-wall and in-ceiling speakers with our award-winning low-profile grille that is paintable to blend into the wall or ceiling surface. With three shapes and four sizes, several performance levels and a range of specialty application speakers, any space or application can have a consistent finish throughout.



### PERFORMANCE LEVELS

Sonance Visual Performance Series speakers deliver renowned Sonance audio quality in five performance levels. Constructed from state-of-the-art materials that are extremely rigid and lightweight, Sonance Visual Performance Series speakers enable music to reproduce accurately and with precise detail. With multiple performance levels, there is a Sonance speaker for every ear and every budget.



#### LEVEL 0

**WOOFER:** Polypropylene cone, rubber surround  
**MID RANGE:** Polypropylene cone, rubber surround  
**TWEETER:** Cloth dome, Ferrofluid cooled



#### LEVEL 2

**WOOFER:** Textured Polypropylene cone, rubber surround  
**MID RANGE:** Textured Polypropylene cone, rubber surround  
**TWEETER:** Cloth dome, Ferrofluid cooled, pivoting



#### LEVEL 4

**WOOFER:** Textured Polypropylene cone, rubber surround  
**TWEETER:** Powder coated Aluminum dome, Ferrofluid cooled, pivoting



#### LEVEL 6

**WOOFER:** Kevlar/Nomex laminated cone, rubber surround  
**MID RANGE:** Kevlar/Nomex laminated cone, rubber surround, pivoting  
**TWEETER:** Powder coated Aluminum dome, Ferrofluid cooled, pivoting




#### LEVEL 8

**WOOFER:** Carbon Fiber/Rohacell laminated cone, rubber surround, extended pole piece  
**MID RANGE:** Carbon Fiber/Rohacell laminated cone, rubber surround, pivoting  
**TWEETER:** Ceramic dome, Ferrofluid cooled, pivoting

### SPEAKER DENOTATION

Sonance speakers can be easily identified by their naming structure.



### SQUARE ADAPTER

Square grille adapter allows the flexibility to convert a round in-ceiling speaker to a square aesthetic without additional cutting into the surface.

### DIRECTIONAL WOOFERS AND TWEETERS

Independently pivoting woofers and tweeters allow for placement of speakers where they look great with directionality for the best sonic performance.

### COLOR MATCHING

One-piece paintable grilles allow for a single-step painting process, ensuring a high-quality result and accurate color matching that allows them to disappear into the surrounding wall or ceiling.

## IN-WALL



VP48 VP46 VP42


**4" VP48 | VP46 | VP42**  
Dimensions (WxHxD): 5 9/16" x 8 7/8" x 3"  
(142mm x 225mm x 76mm)

**6" VP68 | VP66 | VP62**  
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 3 1/2"  
(213mm x 311mm x 89mm)

**8" VP88 | VP86 | VP82**  
Dimensions (WxHxD): 10" x 16" x 3 7/8"  
(254mm x 406mm x 98mm)

## IN-CEILING

Square adapter optional



**3" VP38R**  
Dimensions (DiaxD): 4 5/16" x 3 15/16"  
(109mm x 99mm)

**4" VP48R | VP46R | VP42R**  
Dimensions (DiaxD): 6 7/8" x 3 3/4"  
(175mm x 95mm)

**6" VP68R | VP66R | VP64R | VP62R | VP60R**  
Dimensions (DiaxD): 9 3/4" x 4 3/4"  
(248mm x 121mm)

**8" VP88R | VP86R | VP82R | VP80R\***  
Dimensions (DiaxD): 11 5/8" x 6 1/16"  
(295mm x 154mm)  
\*VP80R Depth 3 3/4" (95mm)

## IN-CEILING C SERIES

Square adapter optional



**6" C6R | C6R SST**  
Dimensions (DiaxD): 9" x 3 3/4" (232mm x 95mm)

## SQUARE ADAPTERS



**VP3SQ**  
Dimensions (WxH): 4 29/32" x 4 29/32" (124mm x 124mm)

**VP4SQ**  
Dimensions (WxH): 7" x 7" (178mm x 178mm)

**VP6SQ**  
Dimensions (WxH): 9 7/8" x 9 7/8" (250mm x 250mm)

**VP8SQ**  
Dimensions (WxH): 11 3/4" x 11 3/4" (299mm x 299mm)

## THIN-LINE / ULTRA THIN-LINE



**IN-CEILING ROUND VP66R TL | VP62R TL  
VP62R SST/SUR TL | VP52R UTL\***  
Dimensions (DiaxD): 9 3/4" x 3 5/32" (248mm x 80mm)  
\*VP52R UTL Depth 1 7/16" (37mm)

**IN-WALL RECTANGLE VP66 TL**  
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"  
(213mm x 311mm x 64mm)

## EXTREME



**IN-WALL RECTANGLE VPXT6**  
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"  
(213mm x 311mm x 64mm)

**6" IN-CEILING ROUND VPXT6R | VPXT6R SST**  
Dimensions (DiaxD): 9 3/4" x 3 1/2"  
(248mm x 89mm)

**8" IN-CEILING ROUND VPXT8R**  
Dimensions (DiaxD): 11 5/8" x 3 3/4"  
(295mm x 95mm)

## EXTREME SQUARE ADAPTERS



**VPXT6SQ**  
Dimensions (WxH): 9 13/16" x 9 13/16" (250mm x 250mm)

**VPXT8SQ**  
Dimensions (WxH): 11 7/8" x 11 7/8" (302mm x 302mm)

## IN-WALL LCR



**VP62 LCR | VP66 LCR**  
Dimensions (WxHxD): 16 1/8" x 8 3/8" x 3 9/16"  
(410mm x 213mm x 91mm)

## SINGLE STEREO



**RECTANGLE VP66 SST/SUR**  
Dimensions (HxWxD): 8 3/8" x 12 1/4" x 3 1/2"  
(213mm x 311mm x 89mm)

**4" ROUND VP46R SST/SUR**  
Dimensions (DiaxD): 6 7/8" x 3 3/4"  
(175mm x 95mm)

**6" ROUND VP62R SST/SUR | VP66R SST/SUR**  
Dimensions (DiaxD): 9 3/4" x 4 3/4"  
(248mm x 121mm)

**8" ROUND VP86R SST/SUR**  
Dimensions (DiaxD): 11 5/8" x 5 7/8"  
(295mm x 149mm)

## PRECONSTRUCTION ACCESSORIES



Round Retrofit Enclosures



Round Flex Brackets



PS-60XF 70V Transformer



Large Round Cover Plate



Fire-Rated Deep Backcan



Medium and Large Round Acoustic Enclosures

## SUBWOOFERS

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.



**SUBWOOFER: BPS8**  
Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24"  
(235mm x 313mm x 610mm)  
Required Accessory: VPBPC4R or VPBPC6R

**SUBWOOFER: BPS6 TL**  
Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8"  
(1000mm x 279mm x 86mm)  
Required Accessory: VPBPC3R TL or VPBPC3R

**SUBWOOFER: BPS6**  
Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4"  
(200mm x 303mm x 400mm)  
Required Accessory: VPBPC3R



**SUBWOOFER: VPSUB**  
Dimensions (WxHxD): 15" x 15" x 3 7/8"  
(381mm x 381mm x 98mm)

**WOOFER: VP85R W**  
Dimensions (DiaxD): 11 5/8" x 3 7/8"  
(295mm x 98mm)

**WOOFER: VP85 W**  
Dimensions (HxWxD): 16" x 10" x 3 7/8"  
(406mm x 254mm x 98mm)

# AMPLIFIERS



## INDUSTRY-LEADING AMPLIFICATION

When it comes to reliable distributed audio, nobody has been doing it longer than Sonance. Building from the legacy of the original SonAmp 260, recognized as the industry's first distributed audio amplifier, Sonance Digital and DSP Amplifiers utilize cutting-edge technology to bring out the absolute best sonic performance from Sonance speakers.



## PERFECTLY TAILORED AUDIO PERFORMANCE

Every space is acoustically different. DSP amplifiers complete every system by offering digital signal processing to optimize the performance of Sonance systems and speakers and to help correct for a room's shape, size, and furnishings. This ensures audiophile clarity in every room.



## OUTSTANDING AUDIO IN ANY ENVIRONMENT

Sonance DSP amplifiers feature SonARC (Sonance Advanced Room Correction) built right in, providing hundreds of EQ presets designed specifically for Sonance speakers, available through simple pull-down menus. The presets enable effortless DSP without the need for outside hardware, software, and time. Additionally, should there be a need for further customization, SonARC provides a 10-band parametric EQ to optimize sonic performance in any space.




# ADAPTABLE AND FLEXIBLE



Whether a space is a new construction, remodel, large or small, DSP amplifiers are powerful and flexible to work with various combinations of Sonance speakers and subwoofers. Sonance also offers 70V/100V DSP amplifiers that can be set for 8 Ohm or 70V/100V applications, making them perfect for commercial applications as well as residential.




4 CHANNELS



5 CHANNELS



6 CHANNELS




## DIGITAL AMPLIFIERS



- 2-100 Output Power per Channel: 100W RMS (8 Ohms) 156W RMS (4 Ohms), 325W (bridged at 8 Ohms)
- ASAP3D SE Output Power per Channel: 25W RMS (8 Ohms) 50W RMS (4 Ohms)
- 12-50 Output Power per Channel: 50W RMS (8 Ohms) 50W RMS (4 Ohms), 100W (bridged at 8 Ohms)


## DSP AMPLIFIERS WITH SONARC V2



- DSP 2-750 MKII Output Power per Channel: 500W RMS (8 Ohms) 750W RMS (70V), 2000W (bridged at 8 Ohms)
- DSP 8-130 MKII Output Power per Channel: 130W RMS (8 Ohms) 145W RMS (4 Ohms), 300W (bridged at 8 Ohms)
- DSP 2-150 MKII Output Power per Channel: 150W RMS (8 Ohms) 224W RMS (4 Ohms), 473W (bridged at 8 Ohms)
- SR 2-125 Output Power per Channel: 125W RMS (8 Ohms) 200W RMS (4 Ohms)

## HIGH-RESOLUTION PLAYBACK

At the core of every Sonance DSP amplifier is a powerful 24 bit/96K DAC, capable of handling a full 4608 Kbps of audio data. Sonance DSP amplifiers enable listeners to enjoy the full clarity and output of whatever audio passes through, from MP3 to full high-resolution audio. Sonance DSP amplifiers prepare any audio system for what's next.



## DIGITAL INPUT MODULE & HYBRID INPUT MODULE

Sonance Input Modules are the ultimate enhancements to a Sonance DSP amplifier. These input cards enable a direct connection to a digital source ensuring the signal passes through to the 24 bit/96kHz capable DAC in the amplifier with the shortest signal path possible and at the highest performance level.



Digital Input Module



Hybrid Input Module

**DIM MODULE**  
Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"  
(75mm x 38mm x 87mm)  
Depth with RCAs: 3 11/16" (93mm)

**HIM MODULE**  
Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"  
(75mm x 38mm x 87mm)  
Depth with RCAs: 3 11/16" (93mm)

SONANCE

SURROUND

SOUND

# SURROUND SOUND APPLICATIONS



## CASUAL ENTERTAINMENT

With the understanding that not every space is intended to be used as a dedicated theater, Sonance offers an assortment of products to build a stunning surround experience in rooms with unique layouts and space limitations. Sonance surround sound products allow for a superbly immersive experience even in casual viewing and gathering areas.

## ULTIMATE EXPERIENCE

For spaces that demand ultimate surround sound immersion, Sonance excels with a selection of dedicated speakers and high-performance subwoofers; fidelity, clarity, and output culminate in breathtaking saturation of all the audio content has to offer.



## REFERENCE SURROUND SOUND

Sonance understands the importance of proper fidelity and output for an astounding surround sound experience. Sonance Reference products are built to work in harmony to captivate the audience. Whether installed in a dedicated theater or a multi-media family room, Reference speakers and subwoofers bring the content close to life for a truly immersive experience.



### REFERENCE

Sonance takes entertainment to a whole new level with a range of purpose-built products that are specifically designed to bring out the best in television, movies, gaming and concerts. From living rooms to dedicated home theater spaces, the complete range of Sonance surround sound products delivers an intense and impactful experience to home entertainment.

### DESIGNED TO DISAPPEAR

Created for AV Designers building systems that require the best surround sound available with a look that fits the space aesthetically, Sonance Reference speakers provide truly incredible sound. Engineered for an amazing cinema experience in any room, Reference has options for in-wall, in-ceiling and cabinet speakers, and in-wall subwoofers.

### MIX AND MATCH

No two spaces are the same, which is why Reference speakers are designed to be mixed and matched to suit any room layout. The consistent drivers and crossover design allow for in-wall, in-ceiling or cabinet speakers to be combined without compromising the sonic performance of the system.

### IN-WALL



R2 | R2SUR  
Dimensions (WxHxD): 8 7/8" x 34 7/8" x 3 7/8"  
(225mm x 886mm x 98mm)



R1 | RISUR  
Dimensions (WxHxD): 8 7/8" x 21 3/4" x 3 7/8"  
(225mm x 553mm x 98mm)

### IN-CEILING



RIC | R1CSUR  
Dimensions (WxHxD): 13 25/32" x 13 25/32" x 7 9/16"  
(350mm x 350mm x 192mm)


### LCR CABINET



RICAB  
Dimensions (WxHxD): 7 1/2" x 22" x 9 1/16"  
(191mm x 559mm x 230mm)

## REFERENCE IN-WALL SUBWOOFERS

Reference in-wall subwoofers execute the massive bass response of a large cabinet subwoofer without sacrificing floor space. The micro-trim grille provides a clean and discreet finish that can be painted to match the surrounding surface. Sonance Reference in-wall subwoofers utilize large neodymium magnets, dual inverted spiders, and a rigid laminated carbon fiber cone to achieve deep, impactful bass from a shallow design that can be installed into a standard 2x4 wall cavity.



## REFERENCE IN-WALL SUBWOOFERS



R10SUB



R12SUB



R10SUB ENC



R12SUB ENC

### R10SUB

Dimensions (WxHxD): 10 7/16" x 10 7/16" x 3 5/32"  
(265mm x 265mm x 80mm)

### R12SUB

Dimensions (WxHxD): 12 3/8" x 12 3/8" x 3 5/32"  
(314mm x 314mm x 80mm)

### R10SUB ENC

Dimensions (WxHxD): 14 1/4" x 47 1/4" x 3 7/16"  
(362mm x 1200mm x 87mm)

### R12SUB ENC

Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"  
(362mm x 1800mm x 87mm)

## REFERENCE IN-WALL SYSTEMS



R10SUB ENC System



R12SUB ENC System

### R10SUB ENC 10" SYSTEM

(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-150)  
Dimensions (WxHxD): 14 1/4" x 47 1/4" x 3 7/16"  
(362mm x 1200mm x 87mm)

### R12SUB ENC 12" SYSTEM

(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-750)  
Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"  
(362mm x 1800mm x 87mm)

## CABINET SUBWOOFERS

Sonance cabinet subwoofers are each designed with an integrated amplifier and sealed amp plate, allowing for low frequency punch for even the biggest room, while the rear or bottom mounted controls provide quick access to adjust the subwoofer as needed. Each subwoofer also includes built-in wireless technology and SonARC app-based room correction, optimizing placement of the subwoofer anywhere in the room.



### IMPACT SUBWOOFERS

Sonance Impact subwoofers are constructed to deliver powerful, accurate, low-distortion bass in any room. Featuring a glass fiber woofer cone, a sealed amp plate, and a front facing ported design; Impact subwoofers are the perfect low end support for watching TV or movies, playing video games, or listening to music.

### ELEGANT AESTHETIC

Impact subwoofers feature a high gloss piano-black finish and black cloth speaker grille to deliver an elegant and minimalistic aesthetic. The cabinet dimensions have been kept to a minimum to reduce the visual impact in the room.

## SONARC™ for Subwoofers

### SONARC FOR SUBWOOFERS

The SONARC app allows you to instantly configure the Impact subwoofer for great playback with key adjustment at your fingertips. Let Sonance adjust the Impact subwoofer to the room with SonARC customization within the app.



### IMPACT CABINET SUBWOOFERS

Featuring SonARC V2



i8



i10



i12

i8

Dimensions (WxHxD): 12" x 14" x 12" (305mm x 355mm x 305mm)

i10

Dimensions (WxHxD): 14" x 16" x 14" (356mm x 407mm x 356mm)

i12

Dimensions (WxHxD): 16" x 18" x 16" (407mm x 457mm x 407mm)

### WIRELESS TRANSMITTER



### WIRELESS TRANSMITTER

Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"  
(30mm x 79mm x 64mm)

## D8 SUBWOOFER

The Sonance D8 subwoofer delivers remarkably powerful bass from an ultra-compact cabinet featuring two powerful opposing 8" (203mm) square drivers. Paired with the optional wireless transmitter and SonARC DSP technology, the D8 placement becomes completely flexible allowing it to live virtually anywhere in the room.



**SONARC™**  
for Subwoofers

## D8 SUBWOOFER



**D8**  
Dimensions (WxHxD): 7.5" x 8" x 9" (191mm x 203mm x 229mm)  
Available in black and white  
Featuring SonARC V2

### TINY DESIGN, HUGE SOUND

The Sonance D8 subwoofer features two powerful vibration-canceling 8" (203mm) square drivers, wireless connectivity and our SonARC for subwoofers DSP technology, all within a sleek ultra-compact cabinet.



### WIRELESS TRANSMITTER



**WIRELESS TRANSMITTER**  
Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"  
(30mm x 79mm x 64mm)

# SOUNDBAR



## SOUNDBARS

Sonance soundbars offer a wide range of solutions that fit any flat panel display from 50" up to 85". Our fixed width soundbars provide a clean aesthetic while our adjustable width soundbars provide onsite adjustability, giving you the ability to perfectly match the width of any display. The minimalistic black perforated metal grille allows for a seamless aesthetic that complements modern display designs, while the true 3-way speaker configuration and state-of-the-art driver materials deliver best-in-class sonic performance with clarity, wide sound stage, and natural playback.

## ADJUST TO MATCH YOUR DISPLAY

Sonance adjustable soundbars feature sliding end grilles that are adjusted without the use of tools. Simply loosen the thumbscrew on the back and slide the grille out to perfectly match the width of the display. It couldn't be easier.

## SEAMLESS GRILLE SOLUTIONS

Sonance soundbar combines proven Sonance adjustable soundbar performance with a sleek single-piece grille to perfectly match most large video displays with a seamless finish. With a soundbar to fit displays 55", 65", 75" and 85", Sonance soundbar ensures a custom look and finish every time with class-leading audio performance.

## TRUE 3-WAY DESIGN

Each of the three speaker chambers features a coaxial 1" (25mm) powder-coated aluminum tweeter, a 4" (102mm) laminated Kevlar and Nomex midrange, paired with dual 4 1/2" (114mm) laminated Kevlar and Nomex woofers. This expertly engineered design delivers sound which is both natural and precise.

## SOUNDBAR



SB46-55

### SB46-55

Dimensions (WxHxD): 48 5/16" x 5 9/32" x 2 9/16"  
(1227mm x 134mm x 65mm)



SB46-65

### SB46-65


Dimensions (WxHxD): 56 29/32" x 5 9/32" x 2 9/16"  
(1445mm x 134mm x 65mm)



SB46-75

### SB46-75

Dimensions (WxHxD): 66" x 5 9/32" x 2 9/16"  
(1676mm x 134mm x 65mm)



SB46-85

### SB46-85

Dimensions (WxHxD): 75 1/4" x 5 9/32" x 2 9/16"  
(1911mm x 134mm x 65mm)

## ADJUSTABLE-WIDTH SOUNDBAR



SB46M Soundbar

### SB46M

Dimensions (Adj. WxHxD): 43 7/8" - 59 5/8" x 5 9/32" x 2 9/16"  
(1114mm - 1514mm x 134mm x 65mm)



SB46L Soundbar

### SB46L

Dimensions (Adj. WxHxD): 61 1/2" - 77 5/16" x 5 9/32" x 2 9/16"  
(1562mm - 1964mm x 134mm x 65mm)

## SUGGESTED SPEAKER PAIRING



VP46R SST/SUR

### VP46R SST/SUR

Dimensions (DiaxD): 6 7/8" x 3 3/4"  
(175mm x 95mm)

## SUGGESTED SUBWOOFER PAIRING



i10

### i10

Dimensions (WxHxD): 14" x 16" x 14"  
(356mm x 407mm x 356mm)

SONANCE  
OUTDOOR  
AUDIO

# LANDSCAPES MEET SOUNDSCAPES

Sonance moves its award-winning audio philosophy of even, balanced coverage outdoors. With a range of all-weather products that are designed to deliver best-in-class performance and best-looking aesthetics in every exterior environment. From courtyards and patios to entire residential estates and resort gardens, Sonance is the undisputed leader in high fidelity sound for the great outdoors.



## TRADITIONAL SPEAKER PLACEMENT



In typical outdoor audio installations a pair of speakers is usually tasked with filling an entire yard resulting in music that is either so loud that it becomes uncomfortable or so soft that it is un-engaging.

## UNEVEN VOLUME

Speaker placement in one location creates very loud areas near those speakers and little to no sound further away. This can impact furniture arrangements and natural gathering areas.

## UNBALANCED COVERAGE

It is easy to move in and out of the left and right channels and miss discrete information in the audio.



## UNWANTED NOISE

Audio can spill over to neighboring properties creating unwanted disturbances.

## DISCREET AUDIO SOLUTIONS



Designing a system composed of satellite speakers, subwoofers, amplifiers and DSP technology helps envelop a space fully in clear and balanced audio.

## EVEN VOLUME

This approach is similar to a well layered lighting design that has no hot spots or dark spots, but rather provides smooth even coverage throughout the area.

## EVEN, BALANCED COVERAGE

With satellite speakers and buried subwoofers strategically arranged around the perimeter of the property, audio is able to cover the area from all angles and comfortably immerse the audience.



## NO DISTURBANCES

By positioning the system's speakers and subwoofers toward the listening area, no sound is projected out to the neighbors.

# SONANCE LANDSCAPE SERIES



## SONANCE LANDSCAPE SERIES IS FULLY SCALABLE AND EXPANDABLE

Sonance Landscape Series is the award-winning, industry reference in outdoor audio. SLS speakers and subwoofers are a fully scalable premium outdoor audio system that delivers perfectly even coverage and unbelievable sound quality throughout any space, small or large. Capable of impeccable fidelity at any volume and powerful output while hidden among landscape elements, SLS continues the Sonance standard of performance and design working in harmony to deliver an exceptional experience in any outdoor environment.

### WEATHER THE ELEMENTS

Sonance Landscape Series speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190°F (-29 to 88°C). Triple sealed enclosures, waterproof connectors and marine grade components ensure SLS will stand up to the harshest elements including surf, sun, sand and snow.



RAIN



SNOW



SUN



WIND



SEA



SAND



### FLEXIBLE INSTALLATION

SLS speakers feature versatile mounting hardware options, allowing them to be positioned strategically to create the optimal sound experience.



### ACCESSORIES



18" Premium Aluminum Ground Stake



9" Ground Stake



Surface Mount



Tree Mount



### OMNI-6T: THE PERFECT PAIRING TO SLS

The Sonance Omnidirectional Outdoor Speaker is equipped with a four-tweeter array for full fidelity and true 360-degree coverage. With a 6.5" (165mm) woofer and the 60W Sonance Laminated Core 70V/100V Transformer, the Sonance OMNI-6T is a great complement to Sonance Landscape Series speakers and subwoofers; the ideal solution for spaces requiring omnidirectional coverage like walkways, pool areas, and centralized planters.

## SATELLITES



LS6T SAT

**LS6T SAT**  
Dimensions (LxDia): 11 23/32" x 7 7/16"  
(297mm x 189mm)



LS4T SAT

**LS4T SAT**  
Dimensions (LxDia): 8 1/16" x 5 1/8"  
(205mm x 130mm)

## SUBWOOFERS



LS15T SUB

**LS15T SUB**  
Overall Dimensions (WxH): 21 1/4" x 33 19/32" (540mm x 853mm)



LS12T SUB

**LS12T SUB**  
Overall Dimensions (WxH): 16 31/32" x 29 1/8" (431mm x 740mm)



HS12T SUB

**HS12T SUB**  
Dimensions (WxHxD): 16 1/8" x 16 1/8" x 16 1/8" (410mm x 410mm x 410mm)

## SATELLITE SPEAKERS

Sonance Landscape Series satellite speakers are selectable for 70V/100V or 8 Ohm configuration and are designed borrowing performance features proven successful by other Sonance products. With new larger Klippel distortion treated drivers as seen in VP Extreme and the same Sonance Laminated Core Transformer as Sonance Professional Series products, SLS satellite speakers provide smooth, effortless bass and clear and natural treble.



## SMOOTH AND POWERFUL BASS RESPONSE

Sonance Landscape Series subwoofers are available in 12" (305mm) and 15" (381mm) in-ground or 12" (305mm) hardscape solutions and are also 70V/100V or 8 Ohm configurable. With a laminar flow port supporting the in-ground subs and the Sonance Laminated Core Transformer featured in all three subs, Sonance Landscape Series subwoofers present the perfect punch for outdoor environments, filling the space with depth and detail.



# SONANCE GARDEN SERIES



## PERFORMANCE AND SIMPLICITY

Sonance Garden Series strikes the perfect blend between performance and affordability and is positioned between the award-winning excellence of Sonance Landscape Series and the system simplicity of Sonance Patio Series.

# SONANCE GARDEN SERIES

## FEATURES AND FLEXIBILITY

Featuring a 3.5" (89mm) anodized aluminum woofer and a 3/4" (19mm) polyurethane dome tweeter, the Sonance Garden Series two-way satellite design brings surprising detail to outdoor spaces. The replaceable grille makes servicing the system a breeze and the adjustable speaker knuckle allows the SGS SAT to be precisely positioned for great coverage. The system installation is flexible with multiple available installation options, from the included 1/2" (13mm) NPS ground stakes to the optional surface mount or tree mount accessories.

The 10" (254mm) dual voice coil, in-ground subwoofer provides amazing bass to complete the outdoor music experience. Taking advantage of our latest laminar flow port design, the SGS SUB delivers smooth bass that is ready for the elements. The high-density polyethylene enclosure is fully sealed and non-corroding, ensuring years of enjoyment.

## WEATHER THE ELEMENTS

The Sonance Garden Series speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190°F (-29 to 88°C). Triple sealed enclosures, waterproof connectors and marine grade components ensure SGS will stand up to the harshest elements including surf, sun, sand and snow.



## SGS 8.1 SYSTEM

Sonance Garden Series is flexible for system design from a single four conductor wire. Our DSP Amplifiers will support speaker layouts of 8.1/8.2, 12.1/12.2 up to 16.1/16.2 configurations, helping to set the mood for engaging outdoor music in spaces up to 3,500 square feet (325 square meters). Sonance Garden Series can be expanded for up to 16 speakers and two subwoofers on a single amplifier.



SGS 8.1 SYSTEM

## SGS ADD-ON PRODUCTS

### 2-125 AMPLIFIER



SR 2-125  
Dimensions with feet (WxHxD): 8 5/8" x 2 1/8" x 16 13/16"  
(219mm x 54mm x 427mm)

### SGS SATELLITE 4-PACK



SGS SAT 4-PACK  
Dimensions with Stake (LxDia.): 16 1/2" x 4 1/2"  
(419mm x 114mm)

### SGS SUBWOOFER




SGS SUB  
Overall Dimensions (LxDia.): 24 13/16" x 15"  
(630mm x 381mm)




SONANCE GARDEN SERIES


SONANCE GARDEN SERIES CONFIGURATIONS



SONANCE GARDEN SERIES 8:1 CONFIGURATION



SONANCE GARDEN SERIES 12:2 CONFIGURATION



SONANCE GARDEN SERIES 16:2 CONFIGURATION

# SONANCE PATIO SERIES



## PERFECT QUALITY, PERFECT COVERAGE

The smallest outdoor system for the smallest outdoor spaces, Sonance Patio Series blends discreetly into the planter beds of patios and courtyards. With four staked satellite speakers and one subwoofer capable of being buried, Sonance Patio Series System provides enough coverage and range for impressive listening enjoyment in outdoor spaces up to 1,000 square feet (93 square meters) or up to 2,000 square feet when expanded to 8 speakers and 2 subwoofers (186 square meters).

## DESIGNED TO DISAPPEAR

Sonance Patio Series speakers and subwoofers are made from weatherized, earth-toned materials to beautifully blend in with the landscape surrounding it, allowing the system to disappear into your space.



## SONANCE PATIO SERIES 4.1 SYSTEM WITH AMPLIFIER



SONANCE Patio Series 4.1 System with SR 2-125 Amplifier

## SONANCE PATIO SERIES 4.1 SYSTEM



SONANCE Patio Series 4.1 System without Amplifier



## VP EXTREME


Visual Performance Extreme carries the design success of Sonance Visual Performance speakers delivered in a highly enduring construction for extreme elements making them perfect for marine environments, patios, saunas and spas.

### EXTREME POST CAPTURE

With extreme circumstances in mind, Sonance developed Extreme Post Capture grille retention technology (XPC) to securely grip each Extreme grille to its speaker. This protects the grilles from harsh encounters with wind and high pressure washing. Extreme square grille adapters and grilles seamlessly transform any Extreme round speaker into a square finish without the need for additional cutting. Also featuring Sonance XPC technology, square grilles will remain intact when presented with intense wind or water.



### SQUARE ADAPTERS



**VPXT8SQ**  
Dimensions (WxH): 11" x 11" (279mm x 279mm)

**VPXT6SQ**  
Dimensions (WxH): 9 7/8" x 9 7/8" (251mm x 251mm)

### IN-WALL



**VPXT6**  
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"  
(213mm x 311mm x 64mm)

### IN-CEILING



**VPXT8R**  
Dimensions (DiaxD): 11 5/8" x 3 3/4"  
(295mm x 95mm)

**VPXT6R | VPXT6R SST**  
Dimensions (DiaxD): 9 3/4" x 3 1/2"  
(248mm x 89mm)

# MARINERS & ROCKS

## PERFORMANCE

Sonance has a range of high-performance outdoor speakers for any traditional installation. Rock speakers and subwoofers in natural colors and textures are designed to hide in garden beds. Mariner speakers are perfect for courtyards, patios and yachts.



### MARINERS

Sonance Mariner speakers feature an innovative front-mounted terminal connection that not only makes wiring easier, it safeguards the speaker terminals against moisture and the elements. Mariner speakers feature an exclusive Fastmount® bracket system that enables simple push and lock to fasten each speaker into place - no threaded knobs or extra hardware necessary. Once mounted, the speaker can be easily pivoted to direct the sound where you want it, and they will stay where you position them without drooping or slipping over time. Finished with a perfect fit trimless grille engineered to remain securely in place, Mariner speakers will contribute a sleek and clean look to any outdoor space.



### ROCKS

Sonance rock speakers utilize a durable weather-resistant construction that is built to withstand the harshest outdoor environments. Featuring waterproof drivers, the Sonance RK63 and RK83 deliver clean articulate sound while standing up to the elements. For those wanting even more impressive sound outdoors, the optional RK10W subwoofer features the same durable construction with a 10" (254mm) polypropylene cone woofer for added bass response.

### MARINERS

Available in black and white



Mariner 54



Mariner 54 SST



Mariner 56



Mariner 64



Mariner 64 SST



Mariner 66



Mariner 86

**SMALL MARINER 54 | MARINER 54 SST | MARINER 56**

Dimensions (WxHxD): 6 3/8" x 10 3/32" x 5 11/16"  
(162mm x 256mm x 144mm)

**MEDIUM MARINER 64 | MARINER 64 SST | MARINER 66**

Dimensions (WxHxD): 7 1/2" x 12 5/32" x 6 7/8"  
(191mm x 308mm x 174mm)

**LARGE MARINER 86**

Dimensions (WxHxD): 9" x 14" x 8 19/32"  
(229mm x 356mm x 218mm)

### ROCKS

Available in brown and granite



RK63



RK83

**MEDIUM RK63**

Dimensions (WxHxD): 13 3/4" x 11" x 11"  
(349mm x 279mm x 279mm)

**LARGE RK83**

Dimensions (WxHxD): 17 1/4" x 12 1/2" x 14"  
(438mm x 318mm x 356mm)

### ROCK WOOFER

Available in brown and granite



RK10W Woofer

**RK10W**

Dimensions (WxHxD): 19 3/8" x 16 7/8" x 14 3/8"  
(492mm x 429mm x 365mm)

SONANCE  
COMMERCIAL  
SOLUTIONS



## COMMERCIAL SOLUTIONS

Sonance has been regarded as an industry leader for decades. When the industry demanded superior performance and premium aesthetics from commercial products, Sonance heard the call to action to revolutionize the market. With solutions spanning many applications and the introduction of Sonance Professional Series dedicated to the commercial scene, Sonance is able to empower the commercial integrator with the tools to cover any space.



## INVISIBLE SERIES

Sonance offers a completely invisible solution intended for commercial applications requiring ultimate elegance. The IS8T is specified exclusively in many retail spaces for luxury boutique brands throughout the world. Its use of the Sonance Laminated Core Transformer for 70V/100V flexibility makes it a powerful and desirable option for the demands of commercial spaces.



## IPOINT

IPOINT by Sonance offers elegant solutions for the home and business. Transforming the way dedicated use tablets are incorporated into the workplace, IPOINT continues to redefine where and how businesses use tablets in applications like hotel rooms, corporate offices, yachts, and fleet vehicles. IPOINT products solve real business problems and enhance the usability of tablets.



## SONANCE COMMERCIAL OUTDOOR

Sonance outdoor solutions are widely used in amusement parks, wineries, hotels, resort gardens, and golf courses around the globe. Whether it is a Sonance Landscape Series product, Sonance Omnidirectional OMNI-6T, or an 8 Ohm Sonance speaker with the Sonance 70V transformer (PS-60XF), each product has the performance and aesthetic to match any commercial landscape.




## SONANCE 70V DSP AMPLIFIERS

Sonance 70V DSP Amplifiers are a powerful way to complete any commercial audio system. With Sonance DSP curves to satisfy adjustments and tuning for speaker placement and atmosphere, Sonance amplifiers perfectly optimize any commercial system.

# OMNIDIRECTIONAL OUTDOOR SPEAKER

## EXCELLENCE

The OMNI-6T is the answer to most commercial outdoor needs with 360 degrees of audio output, providing exceptional coverage regardless of placement. This omnidirectional outdoor speaker features the Sonance Laminated Core Transformer for select-ability in commercial or residential applications, making it a great complement to any Sonance Professional Series product, Sonance Landscape Series product, or a system comprised solely of the OMNI-6T.



### APPLICATIONS

The textured dark brown enclosure blends beautifully into ground cover, garden beds and foliage allowing the OMNI-6T to disappear into both commercial and residential applications such as resort gardens, hotel pool areas, theme parks, outdoor shopping malls, and estate gardens.


## OMNIDIRECTIONAL OUTDOOR SPEAKER



OMNI-6T  
Dimensions (DiaxH): 14 1/2" x 12" (368mm x 305mm)

### SPEAKER FEATURES

The OMNI-6T features a 60W 70V/100V Sonance Laminated Core Transformer with multiple transformer taps and an 8 Ohm bypass for superior sonic performance and simply executed system setup. Install OMNI-6T buried or above ground, as a system comprised of multiple OMNI speakers or integrated as part of a Sonance Landscape Series system or Professional Series system. It is the ideal outdoor solution for both commercial and residential landscapes.



Four-Tweeter Array  
360° Coverage Plan View

### 360° DISPERSION

OMNI-6T provides truly omnidirectional coverage. With its wideband, four-tweeter array and its up-firing 6.5" (165mm) woofer, the Sonance OMNI-6T achieves full fidelity and full range performance.



# PROFESSIONAL SERIES

## PERFORMANCE

Sonance Professional Series products are changing the commercial audio scene. Each speaker is equipped with class-leading sensitivity, sonic performance, and an exceptional off-axis response. The product family also features consistent voicing across the range and a full-fidelity transformer for uncompromising tonality. In response to industry demand, each product comes ready to easily install with uncomplicated hardware included in the box.



The Sonance PS-60XF 70V Transformer allows any Sonance 8 Ohm speaker to be converted for 70V/100V installations, unleashing endless possibilities for Sonance commercial system designs.

## IN-CEILING

- UL 1480 & UL 2043 Certified
- Two-Way Pivoting Tweeter
- Finger-Adjustable Tap Switch
- Integrated Backcan
- One-Piece Magnetic Paintable Grille
- Optional Black Grille
- Optional Square Adapter in Black or White Grille Options



**PS-C43RT**  
Dimensions (DiaxD): 6 5/16" x 7" (160mm x 178mm)

**PS-C63RT**  
Dimensions (DiaxD): 9 1/8" x 8 7/8" (232mm x 225mm)

**PS-C83RT | PS-C83RWT**  
Dimensions (DiaxD): 11 1/16" x 9 27/32" (281mm x 250mm)

**PS-C43RTLTP**  
Dimensions (DiaxD): 9 1/8" x 3 7/16" (232mm x 87mm)

**PS-C63RTLTP**  
Dimensions (DiaxD): 11 1/16" x 4 3/8" (281mm x 111mm)

## SURFACE MOUNT

- UL 1480, IPX4, MIL SPEC 810, & UV IEC 529 Certified
- Powder Coated Aluminum Grille
- Black or White Paintable Options
- Front-Mounted Tap Switch
- Front-Mounted Connector with Cover
- FastMount® Bracket System

## IN-CEILING

Available in black or white grille



**PS-C43RT**  
Dimensions (DiaxD): 6 5/16" x 7" (160mm x 178mm)

**PS-C63RT**  
Dimensions (DiaxD): 9 1/8" x 8 7/8" (232mm x 225mm)

**PS-C83RT | PS-C83RWT**  
Dimensions (DiaxD): 11 1/16" x 9 27/32" (281mm x 250mm)

**PS-C43RTLTP**  
Dimensions (DiaxD): 9 1/8" x 3 7/16" (232mm x 87mm)

**PS-C63RTLTP**  
Dimensions (DiaxD): 11 1/16" x 4 3/8" (281mm x 111mm)

## PENDANT

- UL 1480 & UL 2239 Certified
- Two-Way Pivoting Tweeter
- One-Piece Magnetic Grille
- Black or White Paintable Options
- Front-Mounted Tap Switch
- Hanger and Connector Cover
- Ships with Gripple Mounting Kit

## PENDANT

Available in black and white



**PS-P43T**  
Dimensions (DiaxH): 6 5/16" x 11" (160mm x 280mm)

**PS-P63T**  
Dimensions (DiaxH): 9 1/8" x 15 19/32" (232mm x 396mm)

**PS-P83T | PS-P83WT**  
Dimensions (DiaxH): 11 1/16" x 19 23/32" (281mm x 500mm)

## SUBWOOFER

- 70V/100V with 8 Ohm Bypass
- Movable Port for Orientation
- Optional Low-Profile Bracket
- Fly-Points for Suspension Mounting
- Under-Seat Mounting
- Cable Strain Relief

## SURFACE MOUNT

Available in black and white



**PS-S43T**  
Dimensions (WxHxD): 9 1/4" x 5 15/32" x 4 13/16" (235mm x 139mm x 122mm)

**PS-S53T**  
Dimensions (WxHxD): 10 3/32" x 6 3/8" x 5 11/16" (256mm x 162mm x 144mm)

**PS-S63T**  
Dimensions (WxHxD): 12 1/8" x 7 1/2" x 6 7/8" (309mm x 191mm x 174mm)

**PS-S83T | PS-S83WT**  
Dimensions (WxHxD): 14" x 9" x 8 19/32" (356mm x 229mm x 218mm)

## SUBWOOFER



**PS-S210SUBT**  
Dimensions (LxWxH): 33" x 13 25/32" x 9" (838mm x 350mm x 229mm)

# I PORT

BY SONANCE

At IPORT, we believe in enhancing the utility of a dedicated-use tablet at home and at work by combining design, technology, and function so that you can experience iPad® in a whole new way.


**HOLD. CHARGE. PROTECT. IPAD®**



RESIDENTIAL



HOSPITALITY



CORPORATE



FOOD & BEVERAGE



FLEET



# HOLD. CHARGE. PROTECT.

iPad has become the go-to device to control the app-driven connected home. We believe that by creating ways to hold, charge and protect it, iPad transforms into an epic dedicated controller. Whether on the wall in fixed locations or free-floating throughout the home, IPORT offers a range of charging and mounting systems that add much-needed accessibility to iPad in home control applications.

It gets even better with optional hard buttons embedded in our enclosures that provide instant shortcuts to scenes and key functions for nearly any control system. Say hello to the IPORT family of products: enhancing the user experience of the app-driven connected home.



## IPOINT LUXE

The premium wireless charging and mounting system for iPad designed for charging on table-top or on-wall. Available in silver, black and white.



Case



BaseStation



WallStation



Wall Adapter Kit

### LUXE CASES

- iPad mini 4, iPad mini (5th gen)
- iPad (5th & 6th gen)
- iPad Pro 10.5-inch
- iPad Air 10.5-inch (3rd gen)
- iPad 10.2-inch (7th gen)

### LUXE CHARGING STATIONS

- WallStation
- BaseStation

### LUXE ACCESSORIES

- Wall Adapter Kit



## IPOINT LAUNCH

A wireless charging system for iPad designed to hold, charge and protect iPad on a table, wall or in a vehicle. Available in silver, black and white.



Case



BaseStation



WallStation

### LAUNCH SLEEVES

- iPad mini 4, iPad mini (5th gen)
- iPad (5th & 6th gen)
- iPad Pro 10.5-inch
- iPad Air 10.5-inch (3rd gen)
- iPad 10.2-inch (7th gen)

### LAUNCH CHARGING STATIONS

- Launch WallStation
- Launch BaseStation



## IPOINT SURFACE MOUNT

The most elegant way to mount iPad on a wall or solid surface. Available in black and white.



Surface Mount



Surface Mount with Buttons



### SURFACE MOUNT SYSTEM

- iPad mini 4, iPad mini (5th gen)
- iPad (5th & 6th gen)
- iPad Pro 10.5-inch
- iPad Air 10.5-inch (3rd gen)
- iPad 10.2-inch (7th gen)

### SURFACE MOUNT 6 BUTTONS SYSTEM

- iPad mini 4, iPad mini (5th gen)
- iPad (5th & 6th gen)
- iPad Pro 12.9-inch (1st & 2nd gen)

### SURFACE MOUNT 10 BUTTONS SYSTEM

- iPad mini 4, iPad mini (5th gen)
- iPad (5th & 6th gen)
- iPad Pro 12.9-inch (1st & 2nd gen)



## xPRESS

The Audio Keypad for Sonos®, allows you to control your Sonos® device anywhere, anytime. Play music, adjust volume, skip tracks, and assign favorites with the press of a button.



xPRESS Audio Keypad

xPRESS AUDIO KEYPAD  
xPRESS

# SONANCE TRUFIG


Sonance has long been the pioneer for disguising technology. Blending into architecture and design does not stop with speakers. With TRUFIG mounting technology, Sonance can disguise most technical elements within a room, from keypads, touch panels, and outlets, to HVAC vents and linear diffusers. Sonance continues to evolve the TRUFIG finish beyond sound to blend technology into any design.

DESIGNED TO DISAPPEAR.



# TRUFIG CUSTOMIZATION

TRUFIG is a standardized custom installation method that has revolutionized the industry, saving integrators time and money by making the process predictable, reliable, and repeatable.




## RESERVE

TRUFIG mounting platforms reserve the install location, allowing for precision placement and a clear distinction for other trades during construction.



## ALIGN

The alignment process provides accurate leveling with the surrounding surface; the kind of details that Sonance believes makes all the difference.



## FINISH

Once the Sonance TRUFIG components are in place, the surface can be finished around it, revealing a stunning elegance that allows the room design to prevail.



## SOLUTIONS

TRUFIG can be applied across multiple disciplines and integrated into many surfaces.

- Wiring Devices & Lighting Control
- Touch Panels & iPad
- HVAC
- Linear Diffuser
- Blank Fascia
- Sonance Architectural Series Speakers
- Sonance Invisible Speakers



Wiring Devices & Lighting Controls




Custom Projects



Speakers



Touch Panels




HVAC



Linear Diffusers

## FINISHES

The complete TRUFIG system installs flush with the wall, ensuring the integrity of the design space is not compromised. TRUFIG fascias are delivered in paintable white to allow faux painted finish matching on site by a qualified tradesperson. Explore the versatility that allows you to customize each device to match any surface.



# SONANCE DESIGN SERVICES

Ready to experience Sonance but not sure where to begin? Let us customize a layout for you. Sonance offers design services to support our customers. Our role is to help you maximize the value and performance of your Sonance speaker system. Service representatives are available whenever you need them to make sure your system performs as expected.

Contact Sonance Design Services at [www.designservices@sonance.com](mailto:www.designservices@sonance.com)



## OUTDOOR DESIGN

Landscape Series Design Service provides a custom layout program for Sonance Landscape Series speaker systems. This service will convert any project's landscape plan into a discreet layout for each zone showing the best possible placement for all of the satellites and subwoofers, along with the appropriate recommended amplification.



## INDOOR AND COMMERCIAL DESIGN

Sonance Design Services also provides a custom layout program for all Reference, Visual Performance, Architectural Series, Invisible Series, and Professional Series speaker systems. Sonance's Design Services will convert any CAD or house plan into a customized layout for each audio zone showing the expert recommendation for placement.

# SONANCE PRODUCT INDEX

## DISTRIBUTED AUDIO

### INVISIBLE SERIES

SKU	MODEL	UOM	PAGE
93480	IS10	PR	16
93479	IS8	PR	16
93478	IS6	PR	16
93482	IS15W	EA	16
93481	IS10W	EA	16
40197	IS8T	EA	16

### ARCHITECTURAL SERIES

93041	AS38RS	EA	18
93042	AS68RS	EA	18
93044	BPS8	EA	18
93074	ASBPC6RS	EA	18
93049	1/2" Medium Gypsum Mounting Platform Round	EA	18
93050	1/2" Medium Gypsum Mounting Platform Square	EA	18
93051	5/8" Medium Gypsum Mounting Platform Round	EA	18
93052	5/8" Medium Gypsum Mounting Platform Square	EA	18
93055	5/8" Solid Surface Medium Mounting Platform Round & Square	EA	18
93324	BPS6 TL	EA	18
93335	ASBPC3RS TL Trim Ring & Grilles	EA	18
93362	1/2" Discreet Gypsum Mounting Platform Round TL	EA	18
93363	1/2" Discreet Gypsum Mounting Platform Square TL	EA	18
93364	5/8" Discreet Gypsum Mounting Platform Round TL	EA	18
93365	5/8" Discreet Gypsum Mounting Platform Square TL	EA	18
93043	BPS6	EA	18
93073	ASBPC3RS	EA	18
93045	1/2" Discreet Gypsum Mounting Platform Round	EA	18
93046	1/2" Discreet Gypsum Mounting Platform Square	EA	18
93047	5/8" Discreet Gypsum Mounting Platform Round	EA	18
93048	5/8" Discreet Gypsum Mounting Platform Square	EA	18
93053	5/8" Solid Surface Discreet Mounting Platform Round & Square	EA	18
93367	Thin-Line Bandpass Slot Connector	EA	18

### VISUAL PERFORMANCE

93000	VP42	PR	21
93001	VP46	PR	21
93002	VP48	PR	21
93003	VP62	PR	21
93004	VP66	PR	21
93005	VP68	PR	21
93006	VP82	PR	21
93007	VP86	PR	21
93008	VP88	PR	21
93117	VP38R	EA	21
93009	VP42R	PR	21
93010	VP46R	PR	21
93011	VP48R	PR	21
93088	VP60R	PR	21
93012	VP62R	PR	21
93013	VP64R	PR	21
93014	VP66R	PR	21
93015	VP68R	PR	21
93089	VP80R	PR	21
93016	VP82R	PR	21
93017	VP86R	PR	21
93018	VP88R	PR	21
93120	VP3SQ Square Adapter & Grille	EA	21
93029	VP4SQ Square Adapter & Grille	PR	21
93030	VP6SQ Square Adapter & Grille	PR	21
93031	VP8SQ Square Adapter & Grille	PR	21
93019	VP66 TL	PR	21

## DISTRIBUTED AUDIO CONTINUED

SKU	MODEL	UOM	PAGE
93020	VP62R TL	PR	21
93021	VP66R TL	PR	21
93022	VP62R SST/SUR TL	EA	21
93368	VP52R UTL	PR	21
93338	VPXT6	PR	22
93339	VPXT6R	PR	22
93340	VPXT6R SST	EA	22
93341	VPXT8R	PR	22
93342	VPXT6SQ Square Adapter & Grille	PR	22
93343	VPXT8SQ Square Adapter & Grille	PR	22
93028	VP62 LCR	EA	22
93084	VP66 LCR	EA	22
93023	VP46R SST/SUR	EA	22
93024	VP62R SST/SUR	EA	22
93025	VP66R SST/SUR	EA	22
93026	VP86R SST/SUR	EA	22
93027	VP66 SST/SUR	EA	22
93044	BPS8	EA	22
93097	VPBPC6R	EA	22
93324	BPS6 TL	EA	22
93334	VPBPC3R TL	EA	22
93043	BPS6	EA	22
93118	VPBPC3R	EA	22
93353	VPSUB	EA	22
92741	VP85R W	EA	22
92740	VP85 W	EA	22

### C SERIES

93124	C6R	PR	21
93125	C6R SST	EA	21

### AMPLIFIERS

93091	SONAMP 2-100	EA	26
92446	SONAMP ASAP3D SE	EA	26
93092	SONAMP 12-50	EA	26
93378	DSP 2-150 MKII	EA	26
93379	DSP 2-750 MKII	EA	26
93331	DSP 8-130 MKII	EA	26
93135	SR 2-125	EA	26
93099	Digital Input Module	EA	26
93361	Hybrid Input Module	EA	26

### VISUAL PERFORMANCE ACCESSORIES

92246	Large Rectangle Flex Bracket	5PR	-
92336	Medium Rectangle Flex Bracket	5PR	-
92470	Small Rectangle Flex Bracket	5PR	-
92247	Large Round Flex Bracket	5PR	22
92337	Medium Round Flex Bracket	5PR	22
92471	Small Round Flex Bracket	5PR	22
92344	Medium Square Flex Bracket	5PR	-
92475	Medium LCR Flex Bracket	EA	-
92066	Medium Rectangle Masonry Bracket	PR	-
92067	Small Rectangle Masonry Bracket	PR	-
91708	Large Rectangle Acoustic Enclosure	EA	-
91687	Medium Rectangle Acoustic Enclosure	EA	-
91900	Large Round Acoustic Enclosure	EA	22
91688	Medium Round Acoustic Enclosure	EA	22
92242	Large Rectangle Retrofit Enclosure	PR	-
92342	Medium Rectangle Retrofit Enclosure	PR	-
92442	Small Rectangle Retrofit Enclosure	PR	-
92243	Large Round and Square Retrofit Enclosure	PR	22
92343	Medium Round and Square Retrofit Enclosure	PR	22
92443	Small Round and Square Retrofit Enclosure	PR	22
92836	Medium LCR Retrofit Enclosure	EA	-
40195	PS-60XF 70V Transformer	EA	22

# SONANCE PRODUCT INDEX

## SURROUND SOUND

### REFERENCE

SKU	MODEL	UOM	PAGE
93344	R1	EA	32
93345	R1SUR	EA	32
93346	R2	EA	32
93347	R2SUR	EA	32
93348	R1CAB	EA	32
93351	R1C	EA	32
93352	R1CSUR	EA	32
93354	R10SUB	EA	34
93355	R12SUB	EA	34
92874	R10SUB ENC	EA	34
92875	R12SUB ENC	EA	34
93376	R10SUB ENC System	EA	34
93377	R12SUB ENC System	EA	34

### CABINET SUBWOOFERS

93356	i8	EA	36
93357	i10	EA	36
93358	i12	EA	36
93359	D8 BLK	EA	38
93374	D8 WHT	EA	38
93360	Wireless Transmitter	EA	36

### SOUNDBAR

93425	SB46-55	EA	40
93426	SB46-65	EA	40
93427	SB46-75	EA	40
93428	SB46-85	EA	40
93086	SB46M	EA	40
93087	SB46L	EA	40

## OUTDOOR

### SONANCE LANDSCAPE SERIES

93369	LS4T SAT	EA	48
93370	LS6T SAT	EA	48
93371	LS12T SUB	EA	48
93372	LS15T SUB	EA	48
93373	HS12T SUB	EA	48

### SONANCE LANDSCAPE SERIES 70V SYSTEMS

93382	LS4T SAT/LS12T 8.1 System w/ DSP	EA	-
93409	LS4T SAT/LS12T 8.2 System w/ DSP	EA	-
93410	LS6T SAT/LS12T 6.1 System w/ DSP	EA	-
93411	LS6T SAT/LS12T 8.2 System w/ DSP	EA	-
93412	LS6T SAT/LS15T 8.1 System w/ DSP	EA	-

### SONANCE LANDSCAPE SERIES 8 OHM SYSTEMS

93383	LS6T SAT/LS12T 4.1 System w/ 2 DSP 2-750 MKII	EA	-
93413	LS6T SAT/LS12T 4.1 System w/ 2 DSP 2-150 MKII	EA	-

### SONANCE LANDSCAPE SERIES ACCESSORIES

93466	Ground Post 18"	EA	46
92924	Ground Stake 9"	EA	46
92927	Tree Mount	EA	46
92926	Surface Mount	EA	46

### SONANCE GARDEN SERIES

93433	SGS 8.1 System + Amplifier	EA	52
93432	SGS 8.1 System	EA	52
93135	SR 2-125 Amplifier	EA	52
93435	SGS SUB	EA	52
93436	SGS SAT 4-Pack	EA	52

## SONANCE PATIO SERIES

93429	Patio 4.1 System	EA	56
93430	Patio 4.1 System + Amplifier	EA	56

### VP EXTREME

93338	VPXT6	PR	58
93339	VPXT6R	PR	58
93340	VPXT6R SST	EA	58
93341	VPXT8R	PR	58
93342	VPXT6SQ Square Adapter and Grille	PR	58
93343	VPXT8SQ Square Adapter and Grille	PR	58

### MARINERS

93148	Mariner 54 WHT	PR	60
93149	Mariner 54 BLK	PR	60
93150	Mariner 56 WHT	PR	60
93151	Mariner 56 BLK	PR	60
93152	Mariner 64 WHT	PR	60
93153	Mariner 64 BLK	PR	60
93154	Mariner 66 WHT	PR	60
93155	Mariner 66 BLK	PR	60
93156	Mariner 86 WHT	PR	60
93157	Mariner 86 BLK	PR	60
93158	Mariner 54 SST WHT	EA	60
93159	Mariner 54 SST BLK	EA	60
93160	Mariner 64 SST WHT	EA	60
93161	Mariner 64 SST BLK	EA	60

### ROCKS

92743	RK63 Granite	PR	60
92744	RK63 Brown	PR	60
92745	RK83 Granite	PR	60
92746	RK83 Brown	PR	60
92887	RK10W Woofer Granite	EA	60
92888	RK10W Woofer Brown	EA	60

## COMMERCIAL

### PROFESSIONAL SERIES

40196	OMNI-6T	EA	66
40130	PS-C43RT	PR	68
40131	PS-C63RT	PR	68
40132	PS-C83RT	PR	68
40133	PS-C83RWT	EA	68
40181	PS-C43RTLTP	PR	68
40182	PS-C63RTLTP	PR	68
40147	PS-S43T BLK	PR	68
40142	PS-S43T WHT	PR	68
40148	PS-S53T BLK	PR	68
40143	PS-S53T WHT	PR	68
40149	PS-S63T BLK	PR	68
40144	PS-S63T WHT	PR	68
40150	PS-S83T BLK	PR	68
40145	PS-S83T WHT	PR	68
40151	PS-S83WT BLK	EA	68
40146	PS-S83WT WHT	EA	68
40138	PS-P43T BLK	PR	68
40134	PS-P43T WHT	PR	68
40139	PS-P63T BLK	PR	68
40135	PS-P63T WHT	PR	68
40140	PS-P83T BLK	PR	68
40136	PS-P83T WHT	PR	68
40141	PS-P83WT BLK	EA	68
40137	PS-P83WT WHT	EA	68
40197	IS8T	EA	68
40192	PS-S10SUBT	EA	68
40194	PS-S10SUBT Mounting Bracket	EA	-

# IPOINT PRODUCT INDEX

## iPORT

### LAUNCH

SKU	MODEL	UOM	PAGE
70158	LAUNCH BaseStation Black	EA	74
70141	LAUNCH BaseStation Silver	EA	74
70170	LAUNCH WallStation Black	EA	74
70142	LAUNCH WallStation White	EA	74
70304	LAUNCH AM.2 Case Mlni Black	EA	74
70305	LAUNCH AM.2 Case Mini White	EA	74
70300	LAUNCH AP.5 Case 9.7 Black	EA	74
70301	LAUNCH AP.5 Case 9.7 White	EA	74
70390	LAUNCH Case 10.2   10.5 Black	EA	74
70391	LAUNCH Case 10.2   10.5 White	EA	74

### LUXE

71000	LUXE BaseStation Black	EA	74
71001	LUXE BaseStation Silver	EA	74
71002	LUXE BaseStation White	EA	74
71003	LUXE WallStation Black	EA	74
71004	LUXE WallStation Silver	EA	74
71005	LUXE WallStation White	EA	74
71009	LUXE Case Mini 4   5 Black	EA	74
71010	LUXE Case Mini 4   5 Silver	EA	74
71011	LUXE Case Mini 4   5 White	EA	74
71012	LUXE Case 9.7 Black	EA	74
71013	LUXE Case 9.7 Silver	EA	74
71014	LUXE Case 9.7 White	EA	74
71015	LUXE Case 10.2   10.5 Black	EA	74
71016	LUXE Case 10.2   10.5 Silver	EA	74
71017	LUXE Case 10.2   10.5 White	EA	74
71006	LUXE Wall Adapter Kit Black	EA	74
71007	LUXE Wall Adapter Kit Silver	EA	74
71008	LUXE Wall Adapter Kit White	EA	74

### SURFACE MOUNT BEZELS

70700	SM Mini 123 Black Bezel	EA	74
70701	SM Mini 123 Silver Bezel	EA	74
70702	SM Mini 123 White Bezel	EA	74
70722	SM Mini 4   5 Black Bezel	EA	74
70723	SM Mini 4   5 Silver Bezel	EA	74
70724	SM Mini 4   5 White Bezel	EA	74
70703	SM 9.7 Black Bezel	EA	74
70704	SM 9.7 Silver Bezel	EA	74
70705	SM 9.7 White Bezel	EA	74
70796	SM 10.5 Black Bezel	EA	74
70797	SM 10.5 Silver Bezel	EA	74
70798	SM 10.5 White Bezel	EA	74
70743	SM Pro 12.5 Black Bezel	EA	74
70744	SM Pro 12.5 Silver Bezel	EA	74
70745	SM Pro 12.5 White Bezel	EA	74
70718	PoE Splitter	EA	74
70719	PoE Injector Black	EA	74

### SURFACE MOUNT W/ BUTTONS

SKU	MODEL	UOM	PAGE
70764	SMB Mini 4   5 Black 6B BZL + SPL	EA	74
70765	SMB Mini 4   5 Silver 6B BZL + SPL	EA	74
70766	SMB Mini 4   5 White 6B BZL + SPL	EA	74
70758	SMB Mini 4   5 Black 10B BZL + SPL	EA	74
70759	SMB Mini 4   5 Silver 10B BZL + SPL	EA	74
70760	SMB Mini 4   5 White 10B BZL + SPL	EA	74
70767	SMB 9.7 Black 6B Bezel + SPL	EA	74
70768	SMB 9.7 Silver 6B Bezel + SPL	EA	74
70769	SMB 9.7 White 6B Bezel + SPL	EA	74
70761	SMB 9.7 Black 10B Bezel + SPL	EA	74
70762	SMB 9.7 Silver 10B Bezel + SPL	EA	74
70763	SMB 9.7 White 10B Bezel + SPL	EA	74
70778	SMB Pro 12.9 Black 6B BZL + SPL	EA	74
70779	SMB Pro 12.9 Silver 6B BZL + SPL	EA	74
70780	SMB Pro 12.9 White 6B BZL + SPL	EA	74
70781	SMB Pro 12.9 Black 10B BZL + SPL	EA	74
70782	SMB Pro 12.9 Silver 10B BZL + SPL	EA	74
70783	SMB Pro 12.9 White 10B BZL + SPL	EA	74

### XPRESS

70800	XPRESS Audio Keypad White	EA	74
-------	---------------------------	----	----

# SONANCE

BEYOND SOUND

©2020 Sonance. All rights reserved. Sonance, IPORT and TRUFIG are registered trademarks.

Due to continuous product improvement, all features and specifications are subject to change without notice.  
For the latest Sonance product specification information visit our website: [www.sonance.com](http://www.sonance.com)

Sonance • 991 Calle Amanecer • San Clemente, CA 92673 USA  
01.16.2020 | 338063