PLAN CHANGE 12 – ENABLING HOUSING SUPPLY

Hamilton City Council



30 September 2022



Improving the Wellbeing of Hamiltonians

Hamilton City Council is focused on improving the wellbeing of Hamiltonians through delivering to our five priorities of shaping:

- A city that's easy to live in
- A city where our people thrive
- A central city where our people love to be
- A fun city with lots to do
- A green city

The topic of this submission is aligned to all of the priorities outlined above.

Council Approval and Reference

This submission was approved under delegated authority by Hamilton City Council's Chief Executive on 30 September 2022.

Hamilton City Council Reference D-4390828 - Submission # 705.

Introduction

- **1.** Hamilton City Council would like to make a submission to Plan Change 12 Enabling housing Supply (PC12).
- 2. The following sections set out the specific provisions of the plan change that Hamilton City Council's submission relates to under each of the seven topic matters. In the 'Relief sought' columns there are specific drafting edits sought, and some broader relief identified. This submission seeks that identified drafting, or the broader relief, or such similar relief as is necessary to address the matters set out in the corresponding 'Commentary and Reasons' columns be granted.

Residential Zones and Subdivision

3. Residential zones submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Rule 4.2.5.3a	The Medium Density Residential Standards as notified include a	Amend rule 4.2.5.3a as follows:
Rule 4.3.4.3a	landscaping standard, but not a permeable area control. The	"Permeable Impermeable surface-
Rule 4.4.5.3a	Operative District Plan (ODP) has a permeable area control which has	Minimum 30% of a site Maximum 70% of net site area"
	been rolled over. There is a risk that rolling over the permeable area	
	standard of the ODP may be seen to be an additional density standard	And amend the notes to rule 4.2.5.3a as follows:
	that doubles up with the 20% landscaping requirement.	"Requirements set out in 4.2.5.3 a can include the area required in 4.2.5.3 d"
	The ODD defines permeable surfaces as follows:	
	The ODP defines permeable surfaces as follows:	"Rainwater tanks with a capacity of < 10,500 litres are exempt from
	"Permeable surface Means any part of a site which is grassed or planted in trees or shrubs and is capable of absorbing water. It does	the calculation of permeable <u>impermeable</u> surfaces. (Refer to Chapter 25.13)."
	not include impermeable surfaces or any area which:	Add the following new notes:
	a. Falls within the definition of site coverage.	"For the purposes of this rule, the definition of impermeable
	b. Is covered by decks which do not allow water to drain through to	surfaces is amended by excluding swimming pools, living roofs, and
	a permeable surface.	porous or permeable paving, and including sealed or compacted
	c. Is occupied by swimming pools.	metal driveways and car parking areas"
	d. Is paved, sealed or formed to create a solid surface.	"Further guidance on permeable surfaces can be found in the Three
	e. Is used for vehicle parking, manoeuvring or access.	Waters Management Practice Notes"
	Note	<u>waters wanagement ractice notes</u>
	A green or living roof may provide a suitable alternative to permeable	
	surfaces requirements but will be assessed on a case by case basis."	Amend rule 4.3.4.3a as follows:
	surjuces requirements sur vini se assessed on a case sy case susisi	" Permeable Impermeable surface-
	The on-site stormwater rule introduced into Chapter 25.13 refers to	Minimum 30% of a site Maximum 70% of net site area"
	impermeable areas rather than permeable surfaces. Replacing the	<u></u>
	permeable area standard with an impermeable area standard would	And amend the notes to rule 4.3.4.3a as follows:
	better accord with the intent of the standard to manage stormwater	"Requirements set out in 4.3.4.3 a can include the area required in-
	runoff, rather than on-site amenity.	4.2.5.3 d"
	,	"Rainwater tanks with a capacity of < 10,500 litres are exempt from
	As defined in the ODP, impermeable surfaces means "surfaces such as	the calculation of permeable impermeable surfaces. (Refer to
	roads, roof tops, footpaths, paving, decking which does not allow	Chapter 25.13)."
	water to drain through to a surface which can absorb water,	Add the following new notes:

	swimming pools, patios or highly compacted soil that are not vegetated and do not infiltrate run-off."	"For the purposes of this rule, the definition of impermeable surfaces is amended by excluding swimming pools, living roofs, and
		porous or permeable paving, and including sealed or compacted
	Section 80E (2) of the RMA provides for related provisions such as	metal driveways and car parking areas"
	those related to storm water management (including permeability	"Further guidance on permeable surfaces can be found in the Three
	and hydraulic neutrality).	Waters Management Practice Notes"
	The impermeable area standard should be calculated on the basis of	
	net site area (consistent with building coverage standard).	Amend rule 4.4.5.3a as follows:
		"Permeable Impermeable surface-
		Minimum 20% of a site Maximum 80% of net site area"
		And amend the notes to rule 4.4.5.3a as follows:
		"Requirements set out in 4.4.5.3 a can include the area required in
		4.2.5.3 d"
		"Rainwater tanks with a capacity of < 10,500 litres are exempt from
		the calculation of permeable impermeable surfaces. (Refer to
		Chapter 25.13)."
		Add the following new notes:
		"For the purposes of this rule, the definition of impermeable
		surfaces is amended by excluding swimming pools, living roofs, and
		porous or permeable paving, and including sealed or compacted
		metal driveways and car parking areas"
		"Further guidance on permeable surfaces can be found in the Three
		Waters Management Practice Notes"
Rule 4.2.5.8	To ensure Council's desired urban design outcomes are achieved,	Amend rule 4.2.5.8c to ensure that the front door of the unit facing
	where a site will have four or more residential units, the residential	the street also faces the street.
	unit facing the street should be required to have the front facing the	
	street.	And, assessment criteria B3 and B4 to ensure this is achieved.
Activity Status	Unit-title subdivision is provided for as a restricted discretionary	Amend activity status table 23.2 to provide for unit-title subdivision
Table 23.3	activity as notified. The MDRS require unit-title subdivision to be provided for as a controlled activity.	as a controlled activity.

Rule 23.3v.	This rule refers to compliance with rule 23.7.2b) which states that	Amend Rule 23.3v as follows:
	"the standards in Rule 23.7 shall not apply to the subdivision of land	"Fee simple subdivision that complies with Rule 23.7.2b) 23.7.2c)
	to accommodate a network utility service." A typographical error was	within the General, Medium Density and High Density Residential
	made while drafting this rule and the correct reference is to rule	Zones (excluding subdivision provided in xii, xiii and xiv).*"
	23.7.2c.	

Historic Heritage

4. Historic heritage submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Activity Status	The activity status table for historic heritage areas and Rule 19.4.2	Amend activity status table 19.3.2 and rule 19.4.2 to reflect the
Table 19.3.2	provides for residential activities that are no longer provided for since	MDRS and include the terms "up to three residential units" and
Rule 19.4.2	the introduction of the medium density residential standards (MDRS).	"four or more residential units" where appropriate.
	Activity status table 19.3.2 provides for ancillary residential unit and	
	duplexes, and Rule 19.4.2 provides for "single dwellings" and "duplex	
	dwellings". These activities should align with Chapter 4 which	
	provides for "up to three residential units" and "four or more	
	residential units"	
Activity Status	The activity status table provides for duplexes on rear sites specifically	Add a new activity status that provides for duplex dwellings on rear
Table 19.3.2	in the Hamilton East and Hayes Paddock HHA, and on front, rear and	sites within HHA's other than Hamilton East and Hayes Paddock.
	corner sites in all other HHA's. The table does not provide for	
	duplexes on rear sites in HHA's other than the Hamilton East and	
	Hayes Paddock HHA.	
Rules 19.4.3 -	The provisions in Chapter 19 are also impacted by Plan Change 9	Review and refine these standards to reflect the submissions
19.4.7	which is a Schedule 1 process working concurrently with PC12. These	received through PC9, and further consequential amendments and
	provisions will be affected by the outcomes of PC9, and the outcomes	technical work on bespoke standards for each HHA.
	of PC9 may not be determined within the same timeframes as PC12.	
	These standards are subject to change through the PC9 process,	
	depending on submissions received and may need to be further	
	refined.	
Rule 19.4.4	The changes to rules 4.2.5.3a, 4.3.4.3a and 4.4.5.3a relating to	Amend to reflect the changes sought in rules 4.2.5.3a, 4.3.4.3a and
	impermeable surfaces should be carried through to this rule for	4.4.5.3a
	consistency and efficiency.	

Rule 19.4.5a Rule 19.4.7a	The application and monitoring of this rule is unlikely to be effective, efficient or well understood by resource consent applicants and processing planners.	Amend rule 19.4.5a(ii) to provide for a maximum building height of 8m (noting that there might be bespoke standards for each HHA, depending on the outcomes of PC9).
	In addition, where sites in an HHA adjoin a 6-storey enabled site, the average height could be greater than expected, impacting on the heritage and values of the HHA.	Amend rule 19.4.7a to provide for a maximum building setback of 5m in HHAs other than Temple View (noting that there might be bespoke standards for each HHA, depending on the outcomes of PC9).
Rule 19.4.7e	Rule 19.4.7e has been incorrectly transcribed into the table. The setback from the Waikato Riverbank and Gully Hazard Area is 6m and this rule applies city-wide.	Amend rule 19.4.7e to reflect that the setback should be 6m from the edge of the overlay.

Financial Contributions

5. Financial contributions submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Rule 24.4.2b(iii)	Objective 24.3.1 ii includes to require financial contributions in	Amend Appendix 18 to incorporate the cost of recognising,
Rule 24.4.3b(ii)	accordance with the Financial Contribution Rules to give effect to Te	protecting, enhancing, and commemorating historic resources and
Appendix 18	Ture Whaimana, including requiring betterment.	sites of significance.
	Te Ture Whaimana includes several objectives relating to sites of significance including (emphasis added): (b) the restoration and protection of the relationships of Waikato-Tainui with the Waikato River, including their economic, social, cultural, and spiritual relationships; (e) the integrated, holistic, and co-ordinated approach to management of the natural, physical, cultural, and historic resources of the Waikato River; and (i) the protection and enhancement of significant sites, fisheries, flora, and fauna.	
	At the time Plan Change 12 was notified accurate information and costs were not available to staff to include the recognition of cultural	

sites in the notified charges. This has since been developed and rules 24.4.2b(iii) and Rule 24.4.3b(ii) and Appendix 18 need to be updated to reflect this information. The estimated cost of commemorating a single site of significance to mana whenua is \$150.000 and it is expected that one cultural site per year will be appropriately recognised. This results in a contribution of \$55.96 per standard dwelling. While the provisions as notified provide for upgrades to existing Amend the policy framework of Chapter 24 and Appendix 18 so Rule 24.4.2 parks and open spaces that provide access to the river, gullies, lakes that it is clear that the Plan can require a financial contribution for Residential Development and stream, provision has not yet been made to provide for the purposes of acquiring land for new parks and the maintenance Council's ability to provide new parks. Parks and open space are an of parks. a. ii)Residential important service and amenity for communities to enjoy where they live and provide space for leisure, recreation and to be amongst the Amend Policy 24.4.2 Residential Development amenity R natural environment. a. ii) Residential amenity Council staff have identified gaps within the existing built B. These costs will include: environment where residential development does not have access to a park within a 500m walk. As the urban environment becomes Where public open spaces can be improved and or the denser, the demand for parks and open space will also grow and the identification of additional land for new parks is ability to provide new parks must be provided for. justified, the cost of land acquisition and development Council suggests that a financial contribution could also be used to Amend Appendix 18 to refer to residential amenity including fund the acquisition of land for the purposes of establishing new streetscape. parks and for their maintenance. No current formula for parks and this would need to be added. The notified policy framework of Chapter 24, General Purpose 24.2.1 already seeks to recover from developers a contribution in the form of money, or land, or a contribution of both money and land, which: a. Avoids, remedies or mitigates adverse effects of the proposed activity on the environment including but not limited to, effects associated with:

	iv., Parks, reserves open spaces network enhancement/ improvement – which is distinct from streetscape amenity improvements identified in v.	
General Rules	The operative provisions enable Council to utilise its discretion when applying the rules. This should be carried through to the proposed rules so that flexibility in terms of the amount of contribution required is provided in the Plan.	Include a general rule that enables Council to utilise its discretion when calculating the level of financial contribution required.
	Chapter 24 could be clearer in articulating its application to greenfield development areas. It is good standard practise that greenfield subdivisions comprehensively plan and design for new neighbourhoods by providing three waters and roading infrastructure, as well as neighbourhood features that provide a level of amenity and open space. In addition, greenfield developments generally have high development contribution fees, and it is not Council's intention to create barriers to development by imposing unrealistic development fees. To this extent, more thought should be given to how Chapter 24 applies to greenfield development areas.	Include a provision that clearly articulates the application of the financial contribution rules to greenfield development areas.
General	The provisions as notified do not clarify whether the contributions required are inclusive or exclusive of GST. Staff can confirm that the costings and calculations undertaken to determine the level of financial contributions required were exclusive of GST. To provide clarity, efficiency and effectiveness the chapter should be amended to make this clear.	Make amendments to Chapter 24 to clarify that the costs and contributions included in the provisions are GST exclusive.

Three Waters

6. Three waters submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Rule 25.13.4.5	A number of amendments to Rule 25.13.4.5 are required to clarify the requirements and standards as they relate to residential developments of varying sizes. Smaller dwellings may need a smaller capacity re-use tank to meet on-site stormwater requirements rather than a 3,000L tank. The rule does not clarify whether each unit in a multi-unit development requires its own rain tank or how terraced dwellings should be provided for. The rule also requires some refinement to consider issues with multi-unit arrangements such as plumbing arrangements. The second column of the table under rule 25.13.4.5a refers to "Water sensitive techniques". This should be "Water Conservation Measures" to align with the name of the rule.	Amend the table in rule 25.13.4.5 to clarify appropriate tank size and the number of tanks required for multi-unit residential developments. Amend the second column heading of table 25.13.4.5a to "Water Sensitive Techniques Conservation Measures"
Rule 25.13.4.6	The rule refers to 'net density' across a number of provisions. The wording surrounding 'net density' as notified creates uncertainty about its definition and how its applied in the context of this rule.	Amend provisions (1) in Table 25.13.4.6 column A as follows: iii. Residential development at an <u>average net density site area</u> of <u>at least</u> 1 unit per 200m² located in the General Residential zone, or iv. Residential development at an <u>average net density site area</u> of <u>at least</u> 1 unit per 150m² in the Medium Density Residential zone, or v. Residential development in the High-Density Residential zone, <u>or</u> vi. Creating a new building for non-residential activities with a gross floor area greater than 300m².

Policies 25.13.2	As notified, there are multiple references to 'water sensitive'	Replace the phrase "water sensitive techniques" with "water
and Rules	techniques/design. Some of these references have been deleted with	conservation measures" and include a definition for "water
25.13.4	the intention being to replace this phrase with 'water conservation',	conservation measures" in Appendix 1.1.1.
	and some have been retained. To provide consistency and efficiency	
	"water conservation measures" should be adopted.	

Transportation

7. Transportation submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Policy 2.2.3b(ii)	To be consistent with Chapter 25.14, this policy should include "micro-mobility"	Amend policy 2.2.3b(ii) as follows: "Prioritising walking, cycling, micro-mobility, and the use of public transport."
Rule 25.14.4.1j(i)	The notified wording, "Any rear lane must: i. Have a minimum legal width of 7m for a two-way rear lane", is ambiguous. It could imply that one-way rear lanes are acceptable, which is not the case. The intention is that all rear lanes will be two-way.	Amend rule 25.14.4.1j(i) as follows: "j. Any rear lane must: i. Have a minimum legal width of 7m for a two-way rear lane and provide for two-way vehicle movement."
Rule 25.14.4.2	The operative district plan and notified PC12 have no rules for onsite drop-off car spaces, which are referenced in Table 15-1a of the operative district plan for "e" (Childcare facilities for six or more children) and "ii" (schools). This gap in the plan needs to be remedied to ensure a well-functioning urban area is achieved as residential development throughout the city intensifies.	Amend Rule 25.14.4.2a as follows: "Parking, Loading Spaces, On-site Drop-off Car Spaces, and Manoeuvring Areas Quantity a. Where: • a new building is constructed on previously vacant land, or • a new use establishes on previously vacant land or within a vacant building, or • an existing building is altered in a way that increases the gross floor area, or • an existing use increases in scale (e.g. increased gross floor area), or • the use of land or buildings changes to a use with a higher traffic generation level,
		then parking facilities, and on-site drop-off car spaces shall be provided on that site for the increased parking demand in accordance with the

levels set out in Tables 15-1a to 15-1f of Volume 2, Appendix 15-1, as applicable to the zone and activity, with the following exceptions: ..."

And amend Rule 25.14.4.2e as follows:

- "e. Parking Vehicle parking spaces, loading spaces, on-site drop-off car spaces, and manoeuvring areas shall:
- i. Comply with the relevant dimensions, layouts and diagrams (including tracking curves) in Table 15-1h to 15-1ha and Figure 15-1i to Figure 15-1l of Volume 2, Appendix 15-1 and are suitably designed for the vehicles and their occupants.

Alternative means of compliance for the design of parking spaces (including accessible parkingcar park spaces), loading spaces, on-site drop-off car spaces, and manoeuvring areas is contained within AS/NZS 2890.2: 2002 Off Street Commercial Vehicle Parking and AS/NZS 2890.6: 2009 Off Street Parking for Disabilities and AS/NZS 2890.1:2004 Parking Facilities – Part 1: Off-Street Car-Parking.

i. Be formed and drained with a permanent sealed or paved all weather, dust-free surface in a manner suitable for the type and quantity of vehicles using the site."

And amend rule 25.14.4.2f as follows:

"f. No part of any parking space vehicle, cycle, or micro-mobility parking space, loading space, on-site drop-off car space, or manoeuvring area shall be located on any outdoor living area or service area."

And amend rule 25.14.4.2h as follows:

"h. All parking space vehicle, cycle, space or micro-mobility parking spaces, loading spaces, on-site drop-off car space, or manoeuvring areas, (excluding those for residential activities), which are used during the hours of darkness shall must be illuminated in accordance with NZS1158.3.1 Lighting of Pedestrian Areas (P11), during the hours of

		operation of the activity that the areas serve and incorporate CPTED principles." And amend rule 25.14.4.2j as follows: "j. Vehicles occupying any parking, on-site drop-off car space, or loading space shall always have ready access to a transport corridor at all times, without needing to move any other vehicle occupying other parking or loading spaces."
		And add a definition for "drop-off car space".
Rule 25.14.4.2c	Plan Change 12 includes a new exemption from the requirement to provide accessible car parks in the Central City Zone and Business 1, 5, 6, and 7 Zones for retail activities within existing buildings where there is no ability to provide customer or staff parking on the site. This exemption should extend to all activities and not be limited to retail activities only, because, in the circumstances described and irrespective of the type of activity within the building, there is no ability to provide customer or staff parking on the site. Without the amendment, the rule would require a resource consent to be obtained for any new or altered non-retail activity that does not achieve the standard, i.e., provision of accessible parks.	Amend Rule 25.14.4.2c as follows: "c. For non-residential uses: i. Accessible car park spaces for people with a disability shall be allocated and provided for in accordance with Table 15-1a or Table 15-1d of Volume 2, Appendix 15-1, whichever is the greater number, except in the Central City Zone, Business 1 Zone, Business 5 Zone, Business 6 Zone, and Business 7 Zone no accessible car park spaces are required for retail-activities within existing buildings where there is no ability to provide customer or staff parking on the site."
Rule 25.14.4.2e(i)	The notified Plan Change 12 includes a new figure, 15-1m, which needs to be referenced in Rule 25.14.4.2e(i)	Amend Rule 25.14.4.2e(i) as follows: "i. Comply with the relevant dimensions, layouts and diagrams (including tracking curves) in Table 15-1h to 15-1ha and Figure 15-1i to Figure 15-1l-15-1m of Volume 2, Appendix 15-1 and are suitably designed for the vehicles and their occupants."
Rule 25.14.4.2aa	Childcare facilities for six or more children should be included in the list of activities for which 10% of all cycle parking spaces must be designed to accommodate large cycles. This is because some parents or caregivers may transport their child or children to these facilities using a bike-drawn trailer or large bike.	Amend Rule 25.14.4.2aa as follows: "aa. For the following activities, 10% of all cycle parking space must be designed to accommodate large cycles: • Building improvement centres • Childcare facilities for six or more children • Nurseries and garden centres • Places of assembly (libraries only) • Retail activities - Gross floor area greater than 5,000m and all

Rule 25.14.4.2a	The notified version of Plan Change 12 includes the minimum dimensions of gear lockers within the definition of "gear lockers". It would be more efficient for plan users if the dimensions were included in the standard.	supermarkets. Note: Depending on the layout of the cycle parking spaces, it could be acceptable to use signs or markings to identify the cycle parking space at the end of the row for parking of large cycles. Amend Rule 25.14.4.2.ab as follows: "i. At least one gear locker must be provided per cycle or micro-mobility parking space provided for staff. Each locker must be at least 85cm high, 45cm deep and 20cm wide."
		And amend rule 25.14.4.2ac as follows: "i. One gear locker per cycle or micro-mobility parking space must be provided for visitors where required by Table 15-1a in Volume 2, Appendix 15. Each locker must be at least 85cm high, 45cm deep and 20cm wide."
Rule 25.14.4.3a	An amendment is requested to clarify the intent of rule 25.14.4.3a Travel Plan Requirements.	Amend rule 25.14.4.3a as follows: "a. A Travel Plan must be prepared and implemented where the following trigger thresholds in the following table are exceeded and: i. A new building is constructed on previously vacant land, or ii. A new use establishes on previously vacant land or within a vacant building, or iii. An existing building is altered in a way that increases the gross floor area, or iv. An existing use increases in scale (e.g., increased gross floor area), or v. The use of land or buildings changes to a use with a higher trip generation."
Rule 25.14.2.1	The proposed provisions as notified do not provide for the protection of existing street trees in the objectives and policies for the transport network. The removal of street trees should be avoided where possible to maintain existing canopy cover.	Add the following policy 25.14.2.1e Avoid the removal of existing street trees where possible. or Amend policy 25.14.2.1b as follows: 25.14.2.1b Promote the protection of existing street trees and the establishment and maintenance of a continuous tree canopy along transport corridors

		to improve amenity for corridor users and adjoining land use, minimise the urban heat island effects of urban intensification, enhance biodiversity and ecological function, provide summer shade to make the corridors more comfortable for walking, cycling, and micro-mobility during hotter weather, and store carbon.
		And amend policy 25.14.2.1l as follows: viii. Avoiding the removal of and damage to existing trees within
		transport corridors by positioning vehicle crossings and infrastructure a suitable distance from the base of trees.
Rule 25.14.4.1	The transport provisions as notified cover off well situations where compliance with the vehicle crossing standards cannot be achieved no matter where the vehicle crossing is located on the frontage. However, there is a gap where there are no standards relating to compliance with sight distances.	Amend rule 25.14.4.1 to ensure that local roads with a posted speed limit of 50km/h or less where compliance with sight distances cannot be achieved as part of any land use activity, that the proposed vehicle crossing shall be located to achieve the maximum sight distance as possible.
Figure 25.14.4.1d	Figure 24.14.4.1 should be updated to be in accordance with guidance from Waka Kotahi. The figure should be renamed to "Lines of Clear Sight" and add a definition.	Amend Figure 25.14.4.1d to the following diagram and rename to "Lines of Clear Sight":
		Figure 1: Sight distance measurement
		sight distance C× Centre of lane sight distance
		And add a definition for "lines of clear sight".

Appendix 15	The operative district plan and notified PC12 have no rules for on-	Amend the title of Table 15-1h in Appendix 15 as follows:
Table 15-1h	site drop-off car spaces, which are referenced in Table 15-1a of the operative district plan for "e" (Childcare facilities for six or more children) and "ii" (schools). This gap in the plan needs to be remedied to ensure a well-functioning urban area is achieved as residential development throughout the city intensifies.	"Table 15-1h: Minimum dimensions for on-site parking spaces, on-site drop-off car spaces, and manoeuvring areas"
Appendix 15 Table 15-2a Simple ITA checklist, e. Design Statement	The design statement needs to include consideration of charging for electric vehicles.	Amend the design statement requirements for a simple ITA as notified as follows: "Developments triggering an ITA (i.e., those generating more than 500vpd or approximately 50 residential units or providing a new transport corridor) will be required to prepare a Design Statement that provides specific consideration and assessment of matters including: • How walking, cycling, micro-mobility use, and public transport will be prioritised including assessment of block layouts, contribution to neighbourhood permeability, design speed, point-to-point walking distances, frequency of vehicle crossings, and provision of on-street parking; • Rubbish, recycling, and food scraps collections; • How off-street parking, including charging for electric vehicles, is to be provided; and • How on- and off-street parking is to be designed to create a safe environment."
Table 15-2b Broad ITA checklist, e. Design Statement	The design statement needs to include consideration of charging for electric vehicles.	Amend the design statement requirements for a broad ITA as notified as follows: "Developments triggering an ITA (i.e., those generating more than 500vpd or approximately 50 residential units or providing a new transport corridor) will be required to prepare a Design Statement that provides specific consideration and assessment of matters including: • How walking, cycling, micro-mobility use, and public transport will be prioritised including assessment of block layouts, contribution to neighbourhood permeability, design speed, point-to-point walking distances, frequency of vehicle crossings, and provision of on-street parking; • Rubbish, recycling, and food scraps collections; • How off-street parking, including charging for electric vehicles, is to be

	provided; andHow on- and off-street parking is to be designed to create a safe environment."

Planning Maps

8. Planning maps submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Residential zones – Riro Street	Riro Street has a proposed Historic Heritage Area (HHA) overlain through Plan Change 9. Plan Change 12 has erroneously notified general residential zoning on the southern side of Riro Street and medium density residential zoning on the northern side.	Amend the planning maps so that the medium density residential zone within the HHA over Riro Street is changed to general residential zoning.
	To ensure that the provisions of the HHA can be applied effectively and as they are intended, the medium density residential zoning should be amended to general residential zoning.	

Residential zones – Anglesea Street Anglesea Street has a proposed Historic Heritage Area (HHA) overlain through Plan Change 9. Plan Change 12 has erroneously notified high density residential zoning throughout this area.


To ensure that the provisions of the HHA can be applied effectively and as they are intended, the high density residential zoning should be amended to general residential zoning.




Amend the planning maps so that the high density residential zone within the HHA over Anglesea Street is changed to general residential zoning.



Residential zones – Parts of Victoria Street and Kotahi Ave Plan Change 12 has erroneously notified the residential area on Victoria Street and Kotahi Avenue as general residential rather than high density residential zone. The area contains some built heritage items, an archaeological site, flood hazard and significant natural area. Nonetheless, supporting documentation to the plan change recommends that this area should be zoned high density residential.



Amend the general residential zone of the Victoria Street and Kotahi Avenue area to high density residential zoning.



Residential	362 River Road and 1 Oakley Avenue are both partially affected by the	Amend the planning maps so that the driveway to 362 River Road
zones – 362	Claudelands Historic Heritage Area (HHA). The driveway to 362 River	and the access leg to 1 Oakley Avenue are zoned high density
River Road and	Road and an access leg to 1 Oakley Avenue are located within the HHA	residential zone.
1 Oakley	as notified through Plan Change 9.	
Avenue		(driveway map image edits too fine for display in submission)
	As notified, Plan Change 12 has zoned the driveway and access leg as	
	general residential where they overlap with the HHA and high density	
	residential for the remainder of the property. To ensure that the	
	provisions of the HHA can be applied effectively and as they are	
	intended, the residential zoning should follow the boundaries of the	
	HHA.	

Definitions

9. Definitions submission points, reasons and relief sought:

Provision	Commentary and Reasons	Relief Sought:
Key Public	The definition of Key Public Transport Interchange refers to Major	Include additional definitions of Major Public Transport Interchange
Transport	Public Transport Interchange and Primary Public Transport	and Primary Public Transport Interchange.
Interchange	Interchange but these are not defined.	
	The definition refers to 'public transport service that operates at a	Amend the definition to include the times of day the public transport
	frequency of no less than one service per 15 minutes' but does not	service is required to meet the level of service to meet the
	specify the times of day that this service level should be met.	definition.
Passenger	Plan Change 12 uses the term "public transport facility", whereas the	Amend the definition of passenger transport facility as follows:
Transport	Operative District Plan uses the term "passenger transport facility".	"Means land and buildings, used for scheduled passenger transport
Facility	To avoid confusion, the definitions of these terms need to be the	services. This may include bus bays, taxi ranks, drop-off and pick-up
	same.	points, cycle parking, shelters, waiting rooms, ticket office,
And		information centre, luggage lockers, public toilets, showers,
		changing rooms, Key Public Transport Interchanges, and ancillary
Public Transport		activities."
Facility		
		And amend the definition of public transport facility as follows:
		"Means land and buildings, used for scheduled passenger transport
		services. This may include bus bays, taxi ranks, drop-off and pick-up

		points, cycle parking, shelters, waiting rooms, ticket office, information centre, luggage lockers, public toilets, showers,
		changing rooms, Key Public Transport Interchanges, and ancillary activities."
Electric vehicle charging point	The definition references "Mode 2" and "Mode 3" electric vehicle chargers as defined in NZPAS 6011:2021, which is a publicly available specification entitled "Electric vehicle (EV) chargers for residential use". To provide clarity, additional text is needed to explain Mode 2 and Mode 3. Also, to make it easy for plan users to access this standard, Council seeks for a note to be added below the definition that includes a link to the standard.	Amend the definition of 'electric vehicle charging point' as follows: "Means either a Mode 2 or Mode 3 electric vehicle charger as defined in NZS PAS 6011:2021. For Mode 2, the electric vehicle onboard charger is simply provided with Alternating Current power via an in-cable control and protection device, which is plugged into any single-phase, non-dedicated circuit socket outlet. Mode 3 uses single- or three-phase power, via a fixed and dedicated circuit or socket outlet and the electronics' on/off control function simply moves into a wall-mounted dedicated box.
		Note 1. An electric vehicle charging point excludes the charging cable that connects between a residential unit's electrical outlet and the electric vehicle. The owner or driver of the electric vehicle is expected to provide this. 2. NZS PAS 6011:2021 is available for download at https://www.standards.govt.nz/shop/snz-pas-60112021/"
Definitions relating to net site area	The ODP contains three definitions relating to net site area – "average net site area", "net site area" and "net site area for duplex dwellings in the Residential Intensification Zone". Amendments to these definitions are sought to improve the clarity and applicability of the definitions and improve the efficiency and effectiveness of the district plan.	Amend the definition of "Average Net Site Area" as follows: Average Net Site Area: means the area of the site, including any internal vehicle access or private way, but excluding any entrance strip or private way to a rear site from any transport corridor, divided by the number of residential units.

	Transport Corridor (A + C) + number of units = Average Net Site Area B = Entrance strip or private way C = Internal vehicle access or private way And delete the definitions "Net Site Area" and "Net Site Area for Duplex Dwellings in the Residential Intensification Zone".
Water	
Conservation	
Measures	

Further Information and Hearings

- **10.** Should others make a similar submission, Hamilton City Council <u>will not</u> consider presenting a joint case.
- **11.** Should Hamilton City Council require clarification of the points outlined in this submission, or additional information, please contact **Mark Davey** (City Planning Unit Manager) on 838 6995 or email mark.davey@hcc.govt.nz in the first instance.
- **12.** Hamilton City Council representatives **do wish to speak** at the hearings in support of this submission.

Yours faithfully

Lance Vervoort
CHIEF EXECUTIVE

Hamilton City Council Garden Place, Private Bag 3010, Hamilton

/HamiltonCityCouncil

@hamiltoncitycouncil

07 838 6699

hamilton.govt.nz