

宝宝的听力测试

Hearing Test for Your Baby

Babies learn to understand and speak words through hearing. If your baby has a hearing problem and it is not found, your baby will have a hard time learning words and how to talk. When hearing loss is found early, treatment can begin right away to prevent long-term problems.

Hearing Test

All babies have a hearing test before going home from the hospital. The test measures how your baby responds to sound. It takes about 10 minutes and can be done while he or she is sleeping.

- A small probe is placed in or near the baby's ear. It sends soft clicking sounds into the ear.
- Small pads may be put on your baby's head. These measure how the baby's brain responds to the sounds.

The Results

The results of the hearing test will be given to you and to your baby's doctor. If your baby does have hearing loss, you will get more information about treatment and resources, and more tests will be done.

If you have any questions about having your baby's hearing tested, talk to your baby's doctor or nurse.

婴儿通过听觉学会理解词语和说话。如果您的宝宝存在未被发现的听力问题，可能会出现语言学习和表达困难。如果能及早发现听力丧失问题，则可立即开始治疗，以防止出现长期问题。

听力测试

所有婴儿在从医院回家之前都要进行听力测试。测试评估宝宝对声音的反应情况。测试约需10分钟，可在宝宝睡眠中进行。

- 在婴儿耳部或其附近放置一个小探头。它会向耳朵发出柔和的咔哒声。
- 测试人员将小垫片放在您的宝宝的头部。医生通过这些垫片评估宝宝脑部对声音的反应情况。

测试结果

将向您和医生提供听力测试的结果。如果您的宝宝确实存在听力丧失问题，您将了解关于治疗的详情和各种资源，还将进行更多测试。

如果您对宝宝的听力测试有任何疑问，请联系医生或护士。

©2005 - February 1, 2021, Health Information Translations.

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Wexner Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain treatment.