# FLEET- glycerin suppository C.B. Fleet Company, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Fleet Glycerin suppository - 0132-0075

#### **Drug Facts**

# Active ingredient (in each suppository)

Glycerin 2 g

#### **Purpose**

Hyperosmotic laxative

#### Uses

- for relief of occasional constipation
- this product usually produces bowel movement in 1/4 to 1 hour

# Warnings

For rectal use only.

#### Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

#### Ask a doctor before

#### using any laxative if you

- have a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

# When using this product

rectal discomfort or burning sensation may occur.

# Stop using this product and consult a doctor if you have

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

Single Daily Dosage (per 24 hours)

adults and children 6 years and over	1 suppository or as directed by a doctor
children 2 to under 6 years	use Fleet® Pedia-Lax™ Suppositories
children under 2 years	consult a doctor

Insert suppository well up into rectum, to produce laxative action. Suppository is designed to dissolve only partially, which may not be noticeable.

#### Other information

- Store container tightly closed
- Keep away from excessive heat
- Mouth of jar sealed for safety. If foil imprinted with green Fleet® emblem is missing or torn, do not use.

# Inactive ingredients

aloe vera leaf, edetate disodium, purified water, sodium hydroxide, stearic acid

#### Questions?

**1-866-255-6960** or www.fleetlabs.com

# **Principal Display Panel**

Fleet® Laxative glycerin suppositories

12 Adult Suppositories



# **Principal Display Panel**

Fleet® Glycerin Laxative suppositories



# **Principal Display Panel**

Fleet® Glycerin Laxative suppositories 50 adult suppositories



# **Principal Display Panel**

Fleet® Glycerin Laxative suppositories

100 adult suppositories



### **FLEET**

glycerin suppository

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0132-0075

**Route of Administration** RECTAL

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CLYCERIA (IAIII PROCESSOO) (CLYCERIA LIAIII PROCESSOO)	CLYCERIN	

GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII: PDC6A3C0OX) GLYCERIN 2 g

#### **Inactive Ingredients**

mactive myredients			
Ingredient Name	Strength		
ALOE (UNII: V5VD430YW9)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
WATER (UNII: 059QF0KO0R)			
SODIUM HYDROXIDE (UNII: 55X04QC32I)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

# **Packaging**

	· warragg				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0132-0075- 24	24 in 1 JAR; Type 0: Not a Combination Product	11/01/1984		
2	NDC:0132-0075- 12	12 in 1 JAR; Type 0: Not a Combination Product	11/01/1984		
3	NDC:0132-0075- 50	50 in 1 JAR; Type 0: Not a Combination Product	11/01/1984		
4	NDC:0132-0075- 00	100 in 1 JAR; Type 0: Not a Combination Product	11/01/1984		

# **Marketing Information**

marketing information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part334	11/01/1984			

# Labeler - C.B. Fleet Company, Inc. (003119054)

Revised: 4/2023 C.B. Fleet Company, Inc.