

TYLENOL EXTRA STRENGTH- acetaminophen tablet, film coated
Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TYLENOL Extra Strength

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 caplets every 6 hours while symptoms last▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor▪ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton is opened. Do not use if foil inner seal imprinted with**

"TYLENOL" is broken or missing

Inactive ingredients

carnauba wax ¹, corn starch ¹, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, modified starch ¹, polyethylene glycol ¹, powdered cellulose, pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

¹ contains one or more of these ingredients

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-449-96

TYLENOL [®]
FOR ADULTS

Acetaminophen
Pain Reliever
Fever Reducer

Extra Strength
Actual Size

50 Caplets
500 mg each

TYLENOL EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

TYLENOL
Distributed by:
JOHN SON & JOHN SON
McNeil Consumer
Healthcare Division
Fort Washington, PA 19054
© JUCI 2019
Visit us at www.tylenol.com
or call toll-free
1-877-TYLENOL
(1-877-895-3665)
Contains No Aspirin

OPEN HERE

How can we help?
1-877-895-3665

NDC 50580-449-96

TYLENOL®

FOR ADULTS

Acetaminophen Pain Reliever
Fever Reducer

Extra Strength

Actual Size

50 Caplets
500 mg each



Important: Read all product information before using. Keep this box for important information.

Drug Facts
Active ingredient (in each caplet): Acetaminophen 500 mg. **Purpose:** Pain reliever/fever reducer.

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - backache
 - toothache
 - premenstrual and menstrual cramps
 - temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- skin itching
- skin rash
- hives
- blistering

If a skin reaction occurs, stop use and seek medical help right away.

How can we help?
1-877-895-3665

30044437

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.


If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

3 00450 44454 7



Drug Facts (continued)

Questions or comments?
call 1-877-895-3665
(toll-free)
or 215-273-8755
(collect)

Drug Facts (continued)

Directions

- do not take more than directed (see overdose warning)
- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

adults and children 12 years and over

children under 12 years

ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if carbon is present. Do not use if the inner seal imprinted with "TYLENOL" is broken or missing

Inactive ingredients: carnauba wax*, corn starch*, FD&C red no. 40 aluminum lake, hydroxyethylcellulose, magnesium stearate, modified starch*, polyethylene glycol*, powdered cellulose, pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

*contains one or more of these ingredients

3 00450 44454 7



Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-449
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B710)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	TYLENOL;500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-449-00	1 in 1 CARTON	08/19/1984	
1		125 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:50580-449-05	1 in 1 CARTON	08/19/1984	
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:50580-449-08	2 in 1 POUCH; Type 0: Not a Combination Product	08/19/1984	
4	NDC:50580-449-09	1 in 1 CARTON	08/19/1984	
4		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:50580-449-10	50 in 1 TRAY	08/19/1984	

5		2 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:50580-449-11	50 in 1 TRAY	08/19/1984	
6		2 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:50580-449-13	3 in 1 CARTON	08/19/1984	
7		2 in 1 POUCH; Type 0: Not a Combination Product		
8	NDC:50580-449-14	2 in 1 POUCH; Type 0: Not a Combination Product	08/19/1984	
9	NDC:50580-449-15	10 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product	08/19/1984	
10	NDC:50580-449-23	1 in 1 CARTON	08/19/1984	
10		150 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
11	NDC:50580-449-31	1 in 1 CARTON	08/19/1984	
11		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
12	NDC:50580-449-34	325 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/19/1984	
13	NDC:50580-449-35	1 in 1 CARTON	08/19/1984	
13		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
14	NDC:50580-449-36	1 in 1 CARTON	08/19/1984	
14		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
15	NDC:50580-449-61	1 in 1 CARTON	08/19/1984	
15		225 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
16	NDC:50580-449-62	325 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/19/1984	
17	NDC:50580-449-84	2 in 1 POUCH; Type 0: Not a Combination Product	08/19/1984	
18	NDC:50580-449-85	50 in 1 TRAY	08/19/1984	
18		2 in 1 POUCH; Type 0: Not a Combination Product		
19	NDC:50580-449-86	50 in 1 TRAY	08/19/1984	
19		2 in 1 POUCH; Type 0: Not a Combination Product		
20	NDC:50580-449-87	3 in 1 CARTON	08/19/1984	
20		2 in 1 POUCH; Type 0: Not a Combination Product		
21	NDC:50580-449-12	12 in 1 PACKAGE	10/21/2014	
21		10 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		
22	NDC:50580-449-96	1 in 1 CARTON	06/25/2018	
22		50 in 1 BOTTLE; Type 0: Not a Combination Product		
23	NDC:50580-449-97	249 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	01/28/2019	
24	NDC:50580-449-98	110 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	01/28/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	08/19/1984	

Labeler - Johnson & Johnson Consumer Inc. (878046358)

Revised: 3/2023

Johnson & Johnson Consumer Inc.