

Reckitt Benckiser



32 N N



- to be taken into consideration for patients on a controlled sodium diet.
I breast-feeding: This product should not be used in women with history a.
f pharmacist for advice before taking this product if you are pregnant or
his medicine hot drink. Dissolve one sachet in a mug of hot but not boiling water. Stir until med sweeten to taste with sugar, honey or your usual sweetener. drink plenty of fluids when suffering from colds and flu.
ren 16 years and over: One sachet every 4-6 hours as required. than 4 sachets in 24 hours. ildren under 16 years.
of your cold or flu persist for more than three days, or worsen, consult your pharmacist. at once if you take too much of this medicine, even if you feel well. This is h paracetamol can cause delayed, serious liver damage. ence symptoms of dizziness, palpitations (irregular or forceful heartbeat),
high blood pressure with headache if you take too much of this medicine. — — —
ffects ns (such as skin rashes) of serious skin reactions have been reported. number of blood cells, such as thrombocytopenia (reduction in blood platelets which t you bleed or bruise more easily), pancytopenia (reduction in white and red blood cytosis, leucopenia or neutropenia (reduction in white blood cells which makes
likely) miting omfort — — — — — — — — — — — — — — — — — — —
ssing urine (especially in males)
e effects e effects, talk to your doctor, pharmacist or nurse. This includes any possible side n this leaflet. You can also report side effects directly via the Yellow Card Scheme at : k/yellowcard. By reporting side effects, you can help provide more information on the licine.
es out of the reach and sight of children. Do not use after the end of the month of the month/year) shown on the pack. Do not store above 25°C (77°F). Store in the original — — hrow away any medicines via wastewater or household waste. Ask your pharmacist y medicines you no longer use. These measures will help protect the environment.
nation e ingredients paracetamol, guaifenesin and phenylephrine hydrochloride. The other corbic acid (Vitamin C), citric acid, sucrose, aspartame, sodium citrate, saccharin WD (contains curcumin E100, lactose, polysorbate a E551) and lemon flavour. The product is available in cartons of 1,2,3,4,5,6,7,8,9 and
pack sizes may be marketed. t patient information for the visually impaired is available on request from the from the
isation Holder/Manufacturer. orisation Holder/Manufacturer: Healthcare (UK) Limited, Hull, HU8 7DS, UK. (PL 00063/0168) DNL Remark D.V. WICS Scheduled Aimaget Schembel Baulaused 207, 1118 PU
B NL Brands B.V. WTC Schiphol Airport, Schiphol Boulevard 207, 1118 BH
emsip logo are trade marks of the RB group of companies
E
30 mm
30