

COMPOUND W- salicylic acid gel
Medtech Products Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Compound W Gel

Compound W[®]
Salicylic Acid Wart Remover

MAXIMUM STRENGTH
FAST ACTING GEL

NET WT 0.25 OZ (7 g)

Drug Facts

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Use

- for the removal of common and plantar warts.
- the common wart is easily recognized by the rough “cauliflower-like” appearance on the surface.
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable. Keep away from fire and flame.

Do not use

- on irritated skin or on any area that is infected or reddened.
- on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.
- if you have diabetes or poor blood circulation.

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.

- avoid inhaling vapors
- cap tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- by squeezing tube gently, apply one drop at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Inactive ingredients

alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polysorbate 80, water

Questions?

1-800-443-4908 CompoundW.com

PRINCIPAL DISPLAY PANEL

Compound W
WART REMOVER SYSTEM
MAXIMUM STRENGTH
FAST ACTING GEL + CONSEAL
Salicylic acid
NET WT 0.25 OZ (7g)

#1 DERMATOLOGIST & PHARMACIST Recommended Brand

Compound W

Salicylic Acid WART REMOVER SYSTEM

MAXIMUM STRENGTH

FAST ACTING GEL + CONSEAL™

NO DRIP GEL

- MAXIMUM STRENGTH WITHOUT A PRESCRIPTION
- PENETRATES & REMOVES WARTS

CONSEAL™ PATCH

- DISCREETLY HIDES WART
- SUPER ADHESION
- PREVENTS WARTS FROM SPREADING

GEL NET WT 0.25 oz (7 g)
12 WATERPROOF CONSEAL™ PATCHES

Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w	Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings
For external use only. Flammable. Keep away from fire and flame.

Do not use • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes • if you have diabetes or poor blood circulation

When using this product • avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. • avoid inhaling vapors • cap tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions • wash affected area • may soak wart in warm water for 5 minutes • dry area thoroughly • by squeezing tube gently, apply one drop at a time to sufficiently cover each wart • let dry • repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information • Apply gel to wart and let dry (for approx. 5 minutes after application), before covering the wart with the ConSeal™ Patch. • store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may occur during or after use • wipe the tip of the tube with a paper towel between uses

Inactive ingredients alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polysorbate 80, water

Questions? 1-800-443-4908
CompoundW.com



0 75137 00017 1 9

PRINCIPAL DISPLAY PANEL

Compound W
Total Care Wart & Skin
Salicylic acid – Wart Remover
GEL NET WT 0.25 OZ (7g)

NEW!
TOTAL CARE

#1 DERMATOLOGIST RECOMMENDED BRAND

CompoundW[®]

WART REMOVER

— Salicylic acid gel + Skin restoring cream —

TOTAL CARE WART & SKIN

REMOVES WART | RESTORES SKIN

Wart Identification Guide:

Plantar warts are recognized by their location only on the bottom of the foot, their tenderness, and their interruption of the footprint pattern.

Common warts are skin-colored and usually appear on the hands and feet, and are easily recognized by the rough, cauliflower-like appearance of the surface.

MAX STRENGTH FAST ACTING GEL

- ✓ Penetrates & removes warts
- ✓ Starts killing warts fast
- ✓ No drip

GEL NET WT 0.25 oz (7g)

proheal CREAM

- ✓ Apply after wart is removed
- ✓ Helps restore appearance of healthy skin

CREAM NET WT 0.25 oz (7g)



0 75137 00028 5

Directions • For use after wart is removed. Wash affected area and dry area thoroughly. Sufficiently cover the entire area of the removed wart with cream. Apply two times daily and continue until appearance of skin is healthy.

Warnings for external use only. Do not use while treating the wart with Compound W[®] Gel. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Do not use on broken skin.

Ingredients Water, Olea Europaea (Olive) Fruit Oil, Stearic Acid, Glycerin, Cetearyl Alcohol, Beeswax, Triethanolamine, Potassium Lactate (Mastic) Gum, Hypericum Perforatum Extract, Sodium Cetearyl Sulfate, Phenylethanol, Copolymer Glycol, Ethylhexylglycerin, Xanthan Gum, Salvia Officinalis Extract, Calendula Officinalis (Sage) Flower Extract, Tocopherol, Triethyl Citrate, BHA, Citric Acid.

Dist. by Medtech Products Inc., Tarrytown NY 10591, a Procter Consumer Healthcare company. Compound W[®] Gel made in France. proheal Cream made in Greece. CW15024101 © 2023 Trade dress is owned by Medtech Products Inc. All rights reserved.

#1 DERMATOLOGIST RECOMMENDED BRAND

CompoundW[®]

WART REMOVER

MAX STRENGTH FAST ACTING GEL

Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w	Wart remover

Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings
For external use only. Flammable. Keep away from fire and flame.
Do not use • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes • if you have diabetes or poor blood circulation

When using this product • avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. • avoid inhaling vapors • cap tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions • wash affected area • may soak wart in warm water for 5 minutes • dry area thoroughly • by squeezing tube gently, apply one drop at a time to sufficiently cover each wart • let dry • repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information • store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may occur during or after use • wipe the tip of the tube with a paper towel between uses

Inactive ingredients alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polyacrylate 60, water

Questions? 1-800-443-4308 CompoundW.com

PRINCIPAL DISPLAY PANEL

Compound W
Salicylic acid
MAXIMUM STRENGTH
FAST ACTING GEL
NET WT 0.25 OZ (7g)

#1 DERMATOLOGIST RECOMMENDED BRAND

Compound W

Salicylic acid
MAXIMUM STRENGTH
FAST ACTING GEL

PENETRATES & REMOVES WARTS

Maximum strength without a prescription
 Starts Killing Warts Fast

NET WT 0.25 OZ (7g) **NO DRIP**



Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w	Wart remover

Uses ■ for the removal of common and plantar warts ■ the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface ■ the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

Warnings
 For external use only.
 Flammable. Keep away from fire and flame.

Drug Facts (continued)

Do not use ■ on irritated skin or on any area that is infected or reddened ■ on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes ■ if you have diabetes or poor blood circulation

When using this product ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors ■ cap tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)


Directions ■ wash affected area ■ may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ by squeezing tube gently, apply one drop at a time to sufficiently cover each wart ■ let dry ■ repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information ■ store at room temperature ■ avoid excessive heat 37°C (99°F) ■ skin discoloration may occur during or after use ■ wipe the tip of the tube with a paper towel between uses

Drug Facts (continued)

Inactive ingredients alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polysorbate 80, water

Questions? 1-800-443-4908 Compoundw.com



3 75137 58507 3

Dist. by Medtech Products Inc., Tarrytown, NY 10591
 A Prestige Consumer Healthcare company. Made in France. CWUS011103 ©2002 Trade dress is owned by Medtech Products Inc. All rights reserved.

COMPOUND W

salicylic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-595
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
HYDROXYPROPYL CELLULOSE (160000 WAMW) (UNII: RFW2ET671P)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	

ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PYROXYLIN (UNII: KYR8BR2X6O)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-595-25	1 in 1 CARTON	03/15/2014	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:63029-595-12	1 in 1 CARTON	03/15/2014	
2		7 g in 1 TUBE; Type 1: Convenience Kit of Co-Package		
3	NDC:63029-595-14	1 in 1 CARTON	03/15/2014	
3		7 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	03/15/2014	

Labeler - Medtech Products Inc. (122715688)

Revised: 5/2023

Medtech Products Inc.