COPPERTONE SPORT SUNSCREEN SPF 50- (to deliver) avobenzone 3%, homosalate 10%,octisalate 5%, octocrylene 5% spray Beiersdorf Inc

Coppertone Sport Spray SPF 50

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

Purpose

Sunscreen

Uses

helps prevent sunburn

 \blacksquare if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

keep away from face to avoid breathing it

keep out of eyes. Rinse with water to remove.

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (42.9% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance

Questions?

1-866-288-3330 Coppertone Sunscreen Spray Sport 50 4-in-1 Performance Stops up to 98% UV Rays Resists Sweat + Heat + Water Free of Oxybenzone, Octinoxate, PABA, Phthalates & Dyes Water Resistant (80 Minutes) Broad Spectrum SPF 50

> 33% MORE

7.3 oz vs 5.5 oz







Stops up to 98% UV Rays +RESISTS Sweat + Heat + Water

Free of Oxybenzone, Octinoxate, PABA, Phthalates & Dyes

Water Resistant (80 Minutes) Broad Spectrum SPF 50

NET WT 7.3 OZ (208 g)

Broad Spectrum UVA/UVB protection in a durable formula to keep up with your active lifestyle. Feels light & breathable. High performance formula.

Drug Facts

Active ingredients (To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%	Purpose Sunscreen
Uses helps prvent sunburn if used as directed with other sun protection measures (see <i>Directions</i>), decreases the cancer and early skin aging caused by the sun	risk of skin
146	

Warnings For external use only

Flammable: Do not use near heat, flame, or while smoking Do not use on damaged or broken skin When using this product keep away from face to avoid breathing it keep out of eves. Rinse with water to remove use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Directions shake well before each use spray liberally and spread evenly by hand 15 minutes before sun exposure hold container 4 to 6 inches from the skin to apply do not spray directly into face. Spray on hands then apply to face. do not apply in windy conditions
use in a well-ventilated area reapply:
after 80 minutes of swimming or sweating immediately after towel drying
at least every 2 hours a treast every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
Imit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeve shirts, pants, hats, and sunglasses
children under 6 months: Ask a doctor Other information protect this product from excessive heat and direct sun store between 20° to 25°C (68° to 77°F) may stain or damage some fabrics or surfaces Inactive ingredients SD alcohol 40-B (42.9% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide $\overline{}$ copolymer, dimethicone, fragrance 00 Questions? 1-866-288-3330 METAL www.coppertone.com CAN 9 DOT-2P M5655 Beiersdorf 器

Beiersdorf Inc. Stamford, CT 06901 ®=reg. TM. of Beiersdorf AG, Germany

10013004

COPPERTONE SPORT SUNSCREEN SPF 50

(to deliver) avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% spray

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:668		800-3350	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	dient Name		Basis of Str	ength	Strength
OCTISALATE (UNII: 4X49Y0596W)	OCTISALATE - UNII:4X49Y0	596W)	OCTISALATE		5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) OCTOCRY			OCTOCRYLENE		5 g in 100 g
AVOBENZONE (UNII: G63QQF2NO	X) (AVOBENZONE - UNII:G6	3QQF2NOX)	AVOBENZONE		3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S) HOMOSALATE				10 g in 100 g	
Inactive Ingredients					
	Ingredient Nam	e			Strength
DIMETHICONE (UNII: 92RU3N3Y10					
DIMETRICONE (UNII: 92R05N311C))				
ISOBUTANE (UNII: BXR49TP611)))				
· · · · · · · · · · · · · · · · · · ·		N) (UNII: 7LL6SYS	YFV)		
ISOBUTANE (UNII: BXR49TP611)		₩) (UNII: 7LL6SYS	YFV)		
ISOBUTANE (UNII: BXR49TP611) ACRYLATES/OCTYLACRYLAMIDE	COPOLYMER (40000 M)	₩) (UNII: 7LL6SYS	YFV)		
ISOBUTANE (UNII: BXR49TP611) ACRYLATES/OCTYLACRYLAMIDE ALCOHOL (UNII: 3K9958V90M)	COPOLYMER (40000 M)	₩) (UNII: 7LL6SYS	YFV)		

Product Characteristics

Color	white (white-to-clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800- 3350-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/17/2023	
2	NDC:66800- 3350-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/17/2023	
3	NDC:66800- 3350-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/17/2023	
4	NDC:66800- 3350-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/17/2023	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M020	11/17/2023	

Labeler - Beiersdorf Inc (001177906)

Revised: 11/2023

Beiersdorf Inc