HIBICLENS- chlorhexidine gluconate solution Molnlycke Health Care

Hibiclens, 4% CHG

Chlorhexidine gluconate solution 4.0% w/v

Antiseptic

Uses

- antimicrobial skin cleanser helps to reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare peronnel handwash

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub*. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash*. Wet hand with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.


Other information


- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions?


1-800-843-8497







NDC 0234-0575-04	Drug Facts	Drug Facts (continued)	Drug Facts (continued)	2000-13-MHC 평 불론노
HIBICLENS	Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w.hAntiseptic	When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through	skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product nearssan to cover the kin or wound.	inelian date printed line. 19 Instructions. 14 Adricenteers w with dricen elevan pletely and use only ents. See vedante
(Chlorheskiline Giuconste solution 4.0% w/v) Antiseptic/Antimicrobial Skin Cleanser	bacteria that potentially can cause disease	perforated eardruins frontact occurs in any of these areas, rinse with cold water right away wounds which income more than the	product necessary to cover the skin or wound area and wash gently. Hinse thoroughly. <i>Surgical handscrub</i> . Weth and sand forearms with water. Sorub for 3 minutes with about 5mL of the product with a bunsh. Riss ethoroughly underrunning water. Repeat. Dry thoroughly.	Lef number and explicit on kortern of carrians Laundering/Channel Cholneschine gluches in lesse statis rites products. Rinse complet proceeding and accessing the
HBICLENCP proves the side infactions thereaty reducing the rais of cross-infaction. HBICLENCP on antionptic estivity and a particitant antimicrabile effect with reptil succercibilit estivity against		routinely treated	healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.	
a wide range of microorganisms.		Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	Other information store between 20-25°C (68-77°F)	
Mölnlycke	f an allergik reaction occurs, stop use and seek medical help right away. Do not use	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Centerright away.	avoid excessive heat above 40°C (104°F) Inactive ingredients	
4 fi oz (118 mL) Distributisel by MSkrivecka Haalith Çara US, LLC Narorzasa, BA 20082	 If you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product In contact with the meninges In the genital area 	Directions use with care in premature infants or infants under 2 months of age. These products may ause irritation or chemical burns.	Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% www, lauramine coide, polocamer 237, purified water and red 40	
			Questions? 1-800-843-8497	









HIBICLENS

chlorhexidine gluconate solut	ion					
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:0234-0575		
Route of Administration	TOPICAL					
Active Ingredient/Active	Moiety					
Ingredient Name Basis of Stre				ngth	Strength	
			CHLORHEXIDINE GLUCONATE		213 g in 1000 mL	
Inactive Ingredients						
Ingredient Name					Strength	
POLOXAMER 237 (UNII: JT3U72U7	1K)					
GLUCONOLACTONE (UNII: WQ29K	Q9POT)					
LAURAMINE OXIDE (UNII: 4F6FC4M	118W)					
ISOPROPYL ALCOHOL (UNII: ND2	416302)					

w	ATER (UNII: 0590	QF0KO0R)					
FD	&C RED NO. 40) (UNII: WZB9127X0	A)				
Pı	roduct Char	acteristics					
			red	Score			
Shape			Size				
Flavor			Imprint Code				
Co	ontains						
Pa	ackaging						
#	Item Code	Package Des		otion	Marketing Start Date	Marketing End Date	
1	NDC:0234- 0575-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		09/17/1976			
2	NDC:0234- 0575-08	236 mL in 1 BOTTLE; Type 0: Not a Combina Product			09/17/1976		
3	NDC:0234- 0575-16	473 mL in 1 BOTTI Product	E; Type 0: No	t a Combination	09/17/1976		
4	NDC:0234- 0575-32	946 mL in 1 BOTTI Product	E; Type 0: No	t a Combination	09/17/1976		
5	NDC:0234- 0575-91	3790 mL in 1 BOT Product	FLE; Type 0: N	ot a Combination	09/17/1976		
R 4		Information	-				
I V	–	Informatio					
	Marketing Category	Applicatio	n Number or Citation	r Monograph	Marketing Start Date	Marketing End Date	
	NA	NDA017768			09/17/1976		

Labeler - Molnlycke Health Care (165301032)

Revised: 12/2021

Molnlycke Health Care