

**MURINE EAR WAX REMOVAL DROPS- carbamide peroxide liquid**  
**Prestige Brands Holdings, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Murine Ear Wax Removal Drops**

***Drug Facts***

***Active ingredient***

Carbamide peroxide 6.5%

***Purpose***

Earwax removal aid

***Uses***

For occasional use as an aid to soften, loosen and remove excessive ear wax

***Warnings***

**For external use only**

**Do not use**

this product for more than 4 days

**Ask a doctor before use**

- if you have ear drainage or discharge, ear pain, irritation, a rash in the ear or are dizzy
- if you have an injury or perforation (hole) of the eardrum or after ear surgery

**When using this product**

avoid contact with the eyes

**Stop use and ask a doctor if**

excessive ear wax remains after 4-day treatment with this product

**Never insert cotton swabs, toothpicks, hairpins or other objects into the ear canal to remove earwax.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. If accidental contact with eyes occurs, flush eyes with water and consult a doctor.

***Directions***

**FOR USE IN THE EAR ONLY.** Remove any hearing aids before using this product.

- **Adults and children over 12 years of age:** tilt head sideways and place 5 to 10 drops into ear canal.

**Tip of applicator should not enter ear canal.**

- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear.
- Use twice daily for up to 4 days if needed, or as directed by a doctor.
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe. The tip of the ear syringe should not obstruct the flow of fluid leaving the ear.

**Children under 12 years of age:** consult a doctor.

**Other information**

- Murine® Ear Drops foam upon being placed in the ear due to the release of oxygen.
- This product is not intended to restore hearing loss due to medical reasons. In such cases, consult a doctor.
- Protect from heat and sunlight. Secure cap tightly on bottle when not in use.
- **Tamper-Evident:** Do not use if neckband on bottle is broken or missing.
- Check expiration date before using.

**Inactive ingredients**

alcohol, citric acid, glycerin, polysorbate 20, sodium citrate, tartaric acid

**Questions? 1-877-854-0853**

**Murine.com**

**PRINCIPAL DISPLAY PANEL**

Murine Ear Wax Removal Drops  
Carbamide Peroxide / Ear Wax Removal Aid  
0.5 FL OZ (15 mL)

**Drug Facts**

Active ingredient	Purpose
Carbamide peroxide 6.5%	Earwax removal aid

**Uses** For occasional use as an aid to soften, loosen and remove excessive ear wax.

**Warnings**  
**For external use only**  
**Do not use this product for more than 4 days**  
**Ask a doctor before use** ■ If you have ear drainage or discharge, ear pain, irritation, a rash in the ear or are dizzy ■ If you have an injury or perforation (hole) of the eardrum or after ear surgery  
**When using this product** avoid contact with the eyes  
**Stop use and ask a doctor** if excessive ear wax remains after 4-day treatment with this product.  
**Never insert cotton swabs, toothpicks, hairpins or other objects into the ear canal to remove earwax.**  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. If accidental contact with eyes occurs, flush eyes with water and consult a doctor.

**Directions**  
**FOR USE IN THE EAR ONLY.** Remove any hearing aids before using this product.




■ **Adults and children over 12 years of age:** tilt head sideways and place 5 to 10 drops into ear canal.  
**Tip of applicator should not enter ear canal.**

- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear.
- Use twice daily for up to 4 days if needed, or as directed by a doctor.
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe. The tip of the ear syringe should not obstruct the flow of fluid leaving the ear.

**Drug Facts (cont'd)**

- **Children under 12 years of age:** consult a doctor.

**Other information**

- **Murine® Ear Drops** foam upon being placed in the ear due to the release of oxygen.
- This product is not intended to restore hearing loss due to medical reasons. In such cases, consult a doctor.
- Protect from heat and sunlight. Secure cap tightly on bottle when not in use.
- **Tamper Evident:** Do not use if neckband on bottle is broken or missing.
- Check expiration date before using.

**Inactive ingredients**  
alcohol, citric acid, glycerin, polyorbate 20, sodium citrate, tartaric acid

**Questions?**  
1-877-864-0853  
Murine.com



**Murine®**  
**EAR**  
**Wax Removal**  
**Drops**

Carbamide Peroxide  
Ear Wax Removal Aid

**Doctor Recommended**

**Safe, Gentle, Fast-Acting**  
**Maximum Strength Formula**

0.5 FL OZ (15 mL)

**Murine®**  
**EAR**  
**Wax Removal**  
**Drops**

**FOR YOUR PROTECTION:**  
Do not use if neckband on bottle is broken or missing when purchased.

©2013 Dist. by Medtech Products Inc.  
Tarrytown, NY 10591  
A Procter & Gamble Company  
M901302 Made in USA



6 7 8 1 1 2 7 3 6 2 3 2

**PRINCIPAL DISPLAY PANEL**

Murine Ear Wax Removal System  
Carbamide Peroxide / Ear Wax Removal Aid  
0.5 FL OZ (15 mL) & SYRINGE

**Murine<sup>®</sup> EAR Wax Removal System**  
Safe, Gentle Maximum Strength Formula

**Murine<sup>®</sup> EAR Wax Removal System**  
Complete Doctor Recommended System  
Safe, Fast-Acting Maximum strength Formula

**Murine<sup>®</sup> EAR Wax Removal System**  
Complete Doctor Recommended System  
Safe, Fast-Acting Formula  
0.5 FL OZ (15 mL) & SYRINGE

**Drug Facts**  
Active ingredient: Carbamide peroxide 6.9% Purpose: earwax removal aid

**Uses**  
For occasional use as an aid to soften, loosen and remove excessive ear wax

**Warnings**  
For external use only  
Do not use this product for more than 4 days  
Ask a doctor before use  
If you have ear drainage or discharge, ear pain, irritation, a rash in the ear, or are dizzy  
If you have an injury or perforation (hole) of the eardrum or after ear surgery

**When using this product** avoid contact with the eyes  
Stop use and ask a doctor if excessive ear wax remains after 4-day treatment with this product  
Never insert cotton swabs, toothpicks, hairpins or other objects into the ear canal to remove earwax.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. If accidental contact with eyes occurs, flush eyes with water and consult a doctor.

**Directions**  
FOR USE IN THE EAR ONLY. Remove any hearing aids before using this product.  
Adults and children over 12 years of age: tilt head sideways and place 5 to 10 drops into ear canal. Tip of applicator should not enter ear canal.  
Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear.  
Use twice daily for up to 4 days if needed, or as directed by a doctor.  
Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear washer. The tip of the ear washer should not obstruct the flow of fluid leaving the ear.  
Children under 12 years of age: consult a doctor.

**Drug Facts (continued)**

**Other information**  
Murine<sup>®</sup> Ear Drops foam upon being placed in the ear due to the release of oxygen.  
This product is not intended to restore hearing loss due to medical reasons. In such cases, consult a doctor.  
Protect from heat and sunlight. Secure cap tightly on bottle when not in use.  
Tamper-Evident: Do not use if neckband on bottle is broken or missing.  
Check expiration date before using.

**Inactive ingredients** alcohol, citric acid, glycerin, polysorbate 20, sodium citrate, tartaric acid

**Questions?**  
1-877-854-0653 Murine.com

**FOR YOUR PROTECTION:** Do not use if neckband on bottle is broken or missing when purchased.

**Complete Doctor Recommended System**  
Safe, Fast-Acting Formula

**Complete Doctor Recommended System**  
Safe, Fast-Acting Formula

©2013 (controlled by) Medtech Products Inc., Springfield, IL, USA  
A Procter Brands Company - Made in USA

6 78112 7362 1 8

## MURINE EAR WAX REMOVAL DROPS

carbamide peroxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-361
Route of Administration	AURICULAR (OTIC)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
TARTARIC ACID (UNII: W4888119H)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-361-01	1 in 1 CARTON	06/01/2012	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:67172-361-02	1 in 1 CARTON	06/01/2012	
2		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part344	06/01/2012	

**Labeler** - Prestige Brands Holdings, Inc. (159655021)

Revised: 10/2019

Prestige Brands Holdings, Inc.