COPPERTONE SPORT SUNSCREEN SPF 100- avobenzone 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% aerosol, spray

Beiersdorf Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sport Spray SPF 100

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%, Octinoxate 2%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (53.2% v/v), acrylates/octylacrylamide copolymer, ethylhexyl methoxycrylene, isohexadecane, isododecane, glycerin, C13-15 alkane, PEG-2 cocamine, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance

Questions?

1-866-288-3330

Coppertone Sport Sunscreen Spray

Sport

100

4in-1 Performance

Stops up to 99% UV Rays

Resists Sweat + Heat + Water

Free of PABA, Phthalates & Dyes



COPPERTONE SPORT SUNSCREEN SPF 100

avobenzone 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% aerosol, spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-2496
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2 g in 100 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	6 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)		
ISOHEXADECANE (UNII: 918X1OUF1E)		
PEG-3 COCAMINE (UNII: KTM00873VC)		
ALCOHOL (UNII: 3K9958V90M)		
C13-15 ALKANE (UNII: 114P5I43UJ)		
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)		
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)		
TOCOPHEROL (UNII: R0ZB2556P8)		
ISODODECANE (UNII: A8289P68Y2)		
GLYCERIN (UNII: PDC6A3C0OX)		

Product Characteristics			
Color	yellow (Clear to Pale Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:66800- 2496-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/02/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2021	

Labeler - Beiersdorf Inc (001177906)

Revised: 3/2023 Beiersdorf Inc