

**NEUTROGENA ULTRA SHEER DRY TOUCH SUNSCREEN BROAD SPECTRUM
SPF55- avobenzone, homosalate, octisalate, and octocrylene lotion
Johnson & Johnson Consumer Inc.**

Neutrogena® Ultra Sheer® dry-touch sunscreen BROAD SPECTRUM SPF55

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Sodium Polyacrylate, Chlorphenesin, Dimethicone PEG - 10/15 Crosspolymer, Hydrolyzed Jojoba Esters, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Tocopheryl Acetate, BHT, Trideceth-6, Jojoba Esters

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 147 mL Tube Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Ultra Sheer®

dry-touch

sunscreen

BROAD SPECTRUM SPF 55

55

helioplex®

broad spectrum uva•uvb

lightweight clean feel

oxybenzone free

water resistant (80 minutes)

5.0 FL OZ (147 mL)

lacquer free area

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Ultra Sheer® dry-touch

sunscreen

BROAD SPECTRUM SPF 55

55



lightweight clean feel
oxybenzone free
water resistant (80 minutes)

5.0 FL OZ (147 mL)



30051426

Neutrogena® Ultra Sheer® with Helioplex® provides superior broad-spectrum protection against skin-aging UVA and burning UVB rays with a lightweight, clean feel.

- Oxybenzone free

Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (10%), Octisalate (5%), Octocrylene (10%)	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Sodium Polyacrylate, Chlorphenesin, Dimethicone/PEG-10/15 Crosspolymer, Hydrolyzed Jojoba Esters, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Tocopheryl Acetate, BHT, Trideceth-6, Jojoba Esters

Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com



Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2022 Pat. www.jjcihats.com

non-printable area

NEUTROGENA ULTRA SHEER DRY TOUCH SUNSCREEN BROAD SPECTRUM SPF55

avobenzone, homosalate, octisalate, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0576
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
WATER (UNII: 059QF0KO0R)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
DOCOSANOL (UNII: 9G1OE216XY)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0576-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/07/2019	
2	NDC:69968-0576-5	147 mL in 1 TUBE; Type 0: Not a Combination Product	10/07/2019	
3	NDC:69968-0576-1	29 mL in 1 TUBE; Type 0: Not a Combination Product	10/07/2019	09/30/2022
4	NDC:69968-0576-6	3 in 1 CARTON	10/07/2019	
4		88 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	10/07/2019	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 12/2023

Johnson & Johnson Consumer Inc.