PERFORMANCE SERIES



PERFORMANCE SERIES BRIDGES



13 FT. BRIDGE PS-1511





SPECS

PRODUCT DIMENSIONS (L X W X H) 84.00" X 56.00" X 11.50" (213 CM X 142 CM X 29 CM)

PRODUCT WEIGHT 159 lbs (72 kg)

FEATURES

Customizable with standard colors: Matte Black, Platinum, White



PERFORMANCE SERIES STORAGE



4 FT UNIVERSAL STORAGE RACK

PS-4USR





SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 55.00" X 62.40" (95 cm X 140 cm X 158 cm)

PRODUCT WEIGHT

351 lbs (160 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration



6 FT UNIVERSAL STORAGE RACK

PS-6USR



| Î | |
|---|--|
| | |

TOP VIEW

SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 78.20" X 62.40" (95 cm X 199 cm X 158 cm)

PRODUCT WEIGHT

421 lbs (191 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration

6



8 FT UNIVERSAL STORAGE RACK

PS-8USR





TOP VIEW

SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 101.50" X 62.40" (95 cm X 258 cm X 158 cm)

PRODUCT WEIGHT

598 lbs (272 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration

7



PERFORMANCE SERIES

BRIDGES - FULL SPECS

| PRODUCT NAME | | LENGTH | WIDTH | HEIGHT |
|--------------|---------------|-----------------|-----------------|----------------|
| | | | | |
| PS-1511 | 13 FT. BRIDGE | 84.00" (213 CM) | 56.00" (142 CM) | 11.50" (29 CM) |



PERFORMANCE SERIES

STORAGE - FULL SPECS

| PRODUCT NAME | | LENGTH | WIDTH | HEIGHT |
|--------------|-------------------------------|----------------|------------------|-----------------|
| | | | | |
| PS-4USR | 4 FOOT UNIVERSAL STORAGE RACK | 37.60" (95 CM) | 55.00" (140 CM) | 62.40" (158 CM) |
| | | | | |
| PS-6USR | 6 FOOT UNIVERSAL STORAGE RACK | 37.60" (95 CM) | 78.20" (199 CM) | 62.40" (158 CM) |
| | | | | |
| PS-8USR | 8 FOOT UNIVERSAL STORAGE RACK | 37.60" (95 CM) | 101.50" (258 CM) | 62.40" (158 CM) |



WARRANTY POLICY

HOIST^{*} Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST^{*} Fitness warranties this product to the original purchaser only. HOIST^{*} Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE "SUPPORT" LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST^{*} Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST^{*} Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.⁺

- ♦ HOIST[®]
- ◆ ACT NOW[®]
- CABLE-DRIVEN[™]
- CLUB QUALITY
 GUARANTEED^{*}
- COMPOSITE MOTION[™]
- DUAL ACTION SMITH[®]
- EASY GLIDE[™]
- EZ-LOC LATCHING MECHANISM[™]
- FEEL THE RIDE[®]
- GLUTEMASTER[®]
- HOIST CLASSIC*

- QUIK-CHANGE^{*}
- RADIAL LOC^{*}
- RIDE ORIENTED CIRCUIT-INTERVAL TRAINING[™]
- RIDE ORIENTED CONDITIONING*
- RIDE ORIENTED CONDITIONING SYSTEM[®]
- RIDE ORIENTED CONDITIONING-INTENSITY TRAINING[™]
- RIDE ORIENTED XERCISE*
- ROC^{*}

- ROCS^{*}
- ROX^{*}
- ♦ ROC-IT^{*}
- ROC-ABS^{*}
- SILENT STEEL[®]
- SPLIT WEIGHT CABLING[™]
- ULTRA-LITE LIFTING SYSTEM[™]
- ◆ DUAL SERIES™
- FLIP-N-DIP^{*}
- ◆ FLIP-N-GRIP[®]

| D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D797,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,0666, 7,322,901, 7,331,911, 7,335,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7, 549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, |
|---|
| 7,670,269,7,713,179,7,717,832,7,731,638,7,749,371,7,749,372,7,766,802,7,806,809,7,815,555,7,867,149,7,878,953, 7,901,335,7,901,337,7,909,743,7,938,760,7,963,890,7,976,440,7,981,010,7,988,603,7,993,251,8,002,679, |
| 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, |
| 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310 |
| 10,737,131 10,709,922 10,646,739 10,639,513 10,532,244 10,486,012 10,426,990 10,420,985 D857,812 10,391,352 10,350,445 D852,291 10,307,630 10,220,240,WW D836,733 10,086,229 |

⁺ Other Patents Pending