PERFORMANCE SERIES



CONFIGURATIONS



1 ELEMENT SINGLE SIDED STORAGE

PS-1E-SS





TOP VIEW

SPECS

PRODUCT DIMENSIONS (L X W X H)

41.75" X 62.75" X 96.00" (106 cm X 159 cm X 244 cm)

PRODUCT WEIGHT

472 lbs (214 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf 200 lbs (90 kg) per ball rack shelf

COMPONENTS

- Side Mount Accessory Hook
- Battle Rope Anchor

- Textured Pull Up Bar
- Suspension Anchors
- Low-profile hardware
- Rubber feet
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration



1 ELEMENT DUAL SIDED STORAGE

PS-1E-DS



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

62.00" X 62.75" X 96.00" (158 cm X 159 cm X 244 cm)

PRODUCT WEIGHT

519 lbs (236 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf 200 lbs (90 kg) per ball rack shelf

COMPONENTS

- Side Mount Accessory Hook
- Battle Rope Anchor


- Textured Pull Up Bar
- Suspension Anchors
- Low-profile hardware
- Rubber feet
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration



4 FT UNIVERSAL STORAGE RACK

PS-4USR





SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 55.00" X 62.40" (95 cm X 140 cm X 158 cm)

PRODUCT WEIGHT 351 lbs (160 kg)

MAX STORAGE CAPACITY 600 lbs (272 kg) per flat shelf

- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration



6 FT UNIVERSAL STORAGE RACK

PS-6USR





TOP VIEW

SPECS

PRODUCT DIMENSIONS (L X W X H)37.60" X 78.20" X 62.40" (95 cm X 199 cm X 158 cm)

PRODUCT WEIGHT 421 lbs (191 kg)

MAX STORAGE CAPACITY 600 lbs (272 kg) per flat shelf


- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- ♦ Flat or 15-degree shelving tray configuration



8 FT UNIVERSAL STORAGE RACK

PS-8USR





SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 101.50" X 62.40" (95 cm X 258 cm X 158 cm)

PRODUCT WEIGHT

598 lbs (272 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

- Low-profile hardware
- Rubber feet for stability
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration



PERFORMANCE SERIES

4 ELEMENT FUNCTIONAL SINGLE SIDED OPTION 1

PS-4E-FSS-01

TOP VIEW





SPECS

PRODUCT DIMENSIONS (L X W X H)

63.68" X 222.50" X 95.90" (162 cm X 565 cm X 243 cm)

PRODUCT WEIGHT

1559 lbs (708 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf 200 lbs (90 kg) per ball rack shelf 315 lbs (142 kg) per weight horn 585 lbs (265 kg) per "bookshelf" bumper plate rack

Side

Hook

Mount

Low Battle Rope Anchor

Accessory

COMPONENTS

- ◆ 4 ft. Center Accessory ◆ Land-Mine Rack
- ♦ 4 ft. Stall Bar Set
- Wall Target Pad
- ◆ Band Peg / Battle Rope ◆ Vertical Oly Bar Holder Posts
- Plyo/ Dip Station
- Vertical Dumbbell Racks 5 Pair

- Textured Pull Up Bar
- Suspension Anchors
- Low-profile hardware
- Rubber feet
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration




7 ELEMENT FUNCTIONAL BRIDGE

PS-7E-FB



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

188.25" X 349.30" X 126.00" (478 cm X 887 cm X 320 cm)

PRODUCT WEIGHT

3,892 lbs (1,765 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf (4 FT)

650 lbs (250 kg) per flat shelf (6 FT)

200 lbs (90 kg) per ball rack shelf (4 FT)

315 lbs (142 kg) per weight horn (4 FT)

585 lbs (265 kg) per "bookshelf" bumper plate rack (4 FT)

FEATURES

- Textured Pull Up Bar
- Suspension Anchors
- Low-profile hardware
- Rubber feet
- Stylish powder coated uprights
- Performance Black Core uprights
- 10mm Heavy Duty accessory tray rubber mats
- Flat or 15-degree shelving tray configuration

COMPONENTS

- ◆ 4 ft. Center Accessory Rack
- 4 ft. Stall Bar Set
- Wall Target Pad
- Band & Battle Rope Post
- Dip & Plyo Station
- Dip Platform Motion Cage
- Plyo Platform Motion Cage

- ◆ 4 ft. Horizontal Plate Tree
- ◆ Land-Mine
- Olympic lifting station
- ◆ 4 ft. Horizontal Plate Rack
- Side Mount Balance Trainer Rack
- Battle Rope Anchor

- Assist Step
- 6 ft. Bumper Plate Rack
- Vertical Olympic Bar Holder
- Rope Pull Mount
- High Ball Target
- ♦ 13 ft. Bridge
- Performance Series EZG Upright





PS-EZG UNIT

TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)52.50" X 55.00" X 96.00" (133 cm X 140 cm X 244 cm)

PRODUCT WEIGHT PENDING

MAX STORAGE CAPACITY PENDING

FEATURES



PS-HALF RACK

PS-HALF RACK





SPECS

PRODUCT DIMENSIONS (L X W X H)63.75" X 55.00" X 96.00" (162 cm X 140 cm X 244 cm)

PRODUCT WEIGHT PENDING

MAX STORAGE CAPACITY PENDING

FEATURES




PS-BARBELL RACK

PS-BARBELL RACK



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)41.75" X 55.00" X 96.00" (106 cm X 140 cm X 244 cm)

PRODUCT WEIGHT PENDING


FEATURES



PS-STALL BAR/WALL TARGET UNIT PS-STALL BAR/WALL TARGET UNIT



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)41.75" X 55.00" X 96.00" (106 cm X 140 cm X 244 cm)

PRODUCT WEIGHT PENDING

FEATURES



PERFORMANCE SERIES

CONFIGURATIONS - FULL SPECS

PRODUCT NA	ME	LENGTH	WIDTH	HEIGHT
PS-1E-SS	ONE ELEMENT SINGLE SIDED STORAGE	41.75" (106 CM)	62.75" (159 CM)	96.00" (244 CM)
PS-1E-DS	ONE ELEMENT DUAL SIDED STORAGE	62.00" (158 CM)	62.75" (159 CM)	96.00" (244 CM)
PS-4USR	4 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	55.00" (140 CM)	62.40" (158 CM)
PS-6USR	6 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	78.20" (199 CM)	62.40" (158 CM)
PS-8USR	8 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	101.50" (258 CM)	62.40" (158 CM)
PS-4E-FSS-O1	4 ELEMENT FUNCTIONAL SINGLE	63.68" (162 CM)	222.50" (565 CM)	95.90" (243 CM)
	SIDED OPTION 1			
PS-7E-FB	SEVEN ELEMENT FUNCTIONAL BRIDGE	188.25" (478 CM)	349.30" (887 CM)	126.00" (320 CM)
PS-EZG UNIT	PS-EZG UNIT	52.50" (133 CM)	55.00" (140 CM)	96.00" (244 CM)
PS-HALF RACK	PS-HALF RACK	63.75" (162 CM)	55.00" (140 CM)	96.00" (244 CM)
PS-BARBELL	PS-BARBELL RACK	41.75" (106 CM)	55.00" (140 CM)	96.00" (244 CM)
RACK				
PS-STALL	PS-STALL BAR/WALL TARGET UNIT	41.75" (106 CM)	55.00" (140 CM)	96.00" (244 CM)
BAR/WALL TARGET UNIT				
TARGET UNIT				



WARRANTY POLICY

HOIST* Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST* Fitness warranties this product to the original purchaser only. HOIST* Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE "SUPPORT" LINK. Warranty policy applies to defects from the manufacturer only.

HOIST* Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST* Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.†

- ◆ HOIST®
- ◆ ACT NOW[®]
- ◆ CABLE-DRIVEN™
- CLUB QUALITY GUARANTEED*
- COMPOSITE MOTION™
- DUAL ACTION SMITH*
- ◆ EASY GLIDE™
- EZ-LOC LATCHING MECHANISM™
- ◆ FEEL THE RIDE®
- ◆ GLUTEMASTER*
- ♦ HOIST CLASSIC®

- QUIK-CHANGE[®]
- ◆ RADIAL LOC®
- RIDE ORIENTED CIRCUIT-INTERVAL TRAINING™
- RIDE ORIENTED CONDITIONING*
- RIDE ORIENTED CONDITIONING SYSTEM*
- RIDE ORIENTED
 CONDITIONING INTENSITY TRAINING™
- RIDE ORIENTED XERCISE*
- ◆ ROC®

- ◆ ROCS®
- ◆ ROX®
- ◆ ROC-IT®
- ◆ ROC-ABS*
- ◆ SILENT STEEL®
- SPLIT WEIGHT CABLING™
- ULTRA-LITE LIFTING SYSTEM™
- ◆ DUAL SERIES™
- ◆ FLIP-N-DIP*
- ◆ FLIP-N-GRIP®

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D577,434, D577,234, D579,584, D579,989, D583,426, D590,032, D746,388, D797,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,961,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,331,911, 7,355,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7,549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 7,670,269, 7,713,179, 7,717,832,7,731,638, 7,749,371, 7,49,372,7766,802,7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310,0737,131,10,709,922, 10,646,739, 10,639,513, 10,532,244, 10,486,012, 10,426,990, 10,420,985, D857,812, 10,391,352, 10,350,445, D852,291, 10,307,630, 10,220,240,000, D836,733, 10,086,229

[†] Other Patents Pending