

The background features a light gray gradient. A thick blue curved line starts from the bottom left and sweeps upwards towards the right. Below this blue line is a dark gray to black gradient.

PERFORMANCE

SERIES




PERFORMANCE SERIES CONFIGURATIONS

1 ELEMENT SINGLE SIDED STORAGE

PS-1E-SS



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

41.75" X 62.75" X 96.00" (106 cm X 159 cm X 244 cm)

PRODUCT WEIGHT

472 lbs (214 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

200 lbs (90 kg) per ball rack shelf

FEATURES

- ◆ Textured Pull Up Bar
- ◆ Suspension Anchors
- ◆ Low-profile hardware
- ◆ Rubber feet
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration



1 ELEMENT SINGLE SIDED STORAGE

PS-1E-SS

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	2
PS-1012	7 FT. STRAIGHT UPRIGHT	2
PS-1013A	7FT. UPRIGHT CORE	2
PS-1021A	4 FT. UPPER CONNECTOR	1
PS-1111A	4 FT. FLAT SHELF	3
PS-1114A	4 FT. BALL RACK	2
PS-1225A	SIDE MOUNT ACCESSORY HOOK	1
PS-1226A	LOW BATTLE ROPE ANCHOR	1

1 ELEMENT DUAL SIDED STORAGE

PS-1E-DS



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

62.00" X 62.75" X 96.00" (158 cm X 159 cm X 244 cm)

PRODUCT WEIGHT

519 lbs (236 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

200 lbs (90 kg) per ball rack shelf

FEATURES

- ◆ Textured Pull Up Bar
- ◆ Suspension Anchors
- ◆ Low-profile hardware
- ◆ Rubber feet
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration



1 ELEMENT DUAL SIDED STORAGE

PS-1E-DS

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	4
PS-1013A	7 FT. UPRIGHT CORE	2
PS-1021A	4 FT. UPPER CONNECTOR	2
PS-1111A	4 FT. FLAT SHELF	3
PS-1114A	4 FT. BALL RACK	2
PS-1225A	SIDE MOUNT ACCESSORY HOOK	1
PS-1226A	LOW BATTLE ROPE ANCHOR	1

4 FT UNIVERSAL STORAGE RACK

PS-4USR



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 55.00" X 62.40" (95 cm X 140 cm X 158 cm)

PRODUCT WEIGHT

351 lbs (160 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- ◆ Low-profile hardware
- ◆ Rubber feet for stability
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration



4 FT UNIVERSAL STORAGE RACK

COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1014	5 FT. UPRIGHT	2
PS-1015A	5 FT. UPRIGHT CORE	2
PS-1016	5 FT. CURVED UPRIGHT	2
PS-1111A	4 FT. FLAT SHELF	4

6 FT UNIVERSAL STORAGE RACK

PS-6USR



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 78.20" X 62.40" (95 cm X 199 cm X 158 cm)

PRODUCT WEIGHT

421 lbs (191 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- ◆ Low-profile hardware
- ◆ Rubber feet for stability
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration



6 FT UNIVERSAL STORAGE RACK

PS-6USR

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1014	5 FT. UPRIGHT	2
PS-1015A	5 FT. UPRIGHT CORE	2
PS-1016	5 FT. CURVED UPRIGHT	2
PS-1112A	6 FT. FLAT SHELF	4

8 FT UNIVERSAL STORAGE RACK

PS-8USR



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

37.60" X 101.50" X 62.40" (95 cm X 258 cm X 158 cm)

PRODUCT WEIGHT

598 lbs (272 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

FEATURES

- ◆ Low-profile hardware
- ◆ Rubber feet for stability
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration



8 FT UNIVERSAL STORAGE RACK

PS-8USR

COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1014	5 FT. UPRIGHT	2
PS-1015A	5 FT. UPRIGHT CORE	2
PS-1016	5 FT. CURVED UPRIGHT	2
PS-1113A	8 FT. FLAT SHELF	4

TOP VIEW

SPECS

PRODUCT DIMENSIONS (L X W X H)

63.68" X 222.50" X 95.90" (162 cm X 565 cm X 243 cm)

PRODUCT WEIGHT

1559 lbs (708 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf

200 lbs (90 kg) per ball rack shelf

315 lbs (142 kg) per weight horn

585 lbs (265 kg) per "bookshelf" bumper plate rack

FEATURES

- ◆ Textured Pull Up Bar
- ◆ Suspension Anchors
- ◆ Low-profile hardware
- ◆ Rubber feet
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration

4 ELEMENT FUNCTIONAL SINGLE SIDED OPTION 1

PS-4E-FSS-O1


COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	5
PS-1012	7 FT. STRAIGHT UPRIGHT	5
PS-1013A	7FT. UPRIGHT CORE	5
PS-1021A	4 FT. UPPER CONNECTOR	2
PS-1023A	4 FT. MULTI-GRIP CHIN-UP	2
PS-1111A	4 FT. FLAT SHELF	6
PS-1114A	4 FT. BALL RACK	2
PS-1213A	4 FT. CENTER ACCESSORY RACK	2
PS-1220A	7 FT. VERTICAL PLATE TREE	2
PS-1221A	LAND-MINE	1
PS-1222A	OLYMPIC LIFTING STATION	2
PS-1223A	4 FT. HORIZONTAL PLATE RACK	2
PS-1230A	VERTICAL OLYMPIC BAR HOLDER	2

7 ELEMENT FUNCTIONAL BRIDGE

PS-7E-FB

TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

188.25" X 349.30" X 126.00" (478 cm X 887 cm X 320 cm)

PRODUCT WEIGHT

3,892 lbs (1,765 kg)

MAX STORAGE CAPACITY

600 lbs (272 kg) per flat shelf (4 FT)

650 lbs (250 kg) per flat shelf (6 FT)

200 lbs (90 kg) per ball rack shelf (4 FT)

315 lbs (142 kg) per weight horn (4 FT)

585 lbs (265 kg) per "bookshelf" bumper plate rack (4 FT)

FEATURES

- ◆ Textured Pull Up Bar
- ◆ Suspension Anchors
- ◆ Low-profile hardware
- ◆ Rubber feet
- ◆ Stylish powder coated uprights
- ◆ Performance Black Core uprights
- ◆ 10mm Heavy Duty accessory tray rubber mats
- ◆ Flat or 15-degree shelving tray configuration

7 ELEMENT FUNCTIONAL BRIDGE

PS-7E-FB

COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	9
PS-1012	7 FT. STRAIGHT UPRIGHT	5
PS-1013A	7FT. UPRIGHT CORE	8
PS-1014	5 FT. UPRIGHT	1
PS-1015A	5 FT. UPRIGHT CORE	1
PS-1016	5 FT. CURVED UPRIGHT	1
PS-1017EZG	PERFORMANCE SERIES EZG STATION (SINGLE COLUMN)	2
PS-1021A	4 FT. UPPER CONNECTOR	6
PS-1022A	6 FT. UPPER CONNECTOR	1
PS-1023A	4 FT. MULTI-GRIP CHIN-UP	1
PS-1111A	4 FT. FLAT SHELF	5
PS-1112A	6 FT. FLAT SHELF	2
PS-1113A	8 FT. FLAT SHELF	3
PS-1114A	4 FT. BALL RACK	4
PS-1115A	6 FT. BALL RACK	2
PS-1213A	4 FT. CENTER ACCESSORY RACK	2
PS-1214A	4 FT. STALL BAR SET	1
PS-1215A	WALL TARGET PAD	1
PS-1216A	BAND PEG / BATTLE ROPE POSTS	1
PS-1217A	PLYO/ DIP STATION	1
PS-1219A	4 FT. HORIZONTAL PLATE TREE	1
PS-1222A	OLYMPIC LIFTING STATION	1
PS-1223A	4 FT. HORIZONTAL PLATE RACK	1
PS-1224A	SIDE MOUNT BALANCE TRAINER RACK	5



7 ELEMENT FUNCTIONAL BRIDGE

PS-7E-FB


COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1226A	LOW BATTLE ROPE ANCHOR	1
PS-1227A	ASSIST STEP (FOR BRIDGE AND PULL-UPS)	1
PS-1228A	6 FT. BUMPER PLATE RACK	1
PS-1230A	VERTICAL OLYMPIC BAR HOLDER	1
PS-1413A	HIGH BALL TARGET	1
PS-1511	13 FT. BRIDGE	1
MC-7018	DIP STATION	1
MC-7019	PLATFORM STATION	1

PS-EZG UNIT

PS-EZG UNIT

TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

52.50" X 55.00" X 96.00" (133 cm X 140 cm X 244 cm)

PRODUCT WEIGHT

PENDING

MAX STORAGE CAPACITY

PENDING

FEATURES

- ◆ Customizable with standard colors: Matte Black, Platinum, White



PS-EZG UNIT

PS-EZG UNIT

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1012	7 FT. STRAIGHT UPRIGHT	2
PS-1013A	7FT. UPRIGHT CORE	2
PS-1017EZG	PERFORMANCE SERIES EZG UPRIGHT	2
PS-1023A	4 FT. MULTI-GRIP CHIN-UP	1
PS-1111A	4 FT. FLAT SHELF	3
PS-1114A	4 FT. BALL RACK	1

PS-HALF RACK

PS-HALF RACK



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

63.75" X 55.00" X 96.00" (162 cm X 140 cm X 244 cm)

PRODUCT WEIGHT

PENDING

MAX STORAGE CAPACITY

PENDING

FEATURES

- ◆ Customizable with standard colors: Matte Black, Platinum, White

PS-HALF RACK

PS-HALF RACK

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	2
PS-1012	7 FT. STRAIGHT UPRIGHT	2
PS-1013A	7 FT. UPRIGHT CORE	2
PS-1021A	4 FT UPPER CONNECTOR	1
PS-1114A	4 FT. BALL RACK	1
PS-1219A	4 FT. HORIZONTAL PLATE TREE	1
PS-1222A	OLYMPIC LIFTING STATION	1
PS-1223A	4 FT. HORIZONTAL PLATE RACK	1

PS-BARBELL RACK

PS-BARBELL RACK



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

41.75" X 55.00" X 96.00" (106 cm X 140 cm X 244 cm)

PRODUCT WEIGHT

PENDING

FEATURES

- ◆ Customizable with standard colors: Matte Black, Platinum, White

PS-BARBELL RACK

PS-BARBELL RACK

COMPONENTS


MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	2
PS-1012	7 FT. STRAIGHT UPRIGHT	2
PS-1013A	7 FT. UPRIGHT CORE	2
PS-1021A	4 FT. UPPER CONNECTOR	1
PS-1232-OPT-1	5 PAIR BARBELL RACK SINGLE SIDED (FOR SINGLE SIDED UNIT)	1

PS-STALL BAR/WALL TARGET UNIT

PS-STALL BAR/WALL TARGET UNIT



TOP VIEW



SPECS

PRODUCT DIMENSIONS (L X W X H)

41.75" X 55.00" X 96.00" (106 cm X 140 cm X 244 cm)

PRODUCT WEIGHT

PENDING

FEATURES

- ◆ Customizable with standard colors: Matte Black, Platinum, White



PS-STALL BAR/WALL TARGET UNIT

PS-STALL BAR/WALL TARGET UNIT

COMPONENTS

MODEL/SKU #	DESCRIPTION	QTY
PS-1011	8 FT. CURVED UPRIGHT	2
PS-1012	7 FT. STRAIGHT UPRIGHT	2
PS-1013A	7 FT. UPRIGHT CORE	2
PS-1021A	4 FT. UPPER CONNECTOR	1
PS-1214A	4 FT. STALL BAR SET	1
PS-1215A	WALL TARGET PAD	3
PS-1216A	BAND PEG / BATTLE ROPE POSTS	2



PERFORMANCE SERIES

CONFIGURATIONS - FULL SPECS

PRODUCT NAME		LENGTH	WIDTH	HEIGHT
PS-1E-SS	ONE ELEMENT SINGLE SIDED STORAGE	41.75" (106 CM)	62.75" (159 CM)	96.00" (244 CM)
PS-1E-DS	ONE ELEMENT DUAL SIDED STORAGE	62.00" (158 CM)	62.75" (159 CM)	96.00" (244 CM)
PS-4USR	4 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	55.00" (140 CM)	62.40" (158 CM)
PS-6USR	6 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	78.20" (199 CM)	62.40" (158 CM)
PS-8USR	8 FOOT UNIVERSAL STORAGE RACK	37.60" (95 CM)	101.50" (258 CM)	62.40" (158 CM)
PS-4E-FSS-O1	4 ELEMENT FUNCTIONAL SINGLE SIDED OPTION 1	63.68" (162 CM)	222.50" (565 CM)	95.90" (243 CM)
PS-7E-FB	SEVEN ELEMENT FUNCTIONAL BRIDGE	188.25" (478 CM)	349.30" (887 CM)	126.00" (320 CM)
PS-EZG UNIT	PS-EZG UNIT	52.50" (133 CM)	55.00" (140 CM)	96.00" (244 CM)
PS-HALF RACK	PS-HALF RACK	63.75" (162 CM)	55.00" (140 CM)	96.00" (244 CM)
PS-BARBELL RACK	PS-BARBELL RACK	41.75" (106 CM)	55.00" (140 CM)	96.00" (244 CM)
PS-STALL BAR/WALL TARGET UNIT	PS-STALL BAR/WALL TARGET UNIT	41.75" (106 CM)	55.00" (140 CM)	96.00" (244 CM)

WARRANTY POLICY

HOIST® Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST® Fitness warrants this product to the original purchaser only. HOIST® Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE “SUPPORT” LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST® Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST® Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.†

- | | | |
|------------------------------|--|------------------------------|
| ◆ HOIST® | ◆ QUIK-CHANGE® | ◆ ROCS® |
| ◆ ACT NOW® | ◆ RADIAL LOC® | ◆ ROX® |
| ◆ CABLE-DRIVEN™ | ◆ RIDE ORIENTED CIRCUIT-INTERVAL TRAINING™ | ◆ ROC-IT® |
| ◆ CLUB QUALITY GUARANTEED® | ◆ RIDE ORIENTED CONDITIONING® | ◆ ROC-ABS® |
| ◆ COMPOSITE MOTION™ | ◆ RIDE ORIENTED CONDITIONING SYSTEM® | ◆ SILENT STEEL® |
| ◆ DUAL ACTION SMITH® | ◆ RIDE ORIENTED CONDITIONING-INTENSITY TRAINING™ | ◆ SPLIT WEIGHT CABLING™ |
| ◆ EASY GLIDE™ | ◆ RIDE ORIENTED XERCISE® | ◆ ULTRA-LITE LIFTING SYSTEM™ |
| ◆ EZ-LOC LATCHING MECHANISM™ | ◆ ROC® | ◆ DUAL SERIES™ |
| ◆ FEEL THE RIDE® | | ◆ FLIP-N-DIP® |
| ◆ GLUTEMASTER® | | ◆ FLIP-N-GRIP® |
| ◆ HOIST CLASSIC® | | |

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439,822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D797,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,331,911, 7,335,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7,549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 7,670,269, 7,713,179, 7,717,832, 7,731,638, 7,749,371, 7,749,372, 7,766,802, 7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,335, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,981,010, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310, 10,737,131, 10,709,922, 10,646,739, 10,639,513, 10,532,244, 10,486,012, 10,426,990, 10,420,985, D857,812, 10,391,352, 10,350,445, D852,291, 10,307,630, 10,220,240, WW, D836,733, 10,086,229

† Other Patents Pending