

SER ES **Unmatched Performance**

Now With The Industry's **Best Warranty**

The Noritz EZ Series now offers consumers an unprecedented 25 year warranty.* Manufactured with the highest quality materials, we now back our product with an industry leading warranty that will keep you worry-free for years to come. H

EZTR50/75 Bundles, EZ98, and EZ111 models only. Visit WWW.NORITZ.COM/EZWARRANTY for more information.



Top Mounted Connections

Dual High Grade Stainless Steel **Heat Exchangers**

Featuring greater resistance to corrosion and buildup, keeping your system running for years to come.



New Steady BTU Mode

SBTU mode eliminates issues with high incoming water temperature in the summer by reducing effective BTU output to less than 5 KBTU, preventing water temperature fluctuations while keeping your tankless running efficiently.

Quick Connect

Get your hot water up and running faster with our EZ installation process.

Wireless Capability

Combined with the Noritz Connect app, users have control of all heater functions and diagnostic tools.

1/2" Gas Line Compatible

Compatible with most installations, the 1/2" gas line is found underneath the unit for a more convenient install.

Versatile Venting Configurations

2" PVC

EZ SERIES

WARRANT

EZ-SV Single Vent **EZ-DV Direct Vent**

> EZ-OD Outdoor



EZTR 2" Flex Vent

Vents Through Existing, Round 3" Or 4" B-Vent

PVC, 2" Flex, OD or SV Convertible

TECHNICAL SPECIFICATIONS



2" Flex





		and the second se	
Model	EZTR4Ø	EZTR5Ø	EZTR75
GQ Reference Number	NRC663-FSV	GQ-C2859WX-FF US	GQ-C3259WX-FF US
Vent Type	Flex Vent	Convertible Vent	Convertible Vent
Dimensions (inches)	27.2 x 18.3 x 9.4	27.0 x 18.5 x 12.8	27.0 x 18.5 x 12.8
Weight (lbs)	50 lbs.	81 lbs.	81 lbs.
Min. / Max. Btuh	15,000 - 120,000	18,000 - 180,000	18,000 - 199,900
UEF	0.87	0.96	0.96
Max. Hot Water Capacity	6.6 GPM	9.8 GPM	11.1 GPM
Water Inlet	3/4"		
Hot Water Outlet	3/4"		
Gas Inlet (1/2 in. capable)	1/2" (1/2 in. up to 100 ft.)	3/4" (1/2 in. up to 50 ft.)	3/4" (1/2 in. up to 40 ft.)
Temp. Settings	115 - 140°F (In 5° Intervals)	100-140°F (In 5° intervals)	100-140°F (In 5° intervals)
Default Temp. Option	120, 130, 135, 140°F	120, 125, 130, 140°F	120, 125, 130, 140°F
Warranty	12-year warranty on heat exchanger, 5-years warranty on parts, & 1-year reasonable labor 12-year warranty on heat 5-year warranty on parts & 1-year reasonable labor		
Ultra Low NOx	Yes		
Quick Connect	No	Yes	
Remote Included	Digital Display	Yes	
Min. / Max. Flow Rate	0.5 GPM / 6.6 GPM	0.5 GPM / 9.8 GPM	0.5 GPM / 11.1 GPM
High Altitude Approved	Up to 3,500 ft.	Up to 10,000 ft.	Up to 10,000 ft.
Indoor / Outdoor	Indoor Only	Indoor / Outdoor	Indoor / Outdoor
Wireless Compatible	Yes		
Pump Kit Compatible	No	Yes	
EZTR / EZ Series Options			
Bundle	Yes	Yes (Model EZTR50)	Yes (Model EZTR75)
Sold Separately	No	Yes (Model EZ98)	Yes (Model EZ111)

THE ONLY DIRECT TANK REPLACEMENT

The Noritz EZTR bundles help you save on installation time as well as material costs. All venting and isolation valves are included in the bundled pack for quick and easy installation. Stop worrying about having all your parts for installs with the EZ Series Bundle Packs.





EZTR50 **50 GALLON TANK REPLACEMENT**

Includes:

- Isolation valves / PRV
- Flex Vent Conversion Kit
- Flex Feeder w/ Base Junction Support and Adapter
- Top Flex Support Rain Cap - Aluminum Flex Sleeve
- Polypropylene Flex Vent (25ft.)

EZTR75 75 GALLON TANK REPLACEMENT

Includes:

- Isolation valves / PRV
- Flex Vent Conversion Kit
- Flex Feeder w/ Base Junction
- Support and Adapter
- Top Flex Support Rain Cap - Aluminum Flex Sleeve
- Polypropylene Flex Vent (25ft.)

All Necessary **Parts Included**

Each EZTR50 and EZTR75 bundle includes the heater itself, a flex vent conversion kit (25 feet of 2-inch flex), an isolation valve kit, and a startup guide. The EZTR40 also comes with a heater, vent kit, and service valves.





Bag 3



lo li **De**Q

25 ft. 2" Flex Vent

um Flex Sleeve



EZTR40 40 GALLON TANK REPLACEMENT

Includes:

- Isolation valves / PRV
- Flex Feeder w/ Base Junction Support and Adapter
- Top Flex Support Rain Cap
- Aluminum Flex Sleeve
- Polypropylene Flex Vent (25ft.)

EZ SERIES

Additional Accessories

NB

Looking to upgrade your EZ installation to fit your needs? Our featured EZ accessories are compatible with your EZ Series tankless water heater and can help you achieve your desired application.




RPK-EXT EXTERNAL PUMP KIT


External recirculation pump kit for use with the Noritz EZ Series. Includes External Remote for daily pump scheduling.

(EZTR50, EZTR75, EZ98, EZ111 only)





VICE NORFIZ* MIC. ADAPTER NWC ADAPTER Norfiz (



Noritz Connect App

Features

Wireless Control

Homeowners can now control heater functions over our full featured app.

Diagnose And Maintain

Homeowner and contractor alerts & reminders for fast and proactive maintenance.

Flexible Installation

Weather-resistant wireless adapter allows for installation indoors or outdoors.

NWC ADAPTER

Wireless Compatibility

The Noritz NWC Adapter allows homeowners and contractors to take full control of their tankless unit. Available on both iOS and Android, the NWC adapter connects with our Noritz Connect app to give users monitoring, troubleshooting, and more.

NORITZ[®] TANKLESS WATER HEATERS

Technology Leader In Hot Water Heating

Noritz is on the forefront of the tankless industry by pushing the limits of our technology to develop the most reliable and efficient products on the market. Combined with our world-class customer service, Noritz is the first choice in tankless water heating, giving our customers and installers peace of mind when choosing a tank replacement.





Support Site & Call Center

We provide two customer service initiatives a Technical Support Website and an In-House Call Center - with the goal of delivering information more quickly and efficiently to customers, whether their preferred method is online or the telephone.



The Best Just Got Better

Now with the industry's first 25-year warranty tankless^{*}, you can buy and recommend an EZ Series product with confidence. (EZ98, EZ111, EZTR50, EZTR75)

*Visit WWW.NORITZ.COM/EZWARRANTY for more information

Noritz America

11160 Grace Avenue Fountain Valley, CA 92708

Phone: 714.433.2905 Fax: 714.241.1514 Toll Free: 1.866.766.7489

Follow us on Social Media



@NORITZAMERICA



REGISTER YOUR PRODUCT AT NORITZ.COM/HOME-OWNERS/WARRANTY