



PRO

PRO SERIES PRODUCT CATALOG



The Top Tankless™

PRO



NORITZ®

EZ SERIES PRO

Meet the new EZ Series Pro — same trusted performance, smarter control. A new full function display streamlines installation and gives you greater visibility and control over your system. Paired with an unmatched 25 year warranty, ultra-high efficiency, and Bluetooth® connectivity, the EZ Series Pro line continues to set the standard for fast, reliable hot water delivery.



Take Control of Your Tankless

New For 2026 Upgraded Control Panel

Noritz is excited to introduce our upgraded EZ Series Pro line for 2026, which includes enhanced monitoring capabilities thanks to our newly upgraded display panel. This update allows users to track system performance directly at the unit or remotely via Bluetooth® connectivity and provide greater operational visibility while maintaining the high-performance standards of our EZ Series Pro.

- ➔ **Fast And Easy Setup Process**
Stay on top of your annual required maintenance by setting reminders directly through the control panel.
- ➔ **Maintenance Reminders**
Get your EZ Series Pro up and running quickly thanks to our streamlined setup using our upgraded display.
- ➔ **Easy Recirculation Scheduling**
Pairing your EZ Pro with our recirculation pump kit (RPK-EXT-P) and setting run times has never been easier thanks to our full function display.
- ➔ **View Status And Error History**
Owners can now view real-time status and past errors of their unit directly through the control panel settings.



Technical Specs



Model Number		EZ71DV Pro	EZ98DV Pro	EZ111DV Pro
GQ Reference Number		GQ-C2661WX-FF-1 US NG	GQ-C2861WX-FF-1 US NG	GQ-C3261WX-FF-1 US NG
Min / Max BTU		12,800 - 160,000	12,800 - 180,000	12,800 - 199,900
Min. / Max. Flow Rate		0.4 - 9.0 GPM	0.4 - 9.8 GPM	0.4 - 11.1 GPM
UEF		0.98 UEF		
Max. Hot Water Capacity		30° Rise: 9.0 GPM	30° Rise: 9.8 GPM	30° Rise: 11.1 GPM
Dimensions		18.1" (w) x 26.1" (h) x 11.8" (d)		
Weight		62 pounds		
Connection Sizes	Water Inlet	NPT 3/4"		
	Hot Water Outlet	NPT 3/4"		
	Gas Inlet	NPT 3/4"		
	Condensate Drain	NPT 1/2"		
Temperature Settings	°F Mode	100 - 140° F (In 5° Intervals) (9 options)		
	°C Mode	37 - 48° C (In 1° intervals), 50-60° C (In 5° intervals) (15 options)		
Gas Inlet (1/2" Capable)		3/4" (1/2 in. up to 60 ft.)	3/4" (1/2 in. up to 50 ft.)	3/4" (1/2 in. up to 40 ft.)
Freeze Protection		Indoor: -30°F / Outdoor: -4° F		
Warranty		25 year heat exchanger warranty / 5 year warranty on parts / 1 year reasonable labor		
Bluetooth® Compatible		Yes		
Venting Lengths		2" PVC (75 feet), 3" PVC (150 feet), 4" PVC (65 feet)		
Hydrogen Compatible		Yes		
Installation		Indoor / Outdoor (with <u>VC-6-1</u> vent cap)		
Pump Kit Compatible		Yes (with <u>RPK-EXT-P</u>)		
Bundle Options				
Bundle Available		N/A	Yes (EZTR50)	Yes (EZTR75)

Pro Features

NEW Digital Control Panel

The EZ Series Pro now features an upgraded full function display for maximum visibility of operating status and additional heater functions.

The **BEST** Tankless Warranty on the Market

Noritz offers a **25 YEAR WARRANTY** exclusively for our EZ Series Pro, leading the market with the best tankless warranty available.

Greater Efficiency

Our EZ Series Pro line offers an industry-leading **0.98 UEF RATING**, making it even more efficient than previous models by generating less harmful emissions.

Latch Cover Design

The new latch cover design now provides quick and easy access to internal parts and components.

Bluetooth® Connectivity

All EZ Series Pro models come equipped with Bluetooth® connectivity, providing more control of heater functions including temperature settings, timers, and more.

Available in One Gas Type

Natural Gas (NG) is the default gas type on our EZ Series Pro but if liquid propane (LP) is preferred, all units come with a gas conversion kit that helps to easily update your unit's gas type.

Install Your Way

The EZ Series Pro adapts to any installation scenario with a full range of venting options for both indoor and outdoor applications.

See page 12 for more information.

Direct Vent (Indoor)	Flex Vent (Indoor)	No Roof Kit	Single Vent (Indoor)	Outdoor	Outdoor
					
PVC-2CT (2" PVC) PVC-3CT (3" PVC) Direct vent utilizing 2 or 3" PVC	EZ2FVK-1 EZ2FVK-2-1 25 / 35" Flex Vent Conversion Kit	NRK-1 No-Roof Kit	SV-CK-2-1 2" Conversion Kit	VC-6-1 Outdoor Vent Cap	RB-10 Recess Box for Pro Models

EZTR PRO BUNDLES

Our All-in-One Residential Tank Replacement Kit.

U
R
O



Ready to Install Straight Out of the Box

The Noritz EZTR Pro bundles include select accessories to help speed up installation and get your home's hot water back up and running quickly. In addition, our EZTR50 and EZTR75 bundles have now been updated to our latest **EZ Series Pro** models, providing homeowners with the latest and greatest iteration of our award-winning flagship tankless.

Ideal for Medium-Sized Homes


EZTR50

50 GALLON TANK REPLACEMENT

- EZ98 Pro Tankless Water Heater
- Isolation Valves / PRV
- Flex Vent Conversion Kit
- Flex Feeder w/ Base Junction Support and Adapter
- Top Flex Support Rain Cap
- Aluminum Flex Sleeve
- Polypropylene Flex Vent (25 ft.)



ACCESSORIES INCLUDED:



Ideal for Larger Homes


EZTR75

75 GALLON TANK REPLACEMENT

- EZ111 Pro Tankless Water Heater
- Isolation Valves / PRV
- Flex Vent Conversion Kit
- Flex Feeder w/ Base Junction Support and Adapter
- Top Flex Support Rain Cap
- Aluminum Flex Sleeve
- Polypropylene Flex Vent (25 ft.)



ACCESSORIES INCLUDED:



Vents Through Existing, Round 3" Or 4" B-Vent



Model Number	EZTR50 Pro		EZTR75 Pro	
GQ Reference Number	EGQ-C2861WX-FF-1 US NG		EGQ-C3261WX-FF-1 US NG	
Vent Type	Convertible Vent			
Dimensions (inches)	26.1”(h) x 18.1”(w) x 11.8”(d)			
Weight (lbs)	62 lbs.			
Min. / Max. BTUh	12,800 - 180,000 BTU/h		12,800 - 199,900 BTU/h	
UEF	0.98			
Max. Hot Water Capacity	9.8 GPM		11.1 GPM	
Water Inlet	3/4”			
Hot Water Outlet	3/4”			
Gas Inlet (1/2 in. capable)	3/4” (1/2 in. up to 50 ft.)		3/4” (1/2 in. up to 40 ft.)	
Temp. Settings	100-140°F (In 5° intervals) (9 Options)			
Warranty	INDUSTRY LEADING 25 YEAR HEAT EXCHANGER WARRANTY 5 year warranty on parts & 1 year reasonable labor			
Ultra Low NOx	Yes			
Quick Connect	Yes			
Remote Included	Built-in Display			
Min. / Max. Flow Rate	0.4 GPM / 9.8 GPM		0.4 GPM / 11.1 GPM	
High Altitude Approved	Up to 10,200 ft.			
Bluetooth® Compatible	Yes			
Pump Kit Compatible	Yes			
EZTR / EZ Series Options				
Bundle	Yes (Model EZTR50)		Yes (Model EZTR75)	
Sold Separately	Yes (Model EZ98; GQ-C2861WX-FF-1 US NG)		Yes (Model EZ111; GQ-C3261WX-FF-1 US NG)	

Recirculation Reinvented



NORITZ

NRCR PRO

The NRCR Pro line now takes our best-selling recirculating tankless and gives it a spec boost thanks to the newly upgraded full function display, which provides a smoother setup process, maximum visibility of heater status, and more. In addition, the NRCR Pro continues to provide improved efficiency, Bluetooth® connectivity, and the best warranty for a recirculating tankless. These upgrades make our NRCR Pro the first choice for homeowners looking for faster, reliable hot water delivery with recirculation.

ECM Pump Comes Integrated




The NRCR Pro uses a fully integrated **ECM pump** to keep hot water close to even the farthest outlet in the home, minimizing the wait and, therefore, the waste of unused potable water down the drain.



Recirculation Scheduling

Have hot water ready when you need it. Our EZ Start Plus app lets you schedule daily pump operating hours 7 days a week.



Pro Features

New Digital Control Panel

The new control panel upgrade now features a larger display and gives homeowners and contractors more visibility of heater updates and functions.

Industry-Leading 15 Year Warranty

The NRCR Pro comes with a **15 YEAR WARRANTY** on its heat exchangers - one of the best warranties on a tankless with an integrated recirculation pump.

Greater Efficiency

An improved **0.98 UEF RATING** makes our NRCR Pro even more efficient than previous models while generating less harmful emissions.

Bluetooth® Connectivity

All NRCR Pro models come equipped with Bluetooth® connectivity, providing users with more control of heater functions including pump timers, temperature settings, and more.

Available in One Gas Type

Natural Gas (NG) is the default gas type on all NRCR Pro models but if liquid propane (LP) is preferred, all units come with a gas conversion kit that helps to easily update your unit's gas type.

2 Crossover Mode

Enjoy full recirculation in larger sized homes with our Two Crossover Mode, which allows a constant flow of hot water to even the furthest fixtures.

Technical Specs



Model Number		NRCR92DV	NRCR111DV
GQ Reference Number		GQ-C2661WXQ-FF-1 US	GQ-C3261WXQ-FF-1 US
Min. / Max. BTUh		12,800 - 165,000 BTU/h	12,800 - 199,900 BTU/h
Min. / Max. Flow Rate		0.4 - 9.2 GPM	0.4 - 11.1 GPM
UEF		0.98 UEF	
Max. Hot Water Capacity		30° Rise: 9.2 GPM	30° Rise: 11.1 GPM
Dimensions		18.1" (w) x 26.1" (h) x 11.8" (d)	
Weight		64 pounds	
Connection Sizes	Water Inlet	3/4" NPT	
	Hot Water Outlet	3/4" NPT	
	Gas Inlet	3/4" NPT	
	Condensate Drain	1/2" NPT	
	Recirculation Return	3/4" NPT	
Temperature Settings	°F Mode	100-140°F (In 5°F intervals) (9 Options)	
	°C Mode	37-48°C (In 1°C intervals), 50-60°C (In 5°C intervals) (15 Options)	
Gas Inlet		3/4" (1/2 in. up to 60 ft.)	3/4" (1/2 in. up to 40 ft.)
Freeze Protection		Indoor: -30°F / Outdoor: -4°F	
Warranty		15 year heat exchanger warranty / 5 year warranty on parts / 1 year reasonable labor	
Bluetooth® Compatible		Yes	
Venting Lengths		2" PVC (75 feet), 3" PVC (150 feet), 4" (65 feet)	
Hydrogen Compatible		Yes	
Installation		Indoor / Outdoor (with <u>VC-6-1</u> vent cap)	
Recirculation Lengths		200 feet (1/2") / 500 feet (3/4")	

New For 2026 Control Panel Upgrade

Noritz's NRCR Pro upgrade features an enhanced display panel for real-time system monitoring — at the unit or remotely via Bluetooth®. The result: deeper operational visibility, backed by the same high-performance standards you expect from the NRCR Pro line.



➔ Easy Recirculation Scheduling

Scheduling your recirculation run times is now a breeze thanks to the upgraded process in our new control panel.

➔ Maintenance Reminders

Set maintenance reminders right from the control panel — so you never miss an annual service.

➔ Fast And Easy Setup Process

Get your NRCR Pro up and running quickly thanks to our streamlined setup using the new control panel.

➔ View Status And Error History

Owners can now view real-time status and past errors of their unit directly through the control panel settings.

True Commercial Tankless

**CDV
PRO
10
YEAR
WARRANTY**


NORITZ

NCC199CDV PRO

Our latest NCC199CDV Pro model now gives business owners even greater visibility and control of our award-winning commercial tankless. The new full function display allows for a faster initial setup, which minimizes downtime while also providing heater status, temperature controls, and more. Paired with our industry-leading efficiency, Bluetooth® connectivity, and our 10 year commercial warranty, the NCC199CDV Pro is the top choice for businesses looking for a reliable and efficient hot water solution.

Compatible with All Our Commercial Systems!

Now all our commercial water heating systems, including our CMK/CRK, TTS, and CR, are compatible with the upgraded NCC199CDV Pro!



Low NOx Approved
by SCAQMD
14 ng/l or 20 ppm
(Natural Gas Only)



Pro Features

New Digital Control Panel

Our upgraded control panel speeds up the initial setup process and provides business owners greater visibility of heater status, maintenance reminders, and more.

Greater Efficiency

The NCC199CDV Pro offers an improved **UEF RATING OF 0.98**, making it even more efficient than previous models by generating less harmful emissions.

Bluetooth® Connectivity

Our NCC199CDV Pro models come equipped with Bluetooth® connectivity, providing users with more control of heater functions including timers, temperature, and more.

Available In One Gas Type

Natural Gas (NG) is the default gas type, but if liquid propane (LP) is preferred all units come with a gas conversion kit that helps to easily update your unit's gas type.

Greater Quick Connect Capability

The new CDV Pro can now quick connect with up to 8 units, or up to 24 units using a system controller.

Greater Common Vent Capability

Now you can connect up to 12 units via common venting for larger commercial applications.

Updated Cover Design

The CDV Pro now has a new flange-less design with snap locks for easier component access.

10 Year Warranty - The Best in the Industry

An industry-leading **10 YEAR WARRANTY** comes standard with our CDV Pro model, bringing you peace of mind when it comes to your business's hot water.



Technical Specs



Model Number		NCC199CDV Pro
GQ Reference Number		GQ-C3261WZFF-1 US NG
Min. / Max. BTUh		12,800 - 199,900
Min. / Max. Flow Rate		0.4 - 11.1 GPM
UEF		0.98 UEF
Max. Hot Water Capacity		30° Rise: 11.1 GPM
Dimensions		18.1" (w) x 26.1" (h) x 11.8" (d)
Weight		62 pounds
Connection Sizes	Water Inlet	3/4" NPT
	Hot Water Outlet	3/4" NPT
	Recirculation Return	3/4" NPT
	Gas Inlet	3/4" NPT
	Condensate Drain	1/2" NPT
Temperature Settings	°F Mode	100-150°F (In 5°F intervals), 160°F, 170°F, 185°F
	°C Mode	37-48°C (In 1°C intervals) 50-85°C (In 5°C intervals) (20 Options)
Freeze Protection		Indoor: -30°F / Outdoor: -4°F
Warranty		10 year heat exchanger warranty / 5 year warranty on parts / 1 year reasonable labor
Bluetooth® Compatible		Yes
Installation		Indoor / Outdoor (with <u>VC-6-1</u> vent cap)

New For 2026 Upgraded Control Panel

Monitor everything in real time — right at the unit or remotely via Bluetooth® — with the NCC199CDV Pro's enhanced display panel. More visibility, faster setup, and the high-performance standards the Pro line is known for.



Fast And Easy Setup Process

Our new control panel streamlines the setup process, minimizing downtime to get your business's hot water up and running quickly.

Maintenance Reminders

Set maintenance reminders right from the control panel — so you never miss an annual service.

Easy Recirculation Scheduling

Recirculation scheduling is quick and easy with our upgraded display, letting you customize run times to fit your business needs. (RPK-EXT-P required, sold separately)

View Status And Error History

Owners can now view real-time status and past errors of their unit directly through the control panel settings.

BUILT FOR THE TOUGHEST COMMERCIAL DEMANDS

Noritz commercial hot water systems deliver reliable, on-demand performance — no matter the industry, no matter the scale. Whether you're running a professional kitchen, a hospital, or any high-demand facility, our solutions are designed to meet your exact requirements — reliably, efficiently, every time.

BEST IN CLASS

NORITZ

TTS SYNERGY SERIES

Offering high performance tankless rack systems as well as options to pair with a storage tank, the TTS Synergy Series offers industry leading performance in a wide range of configurations. Commercial Tankless engineering meets high performance with the Noritz TTS Synergy Series.

Features

➔ One Point of Connection

All connections are shared with the TTS Synergy Series via our one point of connection feature, providing a more streamlined installation that saves time while cutting costs in labor and additional parts.

➔ Smaller Footprint

The TTS Synergy Series provides greater space savings by using a compact design - giving it the ability to combine multiple heaters into the smallest footprint possible.

➔ Storage And Wall Hanging Options Available

In addition to our floor standing model, we also offer wall hanging configurations as well as storage and no storage tank options.

➔ Powered By The New NCC199CDV Pro

Our TTS Synergy Series utilizes our latest NCC199CDV Pro, which features an upgraded control panel and the best warranty in the tankless industry - 10 years on the unit's heat exchanger.



System Shown:
TTS-TWST6-1

Noritz Commercial Systems Features & Benefits

	TTS	CR	CMK/CRK
Optimized for	Configuration Flexibility	Balance of speed + built-in features	Lower budget in need of commercial performance
Installation	Least Field Assembly; one point of connection	Ships factory assembled w/ piping / manifolds integrated	Requires labor to install rails, manifolds, heaters, etc.
Best fit	Large/custom multi-unit jobs w/ no budget constraints	Standard 2-6 unit racks requiring minimal labor	Commercial applications w/ lower budget

BETTER

Commercial Rack System (CR)

The Noritz CR Commercial Rack System delivers maximum performance with easy installation. This pre-fabricated, low-profile rack is built for flat rooftop or mechanical room use in commercial multi-unit systems — a flexible option for business owners replacing outdated storage tanks.

Features

➔ Low Profile Design

Redesigned with lower center of gravity for increased stability and easier transportation.

➔ Reduced Install Time

Pre-piped condensate manifold and condensate line along with pre-wiring required for multi-systems reduces installation time.

➔ Simplified Venting

Built-in non-return valve allows for common venting up to 6 units on a single manifold without the need for external accessories.

➔ Wall Mount Option

The redesigned wall mounted option allows for more space savings without sacrificing performance.

➔ Easy Scalability

Standardized water and gas lines allow easy connection of multiple rack systems in-line.

System Shown:
CR61-1-FS-6



GOOD

CMK / CRK

COMMERCIAL MANIFOLD & RACK KITS

Engineered for a streamlined installation experience, our CMK (Commercial Manifold Kit) and CRK (Commercial Rack Kit) bundle all the components needed to build a custom floor or wall mounted commercial system.*

*NCC199CDV Pro tankless units sold separately



Available Configurations

CMK-BB2
CMK-BB4
CMK-SS2
CMK-SS3
CMK-SS4

CMK-BB

Floor Standing Bundle Kits

Includes our manifold kit for 2 or 4 tankless units. The CMK-BB is expandable up to 8 units when paired with the CRK-ADDON kit to provide powerful performance with a faster setup.

CMK-SS

Wall Hanging Bundle Kits

Includes manifold kit, wall mounting frame, and install template for minimal downtime to get businesses up and running with faster hot water performance.

HYBRID HOT SERIES

The First Tankless And Tank Combo From Noritz. Now With Our Upgraded NCC199CDV Pro.

The Hybrid Hot Series by Noritz combines tank storage with tankless power and efficiency to meet any commercial hot water demand. It delivers a powerful, reliable solution for business owners, plus common venting for multiple units to ensure endless hot water is always available.

➔ The Best of Tank + Tankless

The Hybrid Hot Series by Noritz® combines endless hot water, lower pressure drop, and unrestricted flow rate for the most reliable commercial hot water delivery system to date.

➔ Faster Hot Water Recovery

Thanks to its integrated pump, hot water recovery speed with the Hybrid Hot is faster than other tank and tankless combinations.

➔ Continuous Hot Water Delivery

The Hybrid Hot Series by Noritz® combines endless hot water, lower pressure drop, and unrestricted flow rate for the most reliable commercial hot water delivery system to date.

➔ Cement Lining

With no anode rod and a greater warranty than other tanks on the market, our tank also features cement lining for superior corrosion resistance.



PRO Compatible Accessories

Accessory	Part Number	EZ Series Pro (DV)	NRCR Pro (DV)	NCC199CDV Pro (CDV)
Venting & Termination				
EZTR Optional Diffuser Kit	EZ2-DK	✓		
Pipe Cover	PC-11S	✓	✓	✓
Universal Concentric Vent Termination Kit	PVC-UCVK	✓	✓	✓
2" PVC Concentric Termination	PVC-2CT	✓	✓	✓
3" PVC Concentric Termination	PVC-3CT	✓	✓	✓
Low Profile Vent (2")	PVC-2LPT	✓	✓	✓
Low Profile Vent (3")	PVC-3LPT	✓	✓	✓
2" SV Conversion Kit	SV-CK-2-1	✓ ²	✓ ²	✓ ²
Outdoor Vent Cap	VC-6-1	✓	✓	✓
Water Treatment & Condensate Management				
Condensate Neutralizer Kit	NC-1W	✓	✓	✓
Condensate Neutralizer Kit	NT20A			✓
Scale Shield Water Treatment	SS-HB-3	✓	✓	✓
Replacement Cartridge for SS-HB-3	HBC-3	✓	✓	✓
Valves & Water Isolation				
Crossover Valve	cCS-V		✓ ⁴	
Crossover Valve Bypass Kit	CSV-BPK		✓	
Lead-Free Isolation Valve Kit	IK-WV-200-5-TH-L	✓	✓	✓
Lead-Free Isolation Valve Kit	IK-WV-200-5-TH-S	✓	✓	✓
Controls & Remote Operation				
Remote Controller	RC-7651M-B	✓ ²	✓ ²	
Remote Controller	RC-9018M	✓ ²	✓ ²	✓ ²
Remote Controller Cord	RC-CORD10	✓	✓	✓
Remote Controller Cord	RC-CORD26	✓	✓	✓
System Controller	SCU-401-24M			✓ ³
System Controller	SCU-401-12M			✓ ³
System Controller	SC-401-6M			✓ ³
Building Management System	BMS1-SC-401-6M			✓
Wireless & Connectivity				
Wireless Adapter	NWC-ADAPTER	✓	✓	✓
Wireless Push Button Kit	WLB		✓ ²	
Motion Sensor	WLB-MS		✓ ²	
Extra Transmitter for WLB	WLB-ET		✓ ²	
Quick Connect Cable	QC-2	✓ ¹	✓ ¹	✓
Circulation				
Recirculation Pump Kit	RPK-EXT-P	✓		✓
Electrical & Enclosures				
RC Outdoor Junction Box	0700757	✓	✓	✓
Recess Box	RB-10	✓	✓	
Service & Maintenance				
Service Kits	SPK-EZ5	✓	✓	✓

¹ Two units required.² Must be installed indoors.³ Two or more units required.⁴ Can accommodate up to 2 valves.

Single Vent

2" SV Conversion Kit

SV-CK-2-1

Our 2" single vent conversion kit upgrades direct vent (DV) installs to non-direct vent (SV) operation.

Compatible with:

EZ Series Pro
NRCR Pro
NCC199CDV Pro




Direct Vent

Utilizing 2" PVC

PVC-2CT (2" PVC) PVC-3CT (3" PVC)

Additional Optional Accessories:
PVC concentric horizontal termination kit.



Compatible with:

EZ Series Pro
NRCR Pro
NCC199CDV Pro



Outdoor Installation


Outdoor Vent Cap

VC-6-1

The Outdoor Vent Kit allows for outdoor installations of your Pro tankless. Our new plastic outdoor vent cap is now easier to install and features a new elegant design.

Compatible with:

EZ Series Pro
NRCR Pro
NCC199CDV Pro



No Roof Kit NRK-1

The Noritz No-Roof Kit provides a new venting option by eliminating the need to climb onto the rooftop to complete your installation.

Compatible with:
EZ Series Pro
NRCR Pro



Pro Service Kit SPK-EZ5

Our latest Pro service kit comes with a variety of parts and components to help with maintenance of our latest Pro line of units.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro




Recirculation Pump RPK-EXT-P

External recirculation pump kit WITHOUT remote for Pro units.*

Compatible with:
EZ Series Pro
NCC199CDV Pro

*For indoor use only.



**2\" Flex Vent Kit
EZ2FVK-1**
2\" EZTR flex vent kit provides greater installation flexibility.

Compatible with:
EZ Series Pro
NRCR Pro



PVC Vent Accessory PVC-2LPT

2\" low profile vent.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro



Conversion Kit CSV-BPK

Crossover valve bypass kit.

Compatible with:
NRCR Pro

IK-WV-200-5-TH-L Long Body



IK-WV-200-5-TH-S Short Body



Isolation Valves

IK-WV-200-5-TH-L IK-WV-200-5-TH-S

Lead free 3/4\" iso valve kit w/ male 200K BTU/h pressure relief valve. Available in long and short body.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro



Water Treatment SS-HB3

Water treatment for all residential models and combi models w/ 1 unit.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro



Recess Box RB-10

Upgraded recess box for use with all new Pro models

Compatible with:
EZ Series Pro
NRCR Pro



Condensate Neutralizer NC-1W

Residential condensate neutralizer kit for Pro models.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro



Pipe Cover PC-11S

New pipe cover for all Pro models.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro



Quick Connect Cable QC-2

Quick connect cable for all Pro models.

Compatible with:
EZ Series Pro
NRCR Pro
NCC199CDV Pro

PROCARD

Earn Rewards for Every Noritz Installation!

The Noritz ProCard program has expanded to offer our most dedicated contractors even more perks and benefits. In addition to our ProCard + premium subscription, we've expanded our program to include 2 additional tiers: ProCard Select and ProCard VIP - both offering exclusive perks and even greater benefits for our most dedicated installers.

Ready to Register?
Scan Here to Sign Up for our
ProCard Program Today!



Free Subscription for Contractors

PROCARD

Becoming a **ProCard** member brings contractors benefits from day one! ProCard members get listed on our online contractor finder for customers to locate your business in their area, and more!

What You Get:

- Get your business listed on our online contractor finder
- Access to helpful tools on the field, including install manuals, training videos, and more.

Install **12 Noritz Units*** To Qualify For...

PROCARD **SELECT**

Designed for our mid-level contractors, the **ProCard Select** tier is offered for those who have installed over 12 Noritz units. This level brings even more resources and benefits including cash rebates on installs, promo codes for parts, and our concierge ProCard service line.

What You Get:



**Get Listed on our
Contractor Finder**



**Cash Rebates
for Installations**



**Seasonal Promo
Codes for Noritz parts**



**Concierge
ProCard Service**

* Visit Procard.Noritz.com for Complete Program Details

Premium Subscription

PROCARD +

PREMIUM PROCARD SUBSCRIPTION PROVIDED BY SERVICE WHALE®

Our **ProCard +** subscription gives contractors access to even more business-building benefits, including priority placement on our contractor finder and enhanced online business profiles designed to help increase visibility and attract new customers.

What You Get:

- Higher ranking on our online contractor finder
- Advanced online business profile
- Improved lead retrieval system
- Prequalifying customer questions for quality leads

Install **25 Noritz Units*** To Qualify For...

PROCARD **VIP**

Our highest level of benefits for only our best contractors. The **ProCard VIP** level provides all previous benefits plus a dedicated tech help line offering the fastest support over the phone and more to increase leads and sales for your business.

What You Get:



**Special VIP
Annual Gift**



**Free Noritz
Merchandise**



**Get Listed on our
Contractor Finder**



**Cash Rebates
For Installations**



**Seasonal Promo
Codes for Noritz
Parts and Accessories**



**Concierge
ProCard Service**


**Plus! Get our fastest dedicated support -
Available only for ProCard VIP Members**



EZ START PLUS®

Mobile app for iOS and Android

Our new EZ Start Plus® app gives users greater control of their Pro tankless water heater functions via Bluetooth® for a faster and more convenient user experience.



Download the **EZ Start Plus App**
for iOS and Android



SCAN TO DOWNLOAD PROCARD
FROM THE APP STORE




SCAN TO DOWNLOAD PROCARD
FROM THE GOOGLE PLAY STORE



Quick and Easy Setup Process

Getting your hot water up and running is simple with our new guided setup process.



Check Unit Status and Error Codes

Get mobile notifications on your Pro model's status and possible error codes.



Update Temperature Settings

Adjust your hot water to the perfect temperature directly from your mobile device.



Recirculation Scheduling

Have hot water ready when you need it. Our EZ Start Plus app lets you schedule daily pump operating hours 7 days a week.



America's Most Trusted Tankless Manufacturer

Noritz is on the forefront of the water heating industry by pushing the limits of water heating technology to develop the most reliable and efficient products on the market. Backed by our unmatched customer service, Noritz is dedicated to providing installers and homeowners the confidence they need when selecting a tank replacement.



New for 2026

Take Control with our Upgraded Pro Line

Our Pro line of flagship tankless has been upgraded with a new full function display, which helps speed up the installation process and gives homeowners and servicers greater access to heater functions, temperature controls, and more.

NORITZ®

11160 Grace Avenue
Fountain Valley, CA 92708

Phone:
1-866-766-7489

Tech Support Hours:
Monday - Friday
5am - 5pm PST
Saturday
6am - 3pm PST

Follow us on social media
@NoritzAmerica

Noritz America | www.noritz.com



07/2026 v1.5