



KIDNEY STONES AND ITS PROTECTION

Ranjana Sharma^{*1}, R. N. Thakur², Sudhir Singh Gangwar³ and Amita Tilak⁴

G. S. V. M. Medical College Kanpur, UP.

*Corresponding Author: Ranjana Sharma

G. S. V. M. Medical College Kanpur, UP.

Article Received on 25/12/2017

Article Revised on 15/01/2018

Article Accepted on 05/02/2018

ABSTRACT

Kidney stones are minor masses of salts and minerals that formulate inside the kidneys and might mobile down the urinary tract. Kidney stones array in size from just a speck to as large as a coype of cm long ball. Symbols and symptoms of kidney stones include blood in the urine, and discomfort in the stomach, barrier, or edge. About 5% of persons grow a kidney stone in their generation. The kidneys control stages of fluid, minerals, salts, and other ingredients in the body. When the symmetry of these complexes vicissitudes, kidney stones may form. Those who have kidney stones might see blood in their urine. Uric acid and cystine are two compounds that may comprise kidney stones, Men tend to grow kidney stones in their 40s finished 70s; degrees rise with age. Women are most probable to involvement kidney stones in their 50s. A person who has agonized from one kidney stone is likely to mature others.

KEYWORDS: Kidney stones, Uric acid, cystine, urinary tract, complexes vicissitudes.

INTRODUCTION

Kidney stones are the consequence of a accretion of make softer minerals on the innermost lining of the kidneys. They characteristically contain of calcium oxalate but may be composed of more than a few other mixtures^[1-3]. The stones might be small and pass ignored through the urinary tract, but they can also reason thrilling pain as they leave the body Kidney stones that endure inside the body can also lead to many hitches, including obstruction of the the tube linking the kidney to the bladder, which hinders the path that urine usages to leave the body. Kidney stones are identified by exclusive of other possible reasons of stomach pain and associated indications. Imaging tests counting an X-ray called a KUB view (kidney, ureter, bladder), or a helical CT scan are often used to check the analysis of kidney stones. Although the amount of radiation exposure related with these tests are minimal, pregnant women and others might need to evade even these low levels of radiation. In these cases, an ultrasound may be cast-off to identify the kidney stone.^[4-5]




Figure: Kidney stone.

Kidney stones might grow to the size of a golf ball while upholding a sharp, crystalline building. The kidney performances as a filter for blood, eliminating waste harvests from the body and making urine. It also helps adjust electrolyte levels that are significant for body purpose. Urine drains from the kidney done a narrow tube called the ureter into the bladder. When the bladder seals and there is an longing to urinate, the bladder

consumes to the external complete the urethra, a far wider tube than the ureter.^[6-7]

- In some people, chemicals crystallize in the urine and may form a kidney stone. These stones are very tiny when they form, smaller than a grain of sand, but gradually can grow over time to an inch or larger.
- Urolithiasis is the tenure that mentions to the presence of stones in the urinary tract, while nephrolithiasis (nephro = kidney + lithiasis = stone) mentions to kidney stones and ureterolithiasis mentions to stones lodged in the ureter.^[8]
- The size of the stone is important, but where it is located and whether it blocks or averts urine from draining can be just as significant.
- When the stone sit down in the kidney, it infrequently causes pain, but when it falls into the ureter, it performances like a wall. As the kidney endures to function and make urine, heaviness builds up overdue the stone and reasons the kidney to swell.^[9-10]

This pressure is what grounds the discomfort of a kidney stone, but it also aids push the stone laterally the course of the ureter. When the stone arrives the bladder, the barrier in the ureter is reassured and the indications of a kidney stone are determined. persons with kidney stones have a meaningfully higher risk of developing chronic kidney disease.



Figure: kidney stone shape.

Symptoms of Kidney stone

A kidney stone usually remains symptomless until it moves into the ureter.^[11] When symptoms of kidney stones become apparent, they usually comprise:

- unadorned agony in the groin and/or side
- presence of blood in urine
- Felling of vomiting and nausea
- presence of white blood cells or pus in the urine
- condensed amount of urine expelled^[12]
- burning feeling throughout urination
- tenacious urge to urinate
- fever and chills if there is an contagion

Causes of kidney stones

The leading origin of kidney stones is a absence of water in the body.

- Stones are more usually originate in persons who drink less than the optional eight to ten glasses of water a day.
- When there is not sufficient water to thinned the uric acid, a constituent of urine, the urine develops more acidic.
- An extremely acidic environment in urine can central to the creation of kidney stones.
- Medical circumstances such as Crohn's disease, urinary tract infections, renal tubular acidosis, hyperparathyroidism, medullary sponge kidney etc enhance the chance of kidney stone. Higher than suggested amounts of vitamin D, vitamin C, salt, protein, and foods comprising high oxalates (dark green vegetables) may rise the jeopardy of stone formation. Eating a low-protein, low-sodium diet with adequate calcium cuts the coincidental of emerging stones.^[13-14]




Fig: Diagnosis of kidney stone.

Main Reasons Kidney Stones

- **Heredity:** Some persons are more vulnerable to starting kidney stones, and inheritance may play a role. The preponderance of kidney stones are complete of calcium, and hypercalciuria (high stages of calcium in the urine) is one risk factor. The tendency to high levels of calcium in the urine may be agreed on from generation to generation. Some infrequent hereditary diseases also prompt some people to arrangement kidney stones. Examples include people with renal tubular acidosis and people^[15-16]
- **Geographical location:** There might be a geographic disposition to forming kidney stones, so wherever a person lives may kind it more likely for them to form kidney stones. There are regional "stone belts," with publics breathing in the southern

United States having an improved risk of stone establishing.

- **Diet:** Nutrition might or may not be an subject. If a person is disposed to forming stones, then foods high in animal proteins and salt may upsurge the risk; though, if a person isn't vulnerable to making stones, diet perhaps will not alteration that danger.^[17]
- **Medications:** People attractive diuretics (or "water pills") and those who consume excess antacids might increase the quantity of calcium in their urine and possibly rise their risk of founding stones. Consuming excess amounts of vitamins A and D are also related with higher levels of calcium in the urine.^[18-19]
- **Underlying illnesses:** Certain chronic illnesses are related with kidney stone creation, including cystic fibrosis, renal tubular acidosis, and inflammatory bowel disease etc.

Kidney Stones in Children

The incidence of a kidney stone in a child is a comparatively infrequent event. In nations where plants

are the chief source of protein in the diet, then incidence of kidney stone illness in children rises. In emerging countries, kidney stones complete of uric acid are more usually found.

Indications of kidney stones in families are alike to those in an adult, though with very young children or infants, the indications may be firmer to appreciate and understand. The original finding in an infant may be a crying and heartbroken baby, and the exhibition may be mistakn.^[20-21]

Staghorn Calculi largest kidney stone

Certain stones produce very large and fill the total of the kidney gathering system. They are named staghorn calculi (calculus = stone) since they aspect like antlers. While most kidney stones are completed up of calcium oxalate crystals, this type of stone is a compound of struvite, carbonate, and apatite. They are usually the consequence of recurring urinary tract infections, in which the bacteria yield ammonia, letting chemicals in the urine to formulate the nidus for stone formation.^[22-23]




Figure: Kidney stone treatment.

Treatment of kidney stone

For persons with a past record of kidney stones, doctors frequently indorse passing about 2.6 quarts (2.5 liters) of urine a day always eat fewer amount of oxalate rich food. If you tend to procedure calcium oxalate stones, your medic might endorse limiting foods rich in oxalates. Reduce the quantity of salt you eat and select non animal protein foundations, such as legumes Calcium in food which doesn't have an outcome on your risk of kidney stones. Linger eating calcium-rich foods except your doctor recommends otherwise.^[24-25]

Lithotripsy is a process that uses shock waves to disruption a kidney stone into lesser pieces that can be more easily debarred from the body. The expedient used for this process is called a Lithotripter. Kidney stones

can also be detached surgically. A percutaneous nephrolithotomy is a process in which a kidney stone is detached via a small cut in the skin. A kidney stone may also be uninvolved with a ureteroscope, an tool that is advanced up finished the urethra and bladder to the ureter.^[26-27]

LITHOTRIPSY




Figure: Kidney stone treatment.

CONCLUSION

Kidney stones are the moment of a deposit of make softer minerals on the deepest lining of the kidneys. They typically contain of calcium oxalate but may be composed of more than a few other mixtures. They damage the kidney severely and symptoms are like blood in the urin, felling of vomiting and nausea, presence pus in the urin etc.drining plenty of water and healthy diet can help for prevention of disease.

REFERENCE

- https://www.onhealth.com/content/1/kidney_stones
- Barnela, S.R., Soni, S.S., Saboo, S.S. and Bhansali, A.S. 'Medical management of renal stone', *Indian Journal of Endocrinology and Metabolism*, 2012; 16(2): 236-239.
- <https://patient.info/health/kidney-stones>.
- Borghini, L., Schianchi, T., Meschi, T., Guerra, A., Allegri, F. and Maggiore, U. 'Comparison of two diets for the prevention of recurrent stones in idiopathic hypercalciuria', *New England Journal of Medicine*, 2002; 346(2): 77-84.
- Hirayama, H., Wang, Z, et al, Effect of Desmodium styracifolium Triterpenoid on Calcium Oxalate Renal Stones, *Br J Urol.*, 1993; 71(2): 143-7
- https://en.wikipedia.org/wiki/Kidney_stone_disease
- British Association of Urological Surgeons (2014) Kidney stones, Available at: <http://www.baus.org.uk/patients/symptoms/calculi> (Accessed: 20th October 2014).
- Curhan, G.C. 'Epidemiology of Stone Disease', *The Urologic clinics of North America*, 2007; 34(3): 287-29
- Eskelinen, M., Ikonen, J. and Lipponen, P. 'Usefulness of history-taking, physical examination and diagnostic scoring in acute renal colic', *European Urology*, 1998; 34(6): 467- 473.
- Miller, N.L. and Lingerman, J.E. 'Management of kidney stones', *British Medical Journal*, 2007; 334(7591): 468-72
- Moore, K.L., Dalley, A.F. and Agur, A.M.R. *Clinically Orientated Anatomy*, 7th edn., Philadelphia: Lippincott Wilkins and Williams, 2014.
- Steggall, M.J. 'Urinary tract stones: causes, complications and treatment', *British Journal of Nursing*, 2001; 10(22): 1452-1456.
- Worcester, E.M. and Coe, F.L. 'Calcium kidney stones', *New England Journal of Medicine*, 2010; 363(10): 954-963.
- Young, B., Lowe, J.S., Stevens, A., Heath, J.W. and Deakin, P.J. *Wheater's Functional Histology: A Text and Colour Atlas*, Philadelphia: Churchill Livingstone, 2006.
- Maclean, W., Lyttleton, J., *Clinical Handbook of Internal Medicine*, Un of Western Sydney Macarthur, 1998; I.
- Pragasam, V., Kalaiselvi, P., et al, Oral L-Arginine. Supplementation Ameliorates Urinary Risk Factors and Kinetic Modulation of Tamm-Horsfall Glycoprotein in Experimental Hyperoxaluric Rats, *Clin Chim Acta*, 2005; 360(1-2): 141-50
- Rodgers, A., Lewandowski, S., et al, Evening Primrose Oil Supplementation Increases Citraturia and Decreases Other Urinary Risk Factors for Calcium Oxalate Urolithiasis, *J Urol*, 2009; 182(6): 2956-63.
- Wedro, B.C., *Kidney Stones Causes, Symptoms, Diagnosis, Treatment, and Prevention*, www.emedicinehealth.com, 2007
- Yasui, T., Suzuki, S., et al, Eicosapentaenoic Acid Has A Preventative Effect on The Recurrence of Nephrolithiasis, *Urol Int.*, 2008; 81(2): 135-8.
- Yilmaz, E., Batislam, E., et al, Citrate Levels in Fresh Tomato Juice: A Possible Dietary Alternative to Traditional Citrate Supplementation in Stone-Forming Patients, *Urology*, 2008; 71(3): 379-83.
- Colella, J., Kochis, E., et al, Urolithiasis/Nephrolithiasis: What's It All About?, *Urol Nurs.*, 2006; 25(6): 427-448,475.
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3377738/>

23. <https://www.webmd.com/kidney-stones/ss/slideshow-kidney-stones-overview>
24. <https://www.livestrong.com/article/108564-male-signs-kidney-stones/>
25. http://healthyinfodaily.com/7-symptoms-of-kidney-stones/?og1=fb4f571e-d5cb-4659-b66f-69e4ee04be92&gclid=CjwKCAiAjuPRBRBxEiwAeQ2QPov2VEhpcJ01aHYwLunoKX_hM4if5W9ZURdxNxFjYbBAK3IST42_IhoCvyIQAvD_BwE
26. https://www.emedicinehealth.com/kidney_stones/article_em.htm
27. <https://medlineplus.gov/kidneystones.html>