

# EUROPEAN JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH

www.ejpmr.com

Research Article
ISSN 2394-3211
EJPMR

# ATTITUDE AND KNOWLEDGE OF DRUG-ABUSE AMONG SECONDARY-SCHOOL STUDENTS IN IKA SOUTH AREA OF DELTA STATE

<sup>1\*</sup>Ijeh, M.A., <sup>2</sup>Enweani, B.I., <sup>1</sup>Agbapuonwu, N.E. and <sup>3</sup>Eyeghre, O.A.

<sup>1</sup>Department of Nursing Sciences, College of Health Sciences and Technology, Nnamdi Azikiwe University, Nnewi Campus, Nigeria.

<sup>2</sup>Department of Medical Laboratory Sciences, College of Health Sciences and Technology, Nnamdi Azikiwe University, Nnewi campus, Nigeria.

<sup>3</sup>Department of Human Physiology, Faculty of Basic Medical Sciences, College of Health Sciences, Nnamdi Azikiwe University, Nnewi campus, Nigeria.



\*Corresponding Author: Ijeh, M.A.

Department of Nursing Sciences, College of Health Sciences and Technology, Nnamdi Azikiwe University, Nnewi campus,

Nigeria. Email id: <u>Ijehmary2015@gmail.com</u>

Article Received on 23/05/2024

Article Revised on 13/06/2024

Article Accepted on 03/07/2024

### **ABSTRACT**

Drug abuse has shown to have a rapid usage and growth among youth, and is observed to take place in schools. The research was carried out to determine the knowledge and attitude of substance abuse among students attending secondary schools in Ika south, Local Government, Area, Delta State, Nigeria. A descriptive cross-sectional study was employed among students in selected secondary schools within the study location. A total of 5383 was employed in the study and a sample size of 2153 was generated using multistage and proportionate random sampling technique. A structured questionnaire was employed in the study, and a reliability of 0.87 was done using test-retest and Pearson Product Moment. Data obtained was analyzed using descriptive and inferential statistics and values were presented as mean, standard deviation, percentages, and frequencies. The results obtained showed higher percentages of females than males, urban schools were more than rural, day schools were higher than boarding schools. The revealed that a mean of 3.27 depicts that secondary school students have knowledge of drug abuse. Also, the study documented a mean of 2.30, which implies a negative attitude towards drug abuse. However, a significant association existed between the location of the schools and knowledge; and no significant association was indicated between school settings and attitude. The study concludes that the secondary school students in Ika south LGA, have knowledge of drug abuse and demonstrated a negative attitude towards drug abuse.

**KEYWORDS:** drug abuse, knowledge, attitude, substance abuse, secondary school, students.

## INTRODUCTION

Substance abuse has been a socio-public health issues affecting youths and adult, which has become a global epidemic affecting various countries, including Nigeria and Western nations; this has led to overt abuse of drug. However, a high prevalence of this menace has been recorded among students in different settings either at home, schools, or within the communities they grew up (Adesida et al., 2022). Drug or substance abuse is the misuse of any psychotropic substances, which causes changes in physiological functions affecting the individual negatively like socially, cognitively, or physically (Jatau et al., 2021). It is also known as substance abuse and is considered to be a medical problem that develops over time after prolonged use of drugs. These substances are taken by youth to modify or maintain a mood and may be potentially harmful to the person or society. When live of the youth in a nation is destroyed that Nation is destroyed (Amaro et al., 2021).

Given the unprecedented dimension being assumed by the social menace of substance/drug abuse among secondary school students in the present-day society, one is moved to question the students' knowledge of the implications of their actions, because the knowledge is one of the crucial variables that creates, modifies and promotes a particular behaviour (Adebanke et al., 2018). Thus, drug use behaviour among students may be influenced by the knowledge of the consequences of substance abuse. If a student knows that the effects of drug abuse include mental disability, behavioural disorders, problems at work, accidents, difficulties at home, relationship problems, craving, dishonesty, academic problems, sickness and death among other consequences, he/she will demonstrate appropriate attitude towards substance abuse crucial to stopping the unhealthy behaviour. McHugh et al. (2018) defined attitude as a way of thinking or feeling about a situation, an event or concept which is evidenced by the practice of

specific behaviours that can in one way or the other exert effect on the physical, social, economic, psychological wellbeing of an individual. In theory, attitude is the product of knowledge as knowledge will lead to a change in attitude which will in turn lead the individual to make changes in their daily life (Fishman et al., 2021; Messer et al., 2017). Thus, in the case of drug abuse, the student who knows that the use of medications for non-medical reasons could be harmful may develop negative attitude towards the actual abuse of substances (Oaikhena, 2019).

Growing evidence from studies reveal an alarming increase in cases of substance abuse among secondary school students associated with attitude and knowledge problems (Nath et al., 2023; Idowu et al., 2018). Atilola, Ayinde, and Adeitan, (2013) reported that students abuse drugs and related substances and reveals positive attitude towards non-medical use of medications. The author identified the factors responsible for drug abuse among students to include experimental curiosity, peer group influence, lack of parental supervision, personality problems due to socio-economic conditions, the need for energy to work for long hours, availability of the drugs, the need to prevent the occurrence of withdrawal symptoms, the glamour associated with advertisement of drugs, social pathologies such as parental deprivation as well as emotional and psychological stresses. According to Blows and Isaacs (2022), Gavurova, Popesko, and Ivankova, (2021) other factors responsible for drug abuse among students include low standard of living, dysfunctional family system, child abuse, neglect and lack of knowledge about the consequences of substance abuse on the physical, moral, psychological and social wellbeing. Some of the drugs commonly used by adolescents are cigarettes, alcohol, marijuana, glue, paint thinners, cocaine, opiod analgesics, codeine (Schaefer, 2016). There are no one-directional or generalized results on the influence of demographic characteristics of secondary school students' knowledge, attitude and practice of drug/substance abuse. Some studies found that the gender of students, type of school and school ownership/management determine their abuse of drug (Aboagye et al., 2022; Nurmala et al., 2021; Adibe et al., 2022), while literature has also shown that knowledge, attitude, and practice of drug/sustenance abuse by secondary schools' students do not depend on their gender, school ownership/management (Soremekun et al., 2020). The uncertainty about the influence of demographic characteristics among secondary school students on drug/substance abuse necessitated the investigation in this study. The study aimed to assess the knowledge and attitude of drug abuse among secondary school students in Ika South Local Government Area of Delta State, Nigeria.

## **METHODOLOGY**

# Research Design

The study adopted the qualitative descriptive survey design as used by Baillie (2020). It focuses on describing

the characteristics of a phenomenon rather than asking why it occurs. It is a non-experimental design that allows the researcher to observe what is happening to a sample without any attempt to manipulate or control it. Survey research is one in which a group of people or items is studied by collecting and analyzing data from only a few people or items considered to be representative of the entire group (Nworgu, 1991). Here, the researcher is interested in the accurate assessment of the characteristics of the whole population through the study of a sample considered to be representative of the population.

### **Research Setting**

This study was conducted in selected secondary schools in Ika South Local Government Area of Delta State. The Local government headquarters is Boji-Boji Agbor also called Agbor Orogodo. Ika South is one of the local government areas in Delta north and shares boundary with oriohwor local government area in Edo state, Aniocha South local government, Ika North-East and Ukwuani local government area in Delta state. The indigenes of Ika south area speak Ika language. The major occupation of the people is mainly farming and trading. Some of the indigenous foods that can be found in this area are garri, yam, plantain,fufu,banga soup, okra and vegetable(ugugu) soup. Ika south has several private, mission and public nursery, primary and secondary schools. It also has tertiary institution like School of Nursing and a university. The area has public healthcare facilities, few private hospitals and markets with good road network and infrastructures. There are several churches in Ika community. These churches include the Apostolic Church, Assemblies of God Church, Roman Catholic Church, Christ Chosen Church of God, and Church of God Mission, among others. This setting is chosen because respondents with characteristics relevant to the study will be readily available.

## **Target Population**

The population of this study is 5,383 (Minitry of Education, Agbor).

## Sample and Sampling Technique.

The sample size of the study is 2,153. Multistage sampling technique was used to get the participants. Firstly, the schools were stratified into zones namely, Boji-Boji zone, Abavo zone, Agbor town zone, Ihuyase zone and Oza Nogogo zone. Stage two, from each zone, two or three schools at least were selected for the study based on accessibility and acceptability. Stage three, proportionate random sampling was used to obtain 40% sample from each school (senior and junior) as described by Nwana (1991).

www.ejpmr.com | Vol 11, Issue 7, 2024. | ISO 9001:2015 Certified Journal | 529

Table 1A: Sample size of the different schools used in the Zone: See appendix for the number of schools in the zones.

Zone	Selected Schools	Sample Size
Boji-Boji	Igumbor okiku Sec. Sch (Public and urban)	Junior-school- 153 (M=31, F=122)
Doji-Doji	iguiliboi okiku See. Seli (i ubile aliu uibali)	Senior-school- 173 (M=36, F=136)
	Alihame Sec. Sch (Public and urban)	Junior-school- 41 (M=13, F=28)
	Almanie Sec. Sen (Fublic and urban)	Senior-school- 54 (M=20, F=34)
	Frontline Sec. Sch (Private and urban)	Junior-school- 44 (M=20, F=24)
	110htmle Sec. Sen (1 fivate and diban)	Senior-school- 60 (M=25, F=35)
	The Bride Academy (Private and urban)	Junior-school- 60 (M=24, F=36)
	The Bride Academy (Firvate and droam)	Senior-school- 65 (M=38, F=27)
Abayo	Iranuma Sac Sah (Dublic and rural)	Junior-school- 52 (M=29, F=23)
Abavo	Irenuma Sec. Sch. (Public and rural)	Senior-school- 44 (M=14, F=30)
	Orioka Aliodu Sec. Sch. (Public and rural)	Junior-school- 56 (M=24, F=32)
	Offoka Affodd Sec. Seff. (Fublic and fural)	Senior-school- 72 (M=34, F=38)
	Abavo Mix Sec. Sch. (Public and rural)	Junior-school- 57 (M=31, F=26)
	Abavo with Sec. Sell. (I dolle and Idial)	Senior-school- 67 (M=21, F=46)
	St Charles Sec. Sch. (Private, rural and boarding)	Junior-school- 59 (M=59)
	St Charles Sec. Sch. (Filvate, fural and boarding)	Senior-school- 44 (M=44)
	Codewill Academy (Private and gural)	Junior-school- 20 (M=14, F=6)
	Godswill Academy (Private and rural)	Senior-school- 32 (M=16, F=16)
Agbor Town	Ima Ohi Sac Sah (Public and rural)	Junior-school- 118 (M=41, F=77)
Agool Town	Ime-Obi Sec. Sch. (Public and rural)	Senior-school- 127 (M=36, F=91)
	St Columba`s Grammar Sch. (Private, urban and boarding)	Junior-school- 64 (M=64)
	Si Columba s Oranimai Sch. (Frivate, urban and boarding)	Senior-school- 50 (M=50)
	Prime Success Academy (Private and urban)	Junior-school- 37 (M=22, F=15)
	1 Time Success Academy (Filvate and diban)	Senior-school- 49 (M=24, F=25)

M: Males, F: Females

Table 1B: Sample size of the different schools used in the Zone: See appendix for the number of schools in the zones.

Zone	Selected Schools	Sample Size		
Ibu Ivoco	Agwai-Ewuru Sec. Sch (Public and rural)	Junior-school- 54 (M=28, F=26)		
Ihu-Iyase	Agwar-Ewuru Sec. Sch (Fuonc and furar)	Senior-school- 55 (M=34, F=21)		
	Hope Comprehensive College (Private and urban)	Junior-school- 36 (M=14, F=91)		
	Trope Comprehensive Conege (Frivate and droan)	Senior-school- 36 (M=36, F=91)		
	Partist Cirls San Sah (Dublic and urban)	Junior-school- 49 (F=49)		
	Baptist Girls Sec. Sch. (Public and urban)	Senior-school- 52 (F=52)		
Oza Nagaga	Ozo Nagogo Coo Cob (Dublic and mural)	Junior-school- 83 (M=39, F=44)		
Oza-Nogogo	Oza-Nogogo Sec. Sch (Public and rural)	Senior-school- 107 (M=37, F=70)		
	Omumu See Seh (Dublic and rural)	Junior-school- 40 (M=24, F=16)		
	Omumu Sec. Sch. (Public and rural)	Senior-school- 47 (M=21, F=26)		

M: Males, F: Females

## **Instrument for Data Collection**

The instrument for data collection for this study was researcher structured questionnaire titled "Knowledge, Attitude and Practice of Drug Abuse among Secondary School Students Questionnaire (KAPDASSSQ). It was structured based on the research questions and after intensive review of literature. The questionnaire was made up of two sections, A and B. Section A was made up of demographic variables of the respondents such as gender, ownership of school, location of school, type of school and programme type, while section B had five subsets with a total of 32 items. The items in section B were rated on a 4-point rating scale ranging from strongly agreed (SD-4), agreed (A-3), disagreed (D-2), and strongly disagreed (SD-1). In addition, section four

was also rated on a 4-points scale ranging from very high extent (VHE-4), high extent (HE), low extent, (LE), very low extent (VLE).

# Validity of the Instrument

In order to ensure the validity of the research instrument, the questionnaire was constructed in line with the research objectives. Copies of the work with objectives and instrument as working materials was presented to experts in Guidance and Counseling, Educational Foundations, Nursing Education, Measurement and Evaluation to check face and content validity. It was later given to the supervisor who made necessary corrections and suggestions and gave approval for the final draft of the instrument.

www.ejpmr.com Vol 11, Issue 7, 2024. ISO 9001:2015 Certified Journal 530

## Reliability of the Instrument

To establish the reliability of the instrument, test-retest reliability method was used. The instrument was administered to 215 students from Ekuku Agbor secondary school, randomly selected within the interval of two weeks between the first and second administration. The students of Ekuku Agbor Secondary were not part of the participating school. Data obtained were analysed with Pearson Product Moment Correlation formula to have a reliability coefficient of 0.872, signifying moderately reliable instrument.

### **Ethical Consideration**

A letter of introduction was collected from the Head of Department of Nursing Science; Nnamdi Azikiwe University, Akwa. The letter was presented to Ministry of Education, Agbor, through the chief inspector of education (CIE), to seek for ethical clearance to conduct the study. Ethical clearance letter was used to seek permission from the Head Teachers of the selected secondary schools. Consent form was administered along with questionnaire. The respondents were informed of the study and their consent was duly obtained. The study was conducted upon due ethical guidelines and principles.

## **Procedure for Data Collection**

Data was collected on face-to-face method. The respondents were duly informed, and consent given before administration of instrument. The instrument was administered to the respondents by the researcher with the help of one research assistant from each school. The research assistants were properly briefed on the purpose of the study, questionnaire distribution, and collection. Completed copies of the questionnaire were correctly checked to ensure their level of completeness by the respondents. The retrieved questionnaires were used to obtain data for analysis. 2,153 questionnaires were administered and retrieved, making 100% return rate.

# Method of Data Analysis

Simple percentage was used to analyze the demographic variable of the respondents, descriptive statistics of mean and standard deviation were used to answer all the research questions. Hypotheses 1,2,3, and 4 were tested with t-test, while hypothesis 5 was tested with analysis of variance (ANOVA) at 0.05 level of significance. Questionnaire items related to the research questions have four response categories. Real limit of values was used for selecting the appropriate items in taking decision (decision rule) as follows:

Table 2: decision rule on knowledge of drugs abused and attitude of students towards drug abuse.

D C - 4	D - 42	D I I !!4	Dl-
Response Category	Rating	Boundary Limit	Remark
Strongly Agree (SA)	4	3.50-4.49	Positive: 2.50-4.99
Agree (A)	3	2.50-3.49	
Disagree (D)	2	1.50 -2.49	Negative: 0.50-2.49
Strongly Disagree (SD)	1	0.50-1.49	

Mean and standard deviation was used to answer the research questions, any item with mean value ranging from 3.50-4.49 was considered as strongly agreed/very high extent, mean value ranging from 2.50-3.49 was considered as agreed/high extent, mean value ranging from 1.50-2.49 was considered as disagreed/low extent, and mean value ranging from 0.50-1.49 was considered as strongly disagreed/very low extent.

However, the standard deviation was used to determine or establish the extent to which each of the individual mean response varies or disperses from each other. The decision for the hypotheses was based on a probability value of 0.05, such that when p-value is less than or equal to 0.05 the null hypotheses was not accepted; otherwise, it was retained.

**RESULTS** 

Table 3: demographic characteristics of participants.

	Frequency (%)	Total (%)
Gender Males Females	966 (44.87) 1187 (55.13)	2153 (100)
<b>Location</b> Rural Urban	649 (30.15) 1504 (69.85)	2153 (100)
Types of school Boarding Day	275 (12.78) 1878 (87.22)	2153 (100)
Programme type Junior Senior	1043 (48.45) 1110 (51.55)	2153 (100)

The data presented in Table 3 shows the percentage distribution by gender of the respondents. The results

reveal that male respondents were 966, which represents 44.87 percent while the female respondents were 1187

and this represents 55.13 percent that responded to the items. The results reveal that rural respondents were 649, which represents 30.15 percent, while urban respondents were 1504 and this represents 69.85 percent that responded to the items. The results reveal that boarding school respondents were 275, which represents 12.78

percent. While day school respondents were 1878 and this represents 87.22 percent that responded to the items. The results reveal that junior school respondents were 1,043 which represents 48.45 percent. While senior school respondents were 1,110 and this represents 51.55 percent that responded to the items.

Table 4: Mean and standard deviation responses of secondary school students' knowledge about drug abuse.

Response towards drug abuse	Mean	SD	Response
Secondary students have knowledge of drug abuse?	3.69	0.56	Strongly Agreed
Drug is only used for the treatment of ailment	2.70	1.03	Agreed
Drug is only used on the prescription of qualified Medical professional	3.17	0.92	Agreed
Use of drug without the prescription of medical Experts is harmful	3.59	0.71	Strongly Agreed
Wrong use of drug has affected many lives		0.65	Strongly Agreed
Awareness campaign against drug abuse is everywhere	2.89	0.93	Agreed
Use of drug without prescription of doctor is unlawful	3.32	0.76	Agreed
Cluster Mean and Standard Deviation	3.27	0.79	Agreed

Data presented in Table 4. reveals that the mean responses of respondents on secondary school students' knowledge about drug abuse ranged from 2.70 to 3.69,

while the standard deviation ranged from 0.563 to 1.027. Similarly, the cluster mean of 3.27 depicts that secondary school students have knowledge of drug abuse.

Table 5: Mean and standard deviation responses on the types of drugs commonly abused by secondary school students.

Types of drugs commonly abused	Mean	SD	Response
Secondary school students smoke cigarette	3.14	0.88	Agreed
They drink alcohol such as bear, dry gin, palm wine	3.17	0.93	Agreed
Secondary school students inhale cocaine	2.63	0.92	Agreed
They smoke marijuana (Indian hemp)	2.84	1.01	Agreed
Secondary school students are exposed to the use of Opiod analgesics (tramadol)	2.80	0.91	Agreed
They take codeine in excess	2.70	1.03	Agreed
They inhale intoxicant substances such as glue, paint thinners, etc	2.45	0.98	Agreed
Cluster mean and standard deviation	2.82	0.95	Agreed

Data presented in Table 5 shows that the mean responses of respondents on type of drugs commonly abused by secondary school students ranged from 2.45 to 3.17,

while the standard deviation ranged from 0.880 to 1.033. Similarly, the cluster mean of 2.82 depicts that secondary school students abused the above-mentioned drugs.

Table 6: Mean and standard deviation responses on the attitude of secondary school students towards drug abuse.

Attitude of students towards drug abuse	Mean	SD	Response
There is nothing wrong with taking drugs when not prescribed if one is sick	1.94	0.94	Disagreed
There is no need to wait for doctor's prescription when known the drug to take	2.44	0.85	Disagreed
to feel good.			
It is cheaper to get drugs from any medicine store than to see a medical	2.71	1.13	Agreed
professional to prescribe for you.			
It is better to access and use any drug by yourself than seeing a medical	1.78	0.96	Disagreed
practitioner to prescribe medication for you.			
It is a good thing when you know the drugs that make you feel good and use	2.68	0.81	Agreed
such medications without having to wait doctor's prescription.			
Taking drugs for pleasure and recreation is worthwhile	2.30	1.06	Disagreed
Cluster mean and standard deviation	2.30	0.96	Disagreed

Data presented in Table 6 shows that the respondents disagreed with the following statements, that there is

nothing wrong with taking drugs when not prescribed if one is sick, that there is no need to wait for doctor's prescription when known the drug to take to feel good, that it is better to access and use any drug by yourself than seeing a medical practitioner to prescribe medication for you, and that taking drugs for pleasure and recreation is worthwhile. The mean responses of the above statements range from 1.94, 2.44, 1.78 and 2.30 respectively. Similarly, the standard deviation ranges from 0.948, 0.851, 0.965, and 1.06 respectively. Data presented equally reveals that the respondents agreed that it is cheaper to get drugs from any medicine store than to see a medical professional to prescribe for you and that it

is a good thing when you know the drugs that make you feel good and use such medications without having to wait for doctor's prescription. The mean of the above response's ranges from 2.71 and 2.68 respectively. Similarly, the standard deviation ranged from 1.134 and .817 respectively. This shows that majority have negative attitude.

**Hypothesis 1:** There is no significant difference in the mean responses between rural and urban secondary school students' knowledge of drug abuse.

Table 7: The independent sample t-test analysis between rural and urban secondary school students' knowledge of drug abuse.

Group	N	Mean	Sd	Df	T	p-value	Alpha	Decision
Rural	649	3.57	0.002					
Urban	1504	3.64	0.004	2,151	-26.816	0.000	0.05	S

Data presented in Table 7 indicates that the t-value is -26.816 while the probability values is .000. The p-value is less than 0.05. This implies that there is a significant difference between the mean rating of rural and urban secondary school students' knowledge of drug abuse. **Verdict:** The hypothesis that there will be no significant difference in mean responses between rural and urban

secondary school students' knowledge of drug abuse is therefore "not accepted"

**Hypothesis 2:** There is no significant difference in the mean responses between boarding-school and day secondary school students' attitude towards drug abuse.

Table 8: The independent sample t-test analysis between boarding-school and day secondary school students' attitude towards drug abuse.

Group	N	Mean	Sd	Df	T	p-value	Alpha	Decision
Boarding	916	2.35	.751					
Day	1237	3.72	.621	2151	.539	.059	0.05	NS

Data presented in Table 8 indicates that the t-value is .593 while the probability values is .059. The p-value is higher than 0.05. This implies that there is no significant difference between the mean rating of boarding and day secondary school students' attitude towards drug abuse. **Verdict:** The hypothesis that there will be no significant difference in mean responses between boarding school and day secondary school students' attitude towards drug abuse is therefore "accepted"

# DISCUSSION

The result of the data analysis revealed that secondary school students have knowledge of drug abuse, that drug is only used for the treatment of ailment based on the prescription of qualified medical professional and that the use of drug without prescription of medical experts is harmful. The findings also revealed that secondary school student's wrong use of drug has affected many lives, that awareness campaign against drug abuse is everywhere and that use of drug without the prescription of doctor is unlawful. Their level of knowledge may be traced to the awareness campaign which the students agreed that is everywhere. These findings agreed with Selamu, Aneha and Feyissa (2017) that 85% of youths especially secondary school students have good knowledge of drug abuse and the related implication. The findings of this present study also corroborate Adebowale et al. (2013) and Adibe et al. (2022) that

more than 50% of secondary school students knew the meaning of drug abuse, the legal status of drug abuse. Masibo, Mudane and Nsimba (2013), Heckman, Dystra and Collins (2011) Onigbogi *et al.* (2023), Adibe *et al.* (2022), Abubakar *et al.* (2021), reported that more than 70% of secondary school students have adequate knowledge of drug types. Nurmala, *et al.* (2021) reported that majority of the students showed have insufficient knowledge about drugs, which contradicts the study findings.

The study reveals that the type of drugs commonly abused by secondary school students are cigarette, different types of alcohol such as bear, dry gin, palm wine. Others include cocaine, marijuana (indian herm), opiod analgesics (tramadol), codeine, intoxicant substances such as glue, pint, paint thinners, etc. Alcohol like dry gin, palm vine is commonly use during ceremonies in Ika land, this may have made the students to take it as culturally accepted drink. Ugwuelebo, (2017) also lamented that 15-20% of drug addicts are females while males constitute about 50-55 percent. Also, alcohol was the most commonly used substance (52.4%) as reported by Adibe et al. (2021), which corroborate the study findings. Alarcó-Rosales et al. (2021) reported that cigarette smoking, episodes of drunkenness, alcohol consumption and cannabis use

were the most substance abused, which is in accordance with the study findings.

However, the study indicates that some secondary school students agreed that it is wrong to prescribe drug by oneself when sick, that it is important to wait for doctor's prescription, that accessing and using any drug yourself without seeing a medical expert is bad, and that taking drug for pleasure and recreation is not worthwhile. This reveals that they have negative attitude towards drug abuse which can also be as a result of awareness campaign organize in the Ika land. This finding agrees with the report of Adeleken (2009) who reported that majority of students do not accept the use of psychoactive substances related problems demonstrating a negative attitude. Corroborating the finding of the present study, Courtois et al. (2014) documented that 56% of students have negative attitude towards psychoactive substances unacceptable as they think it can hinder their progress in school. In addition, Mousavi (2014) documented that 67% of high school students have positive attitude towards drug, that positive attitude towards drug were predicted by risk factors (odds ratio = 37.31) and gender (odds ratio = 32), which disagree to the study findings. Abidoun et al. (1994) reported that one of the major factors responsible for the increasing abuse of drug and related substances among secondary school students is positive attitude, which contradicts the study findings. Ghobadi et al. (2020) and Onigbogi et al. (2023), reported a positive attitude towards the use of illicit substance abuse, which disagree to the study findings. Adibe et al. (2021), Nurmala et al. (2021), Shah et al. (2020), and Bawa et al. (2020) reported a negative attitude towards drug abuse among secondary school students, which corroborates the study findings. Abazid *et al.* (2023) reported a negative attitude towards drug abuse with 20.8% reported not trying to quit, while 33.3% of them tried but could not quit, which agrees to the study findings.

Further, the study revealed that there was a significant differed in the means rating between rural and urban secondary school students' knowledge of drug abuse. This finding is in consonance with the finding of Otieno and Ofulla (2009) and Dangbin (2019). They stated that youth in the urban areas, due to their lifestyles, are more predisposed to drugs compared to those in rural areas due to easy drugs availability in urban as opposed to the availability in rural areas. Also, the study indicated that there was no significant difference between the mean rating of boarding and day secondary school students' attitude towards drug abuse. This finding agrees with Tiwo (2016) who found that most secondary school students irrespective of their location have the same attitude towards drug abuse.

## CONCLUSION

The study found that despite being knowledgeable about drug abuse and having a negative attitude towards it, and the location of the school has an impact on substance abuse knowledge. Thus, a significant number of secondary school students in Ika South LGA still experimented with drugs, emphasising the need for ongoing education and prevention efforts to address substance abuse among young people.

## **Conflict of Interest**

There was no conflict of interest among the authors

#### **Funding**

The research was self-funded by the authors and at the time when the study was conducted the authors had no grants to execute this study.

### REFERENCES

- 1. Abazid, H., Abutayeh, R., Farha, R., Jaffal, S., Alkaddah, D., and Al-Jomaa, E. Substance Abuse among University Students: Assessing Prevalence, Risk and Preventive Measures. Jordan Journal of Pharmaceutical Sciences, 2023; 16(2): 235–244. https://doi.org/10.35516/jjps.v16i2.1323
- Abiodun, O. A., Adelekan, M. L., Ogunremi, O. O., Oni, G. A., and Obayan, A. O. Psychosocial correlates of alcohol, tobacco and cannabis use amongst secondary school students in Ilorin, Nigeria. West African journal of medicine, 1994; 13(4): 213–217.
- Abubakar, A. U., Abubakar, A. A., Sufiyan, M. B., Balogun, M. S., Awosan, K. J., Raji, I. A., Usman, A. B., Abdullahi, A. M., Njidda, A. M., Bala, H. A., Kaoje, A. U., Nguku, P. M., and Shehu, A. U. Knowledge of health effects and determinants of psychoactive substance use among secondary school students in sokoto metropolis, Nigeria. Pan African Medical Journal, 2021; 40: 109. https://doi.org/10.11604/pamj.2021.40.109.22000
- 4. Adebanke, O.-I., Ogundipe, O., and Adeloye, D. Substance use among adolescents in sub-Saharan Africa: a systematic review and meta-analysis. South African Journal of Child Health, 2018; 12: 79. https://doi.org/10.7196/SAJCH.2018.v12i2b.1524
- Adebowale, A., Olatona, F., Abiola, A.-H., Oridota, S., Goodman, O., and Onajole, A. Knowledge, attitude and practice of drug abuse among public secondary school students In Lagos. Highland Medical Research Journal, 2013; 13: 44–48.
- Adelekan, M. (2009). Rapid Situation Assessment of the Drug Situation at Ehin – Etiri, Ijebu North Local Government, Ogun State Nigeria. Lagos: UNDCP
- Adesida, S. A., Quadri, M. O., and Adedeji, A. M. Use of psychoactive substances among students in a Nigerian University: An imperative for intervention programs. Scientific African, 2022; 16: e01139. https://doi.org/https://doi.org/10.1016/j.sciaf.2022.e0 1139
- 8. Adibe, O. M., Anene-Okeke, G. C., Uchenna, I. N., and Chibueze, A. Knowledge, Attitude, and Practice of Substance Use in Nigeria among Secondary School Students. Journal of Health and Research,

www.ejpmr.com Vol 11, Issue 7, 2024. ISO 9001:2015 Certified Journal 534

- 2022; 9: 23. https://doi.org/10.4103/cjhr.cjhr\_180\_20
- Alarcó-Rosales, R., Sánchez-SanSegundo, M., Ferrer-Cascales, R., Albaladejo-Blazquez, N., Lordan, O., and Zaragoza-Martí, A. Effects of a School-Based Intervention for Preventing Substance Use among Adolescents at Risk of Academic Failure: A Pilot Study of the Reasoning and Rehabilitation V2 Program. Healthcare, 2021; 9(11). https://doi.org/10.3390/healthcare9111488
- Amaro, H., Sanchez, M., Bautista, T., and Cox, R. Social vulnerabilities for substance use: Stressors, socially toxic environments, and discrimination and racism. Neuropharmacology, 2021; 188: 108518. https://doi.org/https://doi.org/10.1016/j.neuropharm. 2021.108518
- 11. Atilola, O., Ayinde, O., and Adeitan, O. Beyond prevalence and pattern: problematic extent of alcohol and substance use among adolescents in Ibadan South-west Nigeria. African health sciences, 2013; 13(3): 777–784.
- 12. Baillie, J. Commentary: An overview of the qualitative descriptive design within nursing research. Journal of Research in Nursing: JRN, 2020; 25(5): 458-459. https://doi.org/10.1177/1744987119881056
- 13. Bawa, S. ., Tajudden, S. ., Murtala, H. ., and Anyebe, E. Exploring the perceived factors influencing substance abuse. Journal of Research and Contemporary Issues in Human Kinetics and Health Education, 2020; 5(1): 142–152.
- 14. Blows, S., and Isaacs, S. Prevalence and factors associated with substance use among university students in South Africa: implications for prevention. BMC Psychology, 2022; 10(1): 309. https://doi.org/10.1186/s40359-022-00987-2
- 15. Courtois, R., El-Hage, W., Moussiessi, T., and Mullet, E. Prevalence of Alcohol, Drug Use and Psychoactive Substance Consumption in Samples of French and Congolese High School Students. Tropical Doctor, 2014; 34(1): 15–17.
- 16. Dangbin, J.P. Types of illicit substances or drug used by students in Langtang north LGA, Plateua State-Nigeria. Nigerian Journal of Health Education, 2019; 18(1): 31-45.
- 17. Fishman, J., Yang, C., and Mandell, D. Attitude theory and measurement in implementation science: a secondary review of empirical studies and opportunities for advancement. Implementation Science, 2021; 16(1): 87. https://doi.org/10.1186/s13012-021-01153-9
- 18. Gavurova, B., Popesko, B., and Ivankova, V. (2021). Socioeconomic Status and Drug Use Among Students BT Handbook of Substance Misuse and Addictions: From Biology to Public Health (V. B. Patel and V. R. Preedy (eds.); pp. 1–26). Springer International Publishing. https://doi.org/10.1007/978-3-030-67928-6 18-1
- 19. Gavurova, B., Popesko, B., and Ivankova, V. Socioeconomic Status and Drug Use Among

- Students BT Handbook of Substance Misuse and Addictions: From Biology to Public Health (V. B. Patel and V. R. Preedy (eds.), 2021; 1–26. Springer International Publishing. https://doi.org/10.1007/978-3-030-67928-6 18-1
- Ghobadi, M., Kazemnezhad-Leili, E., Jafari-Asl, M., and Shafipour, S.Z. The Relationship between Social skills and Attitude towards Substance Abuse among High School Students. Journal of Holistics Nursing and Midwifery, 2020; 30(3): 151-158.
- Heckman, C. J., Dykstra, J. L., and Collins, B. N. Substance-related knowledge, attitude, and behaviour among college students: Opportunities for health education. Health Education Journal, 2011; 70(4):

   383–399. https://doi.org/10.1177/0017896910379694
- 22. Idowu, A., Aremu, A. O., Olumide, A., and Ogunlaja, A. O. Substance abuse among students in selected secondary schools of an urban community of Oyo-state, South West Nigeria: Implication for policy action. African Health Sciences, 2018; 18(3): 776-785. https://doi.org/10.4314/ahs.v18i3.36
- 23. Jatau, A. I., Sha'aban, A., Gulma, K. A., Shitu, Z., Khalid, G. M., Isa, A., Wada, A. S., and Mustapha, M. The Burden of Drug Abuse in Nigeria: A Scoping Review of Epidemiological Studies and Drug Laws. Public Health Reviews, 2021; 42: 1603960. https://doi.org/10.3389/PHRS.2021.1603960
- 24. Masibo, R. ., Mndeme, E., and Nsimba, S. E. An assessment of knowledge, attitudes and practices of psychoactive substance use among secondary school students in Dodoma Municipality, Tanzania. American Journal of Research Communication, 2013; 1(4): 200–400. http://usa-journals.com/wp-content/uploads/2013/03/Masibo\_Vol14.pdf
- 25. McHugh, R. K., Votaw, V. R., Sugarman, D. E., and Greenfield, S. F. Sex and gender differences in substance use disorders. Clinical Psychology Review, 2018; 66: 12–23. https://doi.org/https://doi.org/10.1016/j.cpr.2017.10. 012
- Messer, T., Lammers, G., Müller-Siecheneder, F., Schmidt, R.-F., and Latifi, S. Substance abuse in patients with bipolar disorder: A systematic review and meta-analysis. Psychiatry Research, 2017; 253: 338–350. https://doi.org/https://doi.org/10.1016/j.psychres.201 7.02.067
- 27. Nath, A., Choudhari, S. G., Dakhode, S. U., Rannaware, A., and Gaidhane, A. M. Substance Abuse Amongst Adolescents: An Issue of Public Health Significance. Cureus, 2022; 14(11): e31193. https://doi.org/10.7759/cureus.31193
- 28. Nurmala, I., Muthmainnah, Hariastuti, I., Devi, Y. P., and Ruwandasari, N. The Role of Knowledge, Attitude, Gender, and School Grades in Preventing Drugs Use: Findings on Students' Intentions to Participate in Peer Education Program. Journal of Public Health Research, 2021; 10(3):

www.ejpmr.com | Vol 11, Issue 7, 2024. | ISO 9001:2015 Certified Journal | 535

- jphr.2021.1972. https://doi.org/10.4081/jphr.2021.1972
- Oaikhena, K. The impact of substance abuse and addiction on ethics and values among students.
   Journal of Educational Evaluation and Counselling Psychology, 2019; 3: 188–203.
- 30. Onigbogi, O., Ojo, O., and Babalola, O. Prevalence of Substance Abuse among Secondary School Students in Lagos State of Nigeria. European Scientific Journal, ESJ, 2023; 19: 67. https://doi.org/10.19044/esj.2023.v19n15p67
- 31. Otieno, A., and Ofulla, A. Drug abuse in Kisumu town western Kenya. African Journal of Food, Agriculture, Nutrition and Development, 2009; 9(3): 846–858. https://doi.org/10.4314/ajfand.v9i3.43010
- 32. Schaefer, P. (2016). Choices and Consequences: What to do When a Teenager Uses Alcohol/Drugs. Johnson Institute. USA.
- Selamu, L. G., Abreha, E. K., and Feyissa, I. Drug and Substance Abuse Knowledge and Attitudes among Youth in Addis Ababa Ethiopia. Journal of Substance Abuse and Alcoholism, 2017; 5(2): 1056.
- 34. Shah, R., Sabir, I., and Khan, S. A. Student's Risk Perception and Attitude towards Drug Abuse in Educational Institutions of Pakistan. Global Sociological Review, V(IV), 2020; 19-29. https://doi.org/10.31703/gsr.2020(V-IV).03
- 35. Siringi, I., and Waihenya, A. (2017). Alarm over drugs. Kenya. In Daily nation Nairobi. Nation Media group
- 36. Soremekun, R., Bukola, F., and Oluwatosin Caleb, A. Prevalence and perception of drug use amongst secondary school students in two local government areas of Lagos State, Nigeria. South African Journal of Psychiatry, 2020; 26: a1428. https://doi.org/10.4102/sajpsychiatry.v26i0.1428
- 37. Ugwulebo, J. (2017). Substance abuse among youths. Retrieved from www.researchgatenet

www.ejpmr.com Vol 11, Issue 7, 2024. ISO 9001:2015 Certified Journal 536