





SWEDISH TYPE APPROVAL 1566

WITH DECISION ON PRODUCTION CONTROL

Holder: Oras Ltd

P.O. Box 40, 261 01 Rauma, Finland

Phone: (+46) 21 81 61 31

E-mail: info.sweden@oras.com Homepage: www.oras.com

Oras Electra touchless washbasin faucets

Product description

Touchless washbasin faucets of brass (EN15091) for cold or premixed water. The faucets are equipped with litter filter, non-return valve and Oras autofocus sensor.

Intended use

Touchless faucets for hot and cold tap water intended to be used in washbasins.

Scope

Models:

6188Z and 6189Z

Approval

The products meet the requirements of Chapter 8, Section 4, of the "Planning and Building Act" (PBA) regarding the technical characteristics of construction works, 3. Protection regarding hygiene, health and the environment, depending on, that what is stated in this approval is followed. The products are approved according to the following section(s) of "Boverket's Building Regulations" (BBR):

Construction products with assessed properties Tap water installations 6:62

Tap water flow 6:623 (first sentence)

6:624 Backflow

6:625 (1st and 4th paragraph) Design

Marking

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Holder: Oras Ltd

Product name, and relevant article number:

Production site:

Traceability to the production:

Information about requirements or class, if relevant:

The registered trademark of Boverket No 241 217:

Certification Body: Accreditation number:

Type Approval No:

Inspection Body:

Product name (article number) Applicable manufacturer or ID code (e.g. yyyy-mm-dd or batchnumber)

4

1913

1566

Kiwa Certification AB (5)

Kiwa Certification AB



Campus Gräsvik 1 SE-371 75 Karlskrona Sweden

Tel +46 (0)455-30 56 00 Fax +46 (0)455-104 36 se.bygg@kiwa.com www.kiwa.se



Production site:

Isometsäntie 2, P.O. Box 40, FI-261 01 Rauma, Finland

Control

The manufacturers' continuing internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **Kiwa Certification AB**Inspection agreement: 1168/17

Factory production control shall be carried out in accordance with the current instructions for control.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to the current agreement and that the holder annually fulfils the requirement in "Boverket's regulations and general recommendations for type approval", BFS 2013:6, § 5 (TYP 7), on continuing internal control. The holder shall annually, at the latest on the 15th of December, report to Kiwa Certification AB at the e-mail address se.annualreporting@kiwa.com about continuing surveillance.

Associated documents

Instructions manual 943209-09-17

The assessment basis for the approval

Test report S-03507-18 by Eurofins Expert Service. Material report EUFI29-20002034-T1 by Eurofins Expert Service. Material report A061/24.1, A061/24.3 and A224/23 by Applus IMA. Material report 143869 by Cupori.

Comments

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Certification AB.

Junio Kulsson

Date of decision: 2024-04-24 Registration number: 049/2024

Valid until: 2029-04-23 Previous registration number: 012/2020

Kasem Bjelevac Jennie Karlsson