

44799

216-PIECE TOOL SET WITH HEXAGONAL SOCKETS

TECHNICAL SPECIFICATIONS

Pieces	216
Square measure	1/4", 3/8", 1/2"
Finish	Cincado/Zinc finish
Material	Cr-V / AC/Carbon steel
Weight	10.5Kg
Dimensions (LxWxH)	480x320x110mm



44799

216-PIECE TOOL SET WITH HEXAGONAL SOCKETS

SUMMARY

The toolbox contains:

Hex Sockets:

- Long 3/8": 10mm, 11mm, 12mm, 13mm, 14mm, 15mm
- Short 3/8": 10mm to 19mm
- 1/2": 13mm to 32mm
- 1/4" zinc plated: 4mm to 14mm
- 1/4" long 50mm: 4mm to 10mm
- 1/2" long 75mm: 16mm, 17mm, 18mm, 19mm, 22mm

Torx Sockets (E-Torx):

- 3/8": E10, E11, E12, E14, E16
- 1/2": E20, E22, E24
- 1/4": E4, E5, E6, E7, E8

Screwdriver Sockets (bits with socket):

- Torx (TX and tamper-proof): T8 to T70
- Phillips (PH): 0, 1, 2
- Pozidriv (PZ): 0, 1, 2
- Flat (SL): 4mm, 5.5mm, 6.5mm, 7mm
- Hex (Allen): 3mm, 4mm, 5mm, 6mm

Hex Spark Plug Sockets:

- 1/2": 16mm, 21mm
- 3/8": 18mm

Bits:

Allen (hex)

- Allen 6 tip: H2, H2.5, H3, H4, H5, H6
- Allen 8 tip: 7mm, 8mm, 10mm, 12mm

**44799****216-PIECE TOOL SET WITH HEXAGONAL SOCKETS****SUMMARY**

Torx (TX & tamper-proof)

- Allen 6 tip: TX T5 to T45
- Allen 8 tip: TX T40 to T60
- 5-point: T50

Phillips (PH) and Pozidriv (PZ)

- PH: 2, 3, 4 (allen 8)
- PZ: 2, 3, 4 (allen 8)

Flat (SL)

- Allen 6: 8mm, 10mm, 12mm
- Allen 8: 8mm, 10mm, 12mm

Ribe

- Allen 6: M5 to M9
- Allen 8: M10 to M13

Other types:

- Tri-point: 1 to 4
- Square: 0 to 3
- Tensor: 4, 6, 8, 10
- Butterfly: 1, 2, 3

XZN (multi-spline)

- Allen 6: 5mm, 6mm, 8mm
- Allen 8: 10mm, 12mm

Wrenches:

- Combination wrenches: 8mm to 19mm
- Individual Allen keys: 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm

Ratchets, handles, and accessories:

JBM CAMPLLONG S.L.

CIM LA SELVA - CTRA. AEROPORT KM. 1.6 NAU 2.2 CP 17185
VILOBÍ D'ONYAR - GIRONA - ESB17419292 - SPAIN

www.jbmcamp.com
More information
Ref.

44799**216-PIECE TOOL SET WITH HEXAGONAL SOCKETS****SUMMARY**

Ratchets

- 1/4": 145mm
- 3/8": 200mm
- 1/2": 255mm

Universal joints

- 1/4", 3/8", 1/2"

Extension bars

- 1/4": 50mm, 100mm
- 3/8": 125mm
- 1/2": 125mm, 250mm

Adapters

- 3/8" female to 1/2" male tamper-proof
- 1/2" and 3/8" for 8mm heads
- 1/4" x 6mm hex

Handles

- 1/4" screwdriver handle
- Sliding (T) handle 1/4"

Others:

- Magnetic screwdriver