

## ref. 53118

# **COFFRET POUR DÉMONTAGE AMORTISSEURS**

#### **Fonction**

Cet ensemble de 39 pièces est conçu pour le retrait et l'installation des amortisseurs sur les véhicules.



## **Spécifications Techniques**

Dimensions	57.5x7.5x41.5cm
Poids	6.66kg
Matériau	CRV 6140
	CRMO SCM415
	CRV 50BV30

## Comprend

	10 5 v 3 5 mm	VW Golf Rear Axle				D5	Nissan
		VW Golf Front Axle	00	CrV 6140	= 0	D10	Nissan, Ford
CrMo SCM415		VW Polo, Golf, Passat, Audi 80		017 0170 }		8 mm	Mercedes-Benz
	14.5 x 3 mm	Austin Maestro	_		_ ^	9 mm	Ope/Vauxhall, Chrysler
	14 x 2.5 mm	Mercedenz Benz W203 (C-class), W209 (CLK)				10 mm	Chrysler, Ford
CrV 50BV30	14 mm	Honda, Nissan		CrV 6140		11 mm	Japanese Cars
	16 mm	VW, Audi, Seat, Fiat	STEEL 8660		5 mm	Honda	
	17 mm	Ford, VW, Audi, Seat, Fiat		= ^	6 mm	Seat, Fiat, Citroen, Peugot, Ford, Opel,	
	18 mm	Ford, VW, Audi, Seat, Rover, Fiat, Opel, Peugot, Renault, Japanese Cars			Renault, Japanese Cars, BMW		
	19 mm	VW, Audi, Seat, Citroen, Fiat, Opel, Peugot, Toyota			7 mm	VW, Audi, Seat, Fiat, Citroen, Peugot,	
	21 mm	Mercedenz-Benz W203, Chrysler, VW, Audi, Ford, Japanese Cars			Mercedes-Benz (W203), Renault		
	22 mm	VW, Audi, Seat, Citroen, Fiat, Opel, Peugot, Renault, BMW				8 mm	Mercedes-Benz
	24 mm	Volvo				3 mm	Mercedes-Benz, Opel, Renault
	27 mm	VW, Audi, Citroen, Peugot	0 0	>		3.5 mm	Chrysler, Ford, Citroen, Peugot
① CrV 6140	4 mm	Nissan		STEEL 8660		4 mm	Citroen, Peugot
	5.2 mm	VW, Audi, Nissan	\$ €	<b>=</b>	3 0	M12	Opel/Vauxhall
	6 mm	VW, Audi, Renault	1	STEEL 8660			
	6.3 mm	Nissan	0		3 0	T50	Nissan, Ford
	7 mm	VW, Audi, Seat, Fiat		STEEL 8660		T60	Ford
	8 mm	Seat, Fiat					
	9 mm	Japanese Cars					
	10 mm	Seat, Fiat, Volvo					
	12 mm	Seat, Fiat					