



ref. 53118

KIT PARA DESMONTAR AMORTIGUADORES

Función

Este kit de 39 piezas está diseñado para la extracción y el montaje de amortiguadores de los vehículos.

Especificaciones técnicas

Medidas	57.5x7.5x41.5cm				
Peso	6.66kg				
Material	CRV 6140				
	CRMO SCM415				
	CRV 50BV30				



Incluye

	10.5 x 3.5 mm	VW Golf Rear Axle					D5	Nissan
CrMo SCM415	12.5 x 3.5 mm	VW Golf Front Axle	0	CrV	6140	0	D10	Nissan, Ford
	14.5 x 5 mm	VW Polo, Golf, Passat, Audi 80					8 mm	Mercedes-Benz
	14.5 x 3 mm	Austin Maestro	0		CrV 6140	0	9 mm	Ope/Vauxhall, Chrysler
	14 x 2.5 mm	Mercedenz Benz W203 (C-class), W209 (CLK)					10 mm	Chrysler, Ford
CrV 50BV30	14 mm	Honda, Nissan		CrV			11 mm	Japanese Cars
	16 mm	VW, Audi, Seat, Fiat					5 mm	Honda
	17 mm	Ford, VW, Audi, Seat, Fiat	ا ا			0	6 mm	Seat, Fiat, Citroen, Peugot, Ford, Opel,
	18 mm	Ford, VW, Audi, Seat, Rover, Fiat, Opel, Peugot, Renault, Japanese Cars				Renault, Japanese Cars, BMW		
	19 mm	VW, Audi, Seat, Citroen, Fiat, Opel, Peugot, Toyota		STEEL 8660			7 mm	VW, Audi, Seat, Fiat, Citroen, Peugot,
	21 mm	Mercedenz-Benz W203, Chrysler, VW, Audi, Ford, Japanese Cars						Mercedes-Benz (W203), Renault
	22 mm	VW, Audi, Seat, Citroen, Fiat, Opel, Peugot, Renault, BMW					8 mm	Mercedes-Benz
	24 mm	Volvo					3 mm	Mercedes-Benz, Opel, Renault
	27 mm	VW, Audi, Citroen, Peugot	0 🖂	\Box		0	3.5 mm	Chrysler, Ford, Citroen, Peugot
① CrV 6140	4 mm	Nissan		STEEL 8660			4 mm	Citroen, Peugot
	5.2 mm	VW, Audi, Nissan	፨≡	₹		0	M12	Opel/Vauxhall
	6 mm	VW, Audi, Renault		STEEL 8660				
	6.3 mm	Nissan	0				T50	Nissan, Ford
	7 mm	VW, Audi, Seat, Fiat		STEE	EL 8660		T60	Ford
	8 mm	Seat, Fiat						
	9 mm	Japanese Cars						
	10 mm	Seat, Fiat, Volvo						
	12 mm	Seat, Fiat						