



JBM CAMPLLONG, S.L.

CERTIFICADO DE CONFORMIDAD CE

CONCEPTO: Conformidad CE para Equipos de Taller
Producto: Pistola de Impacto Nano ½" (1070NM)
Artículo nombrado por el fabricante: YF-417JG

Importado por: JBM CAMPLLONG, S.L.
Distribuido por: JBM CAMPLLONG, S.L.
Dirección: CIM La Selva – Crta. Aeroport Km 1.6 Nave 2.2, 17185 Vilobí d'Onyar
CIF: B17419292

Detalles del producto:
Referencia del distribuidor: 53460
Alimentación: Neumática
Conformidad con los estándares EN ISO 11148-6:2012, EN ISO 28927-2:2009/A1:2017,
EN ISO 15744:2008 y la directiva 2006/42/EC



JBM
JBM CAMPLLONG S.L.
CIM LA SELVA - Crta. de l'aeroport Km. 1,6 Nau 2,2
Parcel·la 2,2 Nau 1 - 17185 VILOBÍ D'ONYAR
GIRONA - SPAIN
Tel. 972 24 55 33 - Fax +34 972 24 54 37

Certificate No.: CE-N-0102-18-02-01-2A

Date of Issue: 2018.02.28



Certificate of Conformity

(Fm 210-016, Rev. 9)

With the requirements of the Machinery Directive 2006/42/EC

NAME AND ADDRESS OF THE
MANUFACTURER:

PRODUCT DESCRIPTION/ TYPE
AND MODEL:

Air Impact Wrench
Model details see the supplement of the certificate

APPLICABLE STANDARDS:

EN ISO 11148-6:2012 Hand-held non-electric power tools - Safety requirements - Part 6: Assembly power tools for threaded fasteners
EN ISO 28927-2:2009/A1:2017 Hand-held portable power tools - Test methods for evaluation of vibration emission - Part 2: Wrenches, nutrunners and screwdrivers
EN ISO 15744:2008 Hand-held non-electric power tools - Noise measurement code - Engineering method (grade 2)

TECHNICAL FILE REF. NO.:

TF-N-0102-18-02-01-2A
Report No.: 17054

Based on a voluntary assessment, the technical file, accompanying documentation and the equipment which they describe have been found to be in compliance with the requirements of the Machinery Directive 2006/42/EC.

The responsible person defined above has responsibility for ensuring that all future serial manufacture of the machinery conforms to the specification detailed in the technical documentation referenced above.

A CE marking should not be fixed to the equipment until the requirements of all relevant directives have been met.

Approved by: JY. Liu - Managing Director

Date: 2018-02-28

CCQS UK Ltd.

5 Harbour Exchange Square,
London, E14 9GE, UK

Tel: +44(0)20 7868 1509

Email: info@ccqs.co.uk

If in any doubt about the integrity of this certificate,
please verify it on our website at
<http://www.ccqs.co.uk>



Supplement of the certificate No.: CE-N-0102-18-02-01-2A



This supplement is only valid in conjunction with the certificate No.: CE-N-0102-18-02-01-2A, Page 1/1

Product description:

Air Impact Wrench

No.	Product Model(s)	Product Name	Major rating	Difference Among models
1	YF-217J YF-217JQ	Air Impact Wrench	Max. Pressure 6.3 bar (90 psi), Jumbo hammer, reversible, 1/2" square drive, 9 500 / 8000 rpm.	- With muffler
2	YF-218T YF-218TQ	Air Impact Wrench	Max. Pressure 6.3 bar (90 psi), Twin hammer, reversible, 1/2" square drive, 10 000 / 8 000 rpm.	- With muffler
3	YF-238T YF-238TQ	Air Impact Wrench	Max. Pressure 6.3 bar (90 psi), Twin hammer, reversible, 1/2" square drive, 12 000 / 9 500 rpm.	- With muffler
4	YF-417JG YF-417JGQ	Air Impact Wrench	Max. Pressure 6.3 bar (90 psi), Jumbo hammer, reversible, 1/2" square drive, 10 000 / 8 500 rpm.	- With muffler

End of Supplement