



**JBM CAMPLLONG, S.L.**  
PRODUCTES D'AUTOMOCIÓ

## CERTIFICADO DE CONFORMIDAD CE

CONCEPTO: Conformidad CE para Equipos de Taller  
Producto: Pistola de impacto nano 1/2" – 1302Nm  
Artículo nombrado por el fabricante: SM-43-4002

Importado por: JBM CAMPLLONG, S.L.  
Distribuido por: JBM CAMPLLONG, S.L.  
Dirección: CIM La Selva – Crta. Aeroport Km 1.6 Nave 2.2, 17185 Vilobí d'Onyar  
CIF: B17419292

Referencia del distribuidor: 53588  
Alimentación: Neumática  
Conformidad con la directiva de maquinaria 2006/42/EC  
Conformidad con los estándares:  
EN ISO 12100:2010 (Risk Assessment & Risk Reduction)  
EN ISO 11148-11:2011 (Safety requirements)  
EN ISO 28927-7:2009 (Vibration level)  
EN ISO 15744:2008 (Noise level)



**JBM**

**JBM CAMPLLONG, S.L.**

CIM LA SELVA - Crta. de l'Aeroport Km. 1,6 Nau 2.2  
Parcel·la 2.2 Nau 1 - 17185 VILOBÍ D'ONYAR  
GIRONA - SPAIN

Tel. 972 24 55 33 - Fax +34 972 24 54 37

## EC DECLARATION OF CONFORMITY

---

We, :

declares under our sole responsibility that the product to which this declaration relates, is in conformity with the requirements of New Machinery Directive of 2006/42/EC on the approximation of the laws of the Member States relating to machinery.


**Type: 53588 / SM-43-4002 1/2" Stubby Impact Wrench – Jumbo Hammer**

National Standards Applied:

1. ISO 12100: 2010 (Risk Assessment & Risk Reduction)
2. ISO 11148-6: 2012 (Safety Requirements)
3. EN 28927-2: 2009 (Vibration level)
4. EN ISO15744: 2008 (Noise level)

**Technical Data:** Free Speed : 10,000 rpm  
Anvil Size: 1/2" (13mm)  
Loosening Torque: 1,302 Nm  
Max. Torque 678 Nm  
Working Torque Range: 34-407 Nm  
Air Inlet: 1/4"  
Hose Size: 3/8" (10mm)  
Air Pressure 90 psi (6.2 bar)  
Air Consumption 4 cfm (113 L/min.)  
Length: 109 mm  
Weight: 1.44 kgs

**Tool Data:** This tool produces a noise level (no load) of 88.36 dBA sound pressure and 99.36 dBA sound power (loaded) of 93.48 dBA sound pressure and 104.48 dBA sound power per EN ISO15744:2008. Vibration level is 7.59 m/s<sup>2</sup>  
Tested per EN 28927-2, the uncertainty, K=1.25 m/s<sup>2</sup> .



Signature of Issuer: \_\_\_\_\_

Name & Position of Issuer: Lung-Pao Chen, Plant Manager

Date of Issue: March 25, 2019