

EU DECLARATION OF CONFORMITY

Distributed by: JBM CAMPLLONG, S.L.U.

Address: CIM La Selva – Crta. Aeroport Km 1.6 Nave 2.2, 17185 Vilobí d'Onyar, Girona

CIF (VAT number): B17419292

Product's description: IMPACT WRENCH

Manufacturer's reference: RP7451

Distributor's reference: 53608

The declaration object complies with the Directives 2006/42/EC (Machinery Directive); and the following standards:

Standard Title Edition/ Date

EN ISO 11148-6 Hand-held non-electric power tools - Safety 2012

requirements - Part 6: Assembly power tools for

threaded fasteners

Signed by:



Eduard Godoy

SOUT ΤΟΥ SÜD TÜV SÜD TÜV SÜD TÜN SÜD TÜV SÜD TÜV SÜD TÜV SÜD, TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD ◆ CEPTUФUKAT ◆ CERTIFICADO ◆ CERTIFICAT CERTIFICATE ◆ ERTIFIKAT

CE



Attestation of Conformity

No. M8A 077783 0069 Rev. 00

Holder of Certificate:

Product:

Air impact wrenches

This Attestation of Conformity is issued on a voluntary basis according to Council Directive 2006/42/EC relating to machinery. It confirms that the listed equipment (not Annex IV equipment) complies with the principal protection requirements of the directive. It refers only to the sample submitted to TÜV SÜD Product Service GmbH for teating and certification. See also notes overleaf.

Test report no.:

7043613120403-01

Date,

2019-05-29

(Junjie Xu)



Page 1 of 2

After preparation of the necessary technical documentation as well as the EC declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

CE



Attestation of Conformity

No. M8A 077783 0069 Rev. 00

Model(s):

RP7451

Parameters:

Overall dimensions (mm):

188×184×68

Max. operating pressure (bar):

6.3

Net weight (Without accessories)(kg);

2.12

Tested according to:

EN ISO 11148-6:2012

Page 2 of 2

After preparation of the necessary technical documentation as well as the EC declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.