

53927

BATTERY CHARGER 6/12V

TECHNICAL SPECIFICATIONS

Maximum input voltage	100-200V
Maximum output voltage	7,2V
Power	60W
Maximum charging current	3,6A
Minimum charging current	0,9A
Operating temperature	0/40°C
Input cable length	1,5m
Output cable length	1,5m
Type	Carga automática/Autor charge
Compatible with	Baterías/Batteries 6-12V
Weight	0,65Kg



**53927****BATTERY CHARGER 6/12V****SUMMARY**

Compact and easy to use, this charger is ideal for quickly recharging car batteries. Its 60W power allows efficient charging, with an automatic 8-step system that monitors voltage to keep the battery in optimal condition and prevent overcharging.

Compatible with 6V and 12V lead-acid batteries (wet, GEL, MF, and AGM), it adjusts voltage and current according to battery type and conditions, ensuring safety and performance. Includes 1.5m cables and operates in a temperature range of 0 to 40°C.

Main specifications:

- Input: 100-240VAC 50/60Hz
- Output: 7.2VDC (6V) / 14.4VDC (12V)
- Maximum current: 3.6A
- Weight: 0.55 kg

CHARGING VOLTAGE:

- Standard 6V batteries: 7.2V
- Standard 12V batteries: 14.4V
- Cold or AGM 6V batteries: 7.4V
- Cold or AGM 12V batteries: 14.7V
- Maximum charging current: 3.6A
- Minimum charging current: 0.9A