

54800

CRANKSHAFT PULLEY TOOL FOR HONDA AND ACURA - 1/2"

TECHNICAL SPECIFICATIONS

Pieces	1
Material	Cr-Mo
Diameter	50mm ~ 1/2"
Weight	1,00Kg
Dimensions (LxWxH)	120x70x53mm



54800**CRANKSHAFT PULLEY TOOL FOR HONDA AND ACURA - 1/2"****SUMMARY**

Crankshaft Pulley tool feature applicable for easy removal and installation of crank pulley bolts of most Honda and Acura engines.

Material: Chrome Molybdenum Steel Alloy.

- This crank pulley removal tool is used with a 1/2in breaker bar or ratchet to prevent the harmonic damper pulley from spinning when you remove and set the final torsion specification on the pulley bolt. When servicing the engine and powertrain, it can be used for removal and installation, greatly improving convenience.

- The tool is compatible with a 50 mm socket with a 1/2" drive breaker bar.

- The design of applying a hexagonal shape with a hole in the center of the tool allows the use of a socket and extension to help loosen or tighten the pulley bolt.

FITMENT:

- Honda Accord 1990/1997 2.2L 4 cyl.
- Honda Accord 1996/1997 2.7L V-6.
- Honda Accord 1998 newer 2.3L 4 cyl. & 3.0L V-6.
- Honda Civic 1992 newer 1.6L 4 cyl.
- Honda CR-V 1997 newer 2.0L 4 cyl.
- Honda Del Sol 1993/1997 1.6L 4 cyl.
- Honda Insight 2000 newer 1.0L 3 cyl.
- Honda Odyssey 1995/1997 2.2L 4 cyl.
- Honda Odyssey 1998 2.3L 4 cyl.
- Honda Odyssey 1999 newer 3.5L V-6.
- Honda Prelude 1992 newer 2.2L 4 cyl.
- Honda Prelude 1992/1996 2.3L 4 cyl.
- Honda S2000 2000 newer 2.0L 4 cyl.
- Acura CL 1997 2.2L 4 cyl.
- Acura CL 1997/1998 3.0L V-6.
- Acura CL 1998/1999 2.3L 4 cyl.

54800

CRANKSHAFT PULLEY TOOL FOR HONDA AND ACURA - 1/2"

SUMMARY

- Acura CL 2000 newer 3.2L V-6.
- Acura Integra 1990/1992 1.6L 4 cyl.
- Acura Integra 1992/1993 1.7L 4 cyl.
- Acura Integra 1993 newer 1.8L 4 cyl.
- Acura Legend 1991/1995 3.2L V-6.
- Acura RL 1996 newer 3.5L V-6.
- Acura TL 1995 newer 3.2L V-6.

Applications: Crank bolt removal and installation when servicing vehicle engines, powertrains, water pumps, timing belts or other accessories.

APPLICATION

ACURA CL 1998/1999 2.3L 4 CILINDROS.
ACURA TL 1995 EN ADELANTE 3.2L V-6.
HONDA ACCORD 1996/1997 2.7L V-6.
HONDA ODYSSEY 1999 EN ADELANTE 3.5L V-6.
ACURA CL 1997 2.2L 4 CILINDROS.
ACURA CL 1997/1998 3.0L V-6.
ACURA CL 2000 EN ADELANTE 3.2L V-6.
ACURA INTEGRA 1990/1992 1.6L 4 CILINDROS.
ACURA INTEGRA 1992/1993 1.7L 4 CILINDROS.
ACURA INTEGRA 1993 EN ADELANTE 1.8L 4 CILINDROS.
ACURA LEGEND 1991/1995 3.2L V-6.
ACURA RL 1996 EN ADELANTE 3.5L V-6.
HONDA ACCORD 1990/1997 2.2L 4 CILINDROS.
HONDA ACCORD 1998 EN ADELANTE 2.3L 4 CILINDROS Y 3.0L V-6.
HONDA CIVIC 1992 EN ADELANTE 1.6L 4 CILINDROS.
HONDA CR-V 1997 EN ADELANTE 2.0L 4 CILINDROS.
HONDA DEL SOL 1993/1997 1.6L 4 CILINDROS.
HONDA INSIGHT 2000 EN ADELANTE 1.0L 3 CILINDROS.
HONDA ODYSSEY 1995/1997 2.2L 4 CILINDROS.
HONDA ODYSSEY 1998 2.3L 4 CILINDROS.
HONDA PRELUDE 1992 EN ADELANTE 2.2L 4 CILINDROS.
HONDA PRELUDE 1992/1996 2.3L 4 CILINDROS.
HONDA S2000 2000 EN ADELANTE 2.0L 4 CILINDROS.