



EU DECLARATION OF CONFORMITY

Distributed by: JBM CAMPLLONG, S.L.U.

Address: CIM La Selva – Crta. Aeroport Km 1.6 Nave 2.2, 17185 Vilobí d'Onyar

CIF (VAT number): B17419292

Product's description: Brushless angle grinder

Manufacturer's reference: 96602-125

Distributor's reference: 60028

The declaration object complies with the directive 2006/42/EC (MACHINERY); and the following standards:

Standard	Title	Edition/ Date
EN 60745-1	Hand-held motor-operated electric tools - Safety - Part 1: General requirements.	2009/A11:2010
EN 60745-2-3	Hand-held motor-operated electric tools - Safety - Part 2-3: Particular requirements for grinders, polishers and disk-type sanders-	2011/A13:2015

Signed by:



Eduard Godoy

Girona, 1st of February 2021



Product Service

Attestation of Conformity

No. M8A 097526 0232 Rev. 00

Product: Angle grinder
BRUSHLESS ANGLE GRINDER

This Attestation of Conformity is issued on a voluntary basis according to Council Directive 2006/42/EC relating to machinery. It confirms that the listed equipment (not Annex IV equipment) complies with the principal protection requirements of the directive. It refers only to the sample submitted to TÜV SÜD Product Service GmbH for testing and certification. See also notes overleaf.

Test report no.: 704031915543-00

Date, 2019-10-11

(Wenli Tang)

Page 1 of 2

After preparation of the necessary technical documentation as well as the EC declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TUV®



Product Service

Attestation of Conformity

No. M8A 097526 0232 Rev. 00

Model(s): 96602-100, 96602-100K, 96602-100-18, 96602-100K-18, 96602-115, 96602-115K, 96602-115-18, 96602-115K-18, 96602-125, 96602-125K, 96602-125-18, 96602-125K-18

Parameters:

Model: 96602-100, 96602-100K
 Rated voltage: 20Vd.c.
 Rated speed: 8000/min
 Rated capacity: 100mm
 Model: 96602-100-18, 96602-100K-18
 Rated voltage: 18Vd.c.
 Rated speed: 8000/min
 Rated capacity: 100mm
 Model: 96602-115, 96602-115K
 Rated voltage: 20Vd.c.
 Rated speed: 8000/min
 Rated capacity: 115mm
 Model: 96602-115-18, 96602-115K-18
 Rated voltage: 18Vd.c.
 Rated speed: 8000/min
 Rated capacity: 115mm
 Model: 96602-125, 96602-125K
 Rated voltage: 20Vd.c.
 Rated speed: 8000/min
 Rated capacity: 125mm
 Model: 96602-125-18, 96602-125K-18
 Rated voltage: 18Vd.c.
 Rated speed: 8000/min
 Rated capacity: 125mm

Tested according to: EN 60745-1:2009/A11:2010
 EN 60745-2-3:2011/A13:2015