



REVIEW ON EFFECTS OF RADIATION ON ADULT AND CHILDRENG

Jenifer*, J. Jeya Ananthi¹, S. R. Senthilkumar², R. Ramprasad³, Nilsha Anil⁴

Arulmigu Kalasalingam College of Pharmacy, Anandnagar, Krishnankoil-626126.

***Corresponding Author: Jenifer**

Arulmigu Kalasalingam College of Pharmacy, Anandnagar, Krishnankoil-626126.

Article Received on 10/02/2021

Article Revised on 02/03/2021

Article Accepted on 22/03/2021

ABSTRACT

Mobile communication is now essentially ruling our daily lives through better connectivity and intelligent Smartphone services. There has been a tremendous growth in Indian communication industry along with growing concerns regarding health effects of mobile radiation exposure. As our lives are increasingly spent staring at phones, laptops and televisions. Possible adverse health effects in inhabitants living near mobile base station, Symptoms like headache, fatigue, dizziness, sleep disturbances, cardiovascular symptoms, depression and difficulties with concentration and memory. Children are also use laptops, tablets and other devices directly on their bodies are worrisome. Radiating fields are at the highest intensity at zero-distance, and are likely used in the lap for long durations of time. This increases the potential health risks, especially in children. Their parents may think giving their children cell phones is great for safety reasons, as children are then able to communicate with them or ask for help at any time. However, it is important for educated parents to realize that cell phones and other mobile devices may pose a danger in itself to their young.

KEYWORDS: Mobile, Radiation, Electromagnetic, Health.

INTRODUCTION

This topic of radiation risk and medical imaging applies to all ages. However, it is particularly important in children. Children are relatively more vulnerable to radiation than adults. This is in part due to the fact that there is a longer life expectancy in which to manifest potential radiation induced cancers, which can be life-long. Cell phones are used electromagnetic radiation in microwave range around 2.5GHS. Cell phone technology uses radiation in the giga hertz range.^[1,2,3] Radio wave emitted from mobile phone is absorbed by human. The rate at which radiation is absorbed by the human body is measured by the Specific Absorption Rate (SAR) and its maximum level of handset is set between 1.6 to 2w/kg, averaged for 1gm tissue.^[4,5,6] If SAR limit is above the limit, it may cause both thermal and non-thermal effects on the body especially on the ear, eyes and head.^[7,8,9]

Mobile Radiation

Mobile phone radiation and health concerns have been raised, especially following the enormous increase in the use of wireless mobile telephony throughout the world. This is because cell phones use Electromagnetic radiation in the Microwave range. These concerns have induced a large body of research in animals and in humans.^[10,11,12]

Nuclear radiation typically results from a few primary sources including neutrons, gamma rays, beta particles,

and alpha particles. Just as with cell phone radiation, these particles emit energy in the form of a wave that then passes through the human body. Unlike the waves emitted from the aforementioned sources, nuclear radiation is much more likely to cause bodily harm.^[13,14,15]

There are two types of radiation: ionizing and non-ionizing.

Ionizing radiation

Ionizing radiation, flow of energy in the form of atomic and subatomic particles or electromagnetic waves that is capable of freeing electrons from an atom, causing the atom to become charged (or ionized). Ionizing radiation includes the more energetic end of the electromagnetic spectrum (X-rays and gamma rays) and subatomic particles, such as electrons, neutrons, and alpha particles (helium nuclei each comprising two protons and two neutrons). Here we are concerned with only one type of radiation, ionizing radiation, which occurs in two forms: waves or particles. There are several forms of electromagnetic radiation, which differ only in frequency and wavelength:

- infrared light
- visible light
- ultraviolet light
- X rays
- Gamma rays.

Longer wavelength, lower frequency waves such as heat and radio have less energy than shorter wavelength, higher frequency waves like X and gamma rays. Not all electromagnetic (EM) radiation is ionizing[16,17,18]. Only the high frequency portion of the electromagnetic spectrum, which includes X rays and gamma rays, is ionizing. (e.g., x-rays, radon, sunlight) is high frequency (and high energy).

Non-ionizing radiation: (low energy is low frequency) radiation.

The cell phones have non-ionizing radiation. Your phone sends radio frequency waves from its antenna to nearby cell towers. When you make a call, text, or use data, your phone receives radio frequency waves to its antenna from cell towers. Smart phones, laptops and other held devices also transmit light. These reactions with eye can be poisonous to the photo receptor cell molecules rendering them damaged. Blue light from your phone may permanently damaging eyes. Too much screen time also wreck our eyes. Pure black background with white font is really hard to read and it causes the halation. Dark mode cause eye strain.^[19,20,21]




Fig 1: Various elements emeting Radiofrequency and wavelength.





Fig 2: Transmeations of rayes in various medium.



Thermographic Image of the head with no exposure to harmful cell phone radiation. Thermographic Image of the head after a 15-minute phone call. Yellow and red areas indicate thermal (heating) effects that can cause nogaive health effects.

Fig 3: Before and after cell phone using thermographic humen head image.




Fig 4: Explanation of cell phone radiation peneteates the humen brain.




Fig 5: Explain the various radiation wave length producing harmful effect in living organisms.

Cell Phones and Vision Problem

Frequently using of mobile phones leads to eye strain, blurred vision, dry eyes, sore eyes and head ache. Lower level of radiation can cause permanent damage to the lens leads to vision loss and cataracts.^[22,23,24] Higher dose can damage the iris, conjunctiva, sclera and retina’s blood vessels. Low intensity of blue light from smart phones is killed human retinal cells.^[25,26,27] Short wave length blue light produced by low intensity displays such as smart phones have been identified as being damaging the human eye cells by a group of Koran researchers. A short wavelength blue light doubles the death rate in human retinal cell. Its 24hrs of exposure to the shortest wavelength blue light (449nm) caused the largest increase in ROS production. Almost twice as much as in control group which is kept in dark.^[28]

“Joshua duanaief” who research aging of retina at the university of Pennsylvania said that white light with blue wavelength peak at 449 nm, double the amount of cell death in dark control group.^[29,30] ‘This study suggests that is prudent to adjust the screen brightness than needed to do the work or enjoy the entertainment’

Smart Phone Affect a Children Development

Children who use smart phones and tablets are risk of potential irreversible eye damage because of the blue light emission from the digital devices. When give equal radiation dose, risk for children and adolescents are greater than for adults. Children are grown quickly and their cells are also more sensitive to radiation. The most common vision problem in school age children is blurry

vision, which are caused by near sight endless (myopia) far slighthness (hyperopic) and astigmatism results in blurry vision.^[31,32,33]

Physical health

Less sleep is less able to focus. Unhealthy sleep cycle as kids sleep more during day and less at night (every 15mins uses a smart phone, they loss 60 mins of sleep). Children can affect various physical problems such as weight loss/gain, insomnia, headache, poor nutrition and eye sight problem.^[34,35]

Mental health

Smartphone’s, those digital portals of constant information, have become so integrated into most Americans’ lives; they’re like extra yet essential appendages. Some 72 percent of Americans own a Smartphone, compared to the global median of 43 percent. But studies have shown that overuse can have a negative impact on your posture, eyesight, and hearing, not to mention distract drivers and pedestrians. More recently, researchers who study the relationship of mobile phone use and mental health have also found that excessive or “maladaptive” use of our phones may be leading to greater incidences of depression and anxiety in users.

- Behavior changes.
- May also become aggressive and easily irritable.
- Anxiety, loneliness, guilt, self-isolation, depression, agitation, mood swings.

Physical symptoms looking at your phone screen night cause

- Eye pain.
- Eye strain.
- Impaired vision.
- Blinking dysfunction.
- Eye dryness.
- Migraines.
- Photophobia

Preventions

- Blink, blink and blink again.
- Minimize glare.
- Take breaks.
- Adjust your brightness.
- Tweak your text size and contrast.
- Keep a clean screen.
- Hold your phone farther away.

Screen Time Guideline for Kids.

Younger than 18 months	Avoid use of screen media other than vide chatting with family members
Toddlers 18-24 months	Choose high-quality programming. Parents should watch it with children and help them to understand what they are seeing
Pre-schooler 2-5 years	Limit screen use time parents should co-view with children
Children aged six and older	Does not take the place of adequate sleep, physical activity and other behaviour essential to health

CONCLUSION

From this review we can know about how mobile radiation can affect the children as well as adults. More than adults the children are most affected by mobile radiation. The adults are to be aware when their children are left with mobile or any electronic gadget for entertainment, that there is risk for the child's health. We should provide good and healthy environment for our children.

REFERENCE

1. Frush DP. Radiation risks to children from medical imaging. *Revista Médica Clínica Las Condes*, 2013; 24(1): 15-20.
2. Hossmann KA, Hermann DM. Effects of electromagnetic radiation of mobile phones on the central nervous system. *Bioelectromagnetics: Journal of the Bioelectromagnetics Society, The Society for Physical Regulation in Biology and Medicine, The European Bioelectromagnetics Association*, 2003; 24(1): 49-62.
3. Kumar G. Radiation hazards from cell phones/cell towers. IIT Bombay, 2010.
4. Gupta PC. *Mobile Communications: Radio frequency electromagnetic field exposure and public safety* (Doctoral dissertation, Full Text-IIPA, New Delhi).
5. Bhargavi K, Balachandrudu KE, Nageswar P. Mobile phone radiation effects on human health. *International Journal of Computational Engineering Research*, 2013; 3(4): 196-203.
6. La Vignera S, Condorelli RA, Vicari E, D'Agata R, Calogero AE. Effects of the exposure to mobile phones on male reproduction: a review of the literature. *Journal of andrology*, 2012; 33(3): 350-6.
7. Gandhi OP, Morgan LL, De Salles AA, Han YY, Herberman RB, Davis DL. Exposure limits: The underestimation of absorbed cell phone radiation, especially in children. *Electromagnetic biology and medicine*, 2012; 31(1): 34-51.
8. Bhat MA, Kumar V. Calculation of SAR and measurement of temperature change of human head due to the mobile phone waves at frequencies 900 MHz and 1800 MHz. *Advances in Physics Theories and Applications*, 2013; 16.
9. Bauer J, O'Mahony C, Chovan D, Mulcahy J, Silien C, Tofail SA. Thermal effects of mobile phones on human auricle region. *Journal of thermal biology*, 2019; 79: 56-68.
10. Lacohee H, Wakeford N, Pearson I. A social history of the mobile telephone with a view of its future. *BT Technology Journal*, 2003; 21(3): 203-11.
11. El Wasife KY. *Experimental and theoretical in vitro study for the effect of electromagnetic waves produced by mobile phone base station on life tissues* (Doctoral dissertation, Sudan University of Science and Technology).
12. Bhargavi K, Balachandrudu KE, Nageswar P. Mobile phone radiation effects on human health. *International Journal of Computational Engineering Research*, 2013; 3(4): 196-203.
13. Ahmed SN. *Physics and engineering of radiation detection*. Academic Press, 2007; 12.
14. L'Annunziata MF, editor. *Handbook of radioactivity analysis*. Academic press, 2012; 1.
15. Gupta PK. *Radiation and Radioactive Materials*. In *Problem Solving Questions in Toxicology*, 2020; (pp. 241-251). Springer, Cham.
16. Guo K, Baidak A, Yu Z. Recent advances in green synthesis and modification of inorganic nanomaterials by ionizing and non-ionizing radiation. *Journal of Materials Chemistry A*, 2020; 8(44): 23029-58.
17. White SC, Pharoah MJ. *Oral radiology-E-Book: Principles and interpretation*. Elsevier Health Sciences; 2014 May 1.
18. Parke WC. *Ionizing Radiation and Life*. In *Biophysics*, 2020; (pp. 279-324). Springer, Cham.
19. Karipidis KK, Benke G, Sim MR, Kauppinen T, Giles G. Occupational exposure to ionizing and non-

- ionizing radiation and risk of glioma. *Occupational Medicine*, 2007; 57(7): 518-24.
20. Sowa P, Rutkowska-Talipska J, Sulkowska U, Rutkowski K, Rutkowski R. Ionizing and non-ionizing electromagnetic radiation in modern medicine. *Polish Annals of Medicine*, 2012; 19(2): 134-8.
 21. Guo K, Baidak A, Yu Z. Recent advances in green synthesis and modification of inorganic nanomaterials by ionizing and non-ionizing radiation. *Journal of Materials Chemistry A*, 2020; 8(44): 23029-58.
 22. Yan Z, Hu L, Chen H, Lu F. Computer Vision Syndrome: A widely spreading but largely unknown epidemic among computer users. *Computers in human behavior*, 2008; 24(5): 2026-42.
 23. Munshi S, Varghese A, Dhar-Munshi S. Computer vision syndrome—a common cause of unexplained visual symptoms in the modern era. *International Journal of Clinical Practice*, 2017; 71(7): 12962.
 24. Bali J, Neeraj N, Bali RT. Computer vision syndrome: A review. *Journal of clinical ophthalmology and research*, 2014; 2(1): 61.
 25. Buch J, Hammond B. Photobiomodulation of the Visual System and Human Health. *International Journal of Molecular Sciences*, 2020; 21(21): 8020.
 26. Marek V, Reboussin E, Dégardin-Chicaud J, Charbonnier A, Domínguez-López A, Villette T, Denoyer A, Baudouin C, Goazigo RL, Mélik Parsadaniantz S. Implication of melanopsin and trigeminal neural pathways in blue light photosensitivity in vivo. *Frontiers in neuroscience*, 2019; 13: 497.
 27. Bagheri N, Wajda B, Calvo C, Durrani A. *The Wills eye manual: Office and emergency room diagnosis and treatment of eye disease*. Lippincott Williams & Wilkins, 2016; 19.
 28. Gali H, Wharton T, Sarna T, Pawlaks A. PHOTODYNAMIC THERAPY WITH FULLERENES. *Fullerene Research Advances*, 2007; 1.
 29. King A, Gottlieb E, Brooks DG, Murphy MP, Dunaief JL. Mitochondria-derived Reactive Oxygen Species Mediate Blue Light-induced Death of Retinal Pigment Epithelial Cells. *Photochemistry and photobiology*, 2004; 79(5): 470-5.
 30. Hahn P, Ying GS, Beard J, Dunaief JL. Iron levels in human retina: sex difference and increase with age. *Neuroreport*, 2006; 17(17): 1803-6.
 31. Clark AJ, Yang P, Khaderi KR, Moshfeghi AA. Ocular tolerance of contemporary electronic display devices. *Ophthalmic Surgery, Lasers and Imaging Retina*, 2018; 49(5): 346-54.
 32. Álvarez C. How Does the Development of Technology Affect Visual Health?.
 33. Byrom B, McCarthy M, Schueler P, Muehlhausen W. Brain monitoring devices in neuroscience clinical research: the potential of remote monitoring using sensors, wearables, and mobile devices. *Clinical Pharmacology & Therapeutics*, 2018; 104(1): 59-71.
 34. Coren S. *Sleep thieves*. Simon and Schuster, 1997; 3.
 35. Espie CA. Insomnia: conceptual issues in the development, persistence, and treatment of sleep disorder in adults. *Annual review of psychology*, 2002; 53(1): 215-43.