










Surgical Complications

This section shows serious complications that patients with Original Medicare experienced during a hospital stay or after having certain inpatient surgical procedures. These complications can often be prevented if hospitals follow procedures based on best practices and scientific evidence. [Accuracy](#), [AHQ](#), Agency for Healthcare Research and Quality [How this page works](#).

Measure	Jackson Health System	National Result	More Info
Rate of complications for hip/knee replacement patients	 No different than the National Rate	3.50	Date Range: 4/2017 - 3/2020
Serious complications	 Worse than the National Rate	1.00	Date Range: 4/2017 - 3/2020
Deaths among patients with serious treatable complications after surgery	 No different than the National Rate	159.03	Date Range: 7/2018 - 12/2019






Healthcare-Associated Infections

Healthcare-associated infections, or HAIs, are infections that people get while they're getting treatment for another condition in a healthcare setting. HAIs can occur in all settings of care, including acute care hospitals, long term acute care hospitals, rehabilitation facilities, surgical centers, cancer hospitals, and skilled nursing facilities. Many of these infections can be prevented through the use of proper procedures and precautions. [How this page works](#).

Measure	Jackson Health System	National Result	More Info
Central line-associated bloodstream infections (CLABSI) in ICUs and select wards	 Better than the National Rate	1.0	Lower is Better Date Range: 10/2019 - 3/2021
Surgical site infections from abdominal hysterectomy	 No different than the National Rate	1.0	Date Range: 10/2019 - 3/2021
Methicillin-resistant Staphylococcus Aureus (MRSA) Blood Laboratory Identified Events (Bloodstream infections)	 Worse than the National Rate	1.0	Date Range: 10/2019 - 3/2021
Catheter-associated urinary tract infections (CAUTI) in ICUs and select wards	 Better than the National Rate	1.0	Lower is Better Date Range: 10/2019 - 3/2021
Surgical site infections from colon surgery	 No different than the National Rate	1.0	Date Range: 10/2019 - 3/2021
Clostridium difficile (C-diff) Laboratory Identified Events (Intestinal Infections)	 Better than the National Rate	1.0	Date Range: 10/2019 - 3/2021

30-Day Death Rates

Death rates show how often patients die, for any reason, within 30 days of admission to a hospital. [How this page works](#).

Measure	Jackson Health System	National Result	More Info
Death rate for chronic obstructive pulmonary disease (COPD) patients	 No different than the National Rate	8.1%	Date Range: 7/2017 - 6/2020
Death rate for heart attack patients	 No different than the National Rate	12.4%	Date Range: 7/2017 - 6/2020
Death rate for heart failure patients	 No different than the National Rate	11.9%	Date Range: 7/2017 - 6/2020
Death rate for pneumonia patients	 No different than the National Rate	7.9%	Date Range: 7/2017 - 6/2020
Death rate for stroke patients	 No different than the National Rate	13.9%	Date Range: 7/2017 - 12/2019
Death rate for coronary artery bypass graft (CABG) surgery patients	N/A	2.8%	Date Range: 7/2017 - 6/2020