




PLAN NOTES

1. **PURPOSE OF PLAN**
- THE PURPOSE OF THIS PLAN SET IS TO ILLUSTRATE AND SPECIFY THE PROPOSED SITE IMPROVEMENTS WITHIN THE EXCLUSIVE USE AREAS PERTAINING TO CONDOMINIUM UNIT 3A.
2. **SURVEY NOTES**
- THE PROPERTY LINES AND EXISTING CONDITIONS SHOWN HEREON ARE THE RESULT OF AN ON-THE-GROUND INSTRUMENT SURVEY PERFORMED BY LIGHTHOUSE LAND SURVEYING LLC ON OCTOBER 29, 2021 AND AN AERIAL PHOTOMETRIC SURVEY PERFORMED BY GM2 ASSOCIATES, INC ON MARCH 8, 2024.
- SURVEY TRAVERSE POINTS WERE OBSERVED WITH A CARLSON BRX7 GPS RECEIVER USING THE MASSDOT McCORS RTK NETWORK.
- HORIZONTAL DATUM:
MASSACHUSETTS STATE PLANE – MAINLAND ZONE NAD83 (2011)
EPOCH 2010.00 – US FEET
- VERTICAL DATUM:
NORTH AMERICAN VERTICAL DATUM OF 1988 (GEOID 12B) – US FEET
3. **WETLAND & RIVERFRONT NOTES**
- THE RESOURCE BOUNDARIES SHOWN HEREON ARE THOSE BOUNDARIES SHOWN ON THE RECORD DESIGN PLANS PREPARED BY CONECO ENGINEERS & SCIENTISTS AS REFERRED TO IN THE SPECIAL PERMIT DECISION DATED MARCH 24, 2016 FOR THE ADULT RETIREMENT COMMUNITY PLANNED UNIT DEVELOPMENT (ARCPUD) OF RECORD WITH THE TOWN CLERK AS OF APRIL 5, 2016.
- THE RESOURCE AREAS WERE DELINEATED BY CONECO ENGINEERS & SCIENTISTS IN AUGUST 2010.
4. **UTILITY NOTES**
- THE SIZE, MATERIAL, AND LOCATION OF ALL UNDERGROUND UTILITIES SHOWN HEREON ARE BASED ON CONTRACTOR AS-BUILT INFORMATION PREPARED BY MAROIS BROTHERS, INC. AND PROVIDED TO THIS OFFICE BY THE CONSTRUCTION MANAGEMENT FIRM CONSLI IN SEPTEMBER 2021. THE LOCATION OF ALL ABOVE GROUND STRUCTURES WAS VERIFIED BY THIS OFFICE AS PART OF THE ON-THE-GROUND INSTRUMENT SURVEY.

ROOF DRAIN INFILTRATION SYSTEM ANALYSIS

1. **DESIGN BY CONECO ENGINEERS & SCIENTISTS**
- THE ORIGINAL DESIGN OF UNIT 3A BY CONECO ENGINEERS & SCIENTISTS PROPOSED A DEVELOPMENT FEATURING A TOTAL OF 71,710± S.F. OF ROOF AREA MITIGATED BY 131 CULTEC RECHARGER 330LXHD CHAMBERS PROVIDING 5,791± S.F. OF HORIZONTAL INFILTRATION SURFACE AREA.
- UNITS WITHIN EXCLUSIVE USE AREAS 3A & 3B WERE NOT CONNECTED TO INFILTRATION SYSTEMS.
- THE RATIO OF IMPERVIOUS ROOF AREA TO INFILTRATION SURFACE AREA THROUGHOUT UNIT 3A IS 12.4.
2. **DESIGN BY ENGINEERING DESIGN CONSULTANTS**
- THE DESIGN OF UNIT 3A SHOWN HEREON PROPOSES A DEVELOPMENT FEATURING A TOTAL OF 45,090± S.F. OF ROOF AREA MITIGATED BY 81 CULTEC RECHARGER 330LXHD CHAMBERS PROVIDING 3,859± S.F. OF HORIZONTAL INFILTRATION SURFACE AREA.
- UNITS WITHIN EXCLUSIVE USE AREAS 3A & 3B ARE CONNECTED TO INFILTRATION SYSTEMS.
- THE RATIO OF IMPERVIOUS ROOF AREA TO INFILTRATION SURFACE AREA THROUGHOUT UNIT 3A IS 11.7.

EUA	Coneco Engineering							Engineering Design Consultants								
	Trench ID	Total Roof Area (sf)	Length (ft)	Units	Width (ft)	Units	Total Area (sf)	Units	Trench ID	Total Roof Area (sf)	Length (ft)	Units	Width (ft)	Units	Total Area (sf)	Units
3A	NA	2,640	0	0	0	0	0	0	1WPC	1,670	24.5	3	6.33	1	155.17	3
	NA	2,640	0	0	0	0	0	0	3WPC	1,670	24.5	3	6.33	1	155.17	3
3B	NA	5280	0	0	0	0	0	0	2-4WPC	3,340	24.5	3	11.17	2	273.67	6
	NA	5280	0	0	0	0	0	0	6-8WPC	3,340	24.5	3	11.17	2	273.67	6
	NA	2850	0	0	0	0	0	0	10 WPC	1,670	24.5	3	6.33	1	155.17	3
	9	2,640	17.5	3	16.00	2	280	6	1HC	1,670	24.5	3	6.33	1	155.17	3
3C-1	10	5,280	32.2	4	18.30	3	589.26	12	2 HC	1,670	24.5	3	6.33	1	155.17	3
	11A	2,640	17.5	3	16.00	2	280	6	3-5 HC	3,340	24.5	3	11.17	2	273.67	6
	Half 11	5,280	38.3	7	15.75	2	603.23	14	4-6 HC	3,340	24.5	3	11.17	2	273.67	6
	8	7,920	73.5	10	11.70	2	859.95	20	12 WPC	1,670	24.5	3	6.33	1	155.17	3
	12	5,490	52.5	7	11.70	2	614.25	14	14-16 WPC	3,340	24.5	3	11.17	2	273.67	6
3D	24	2,850	31.5	4	11.20	2	352.8	8	18-20 WPC	3,340	24.5	3	11.17	2	273.67	6
									22 WPC	1,670	24.5	3	6.33	1	155.17	3
	21	10,150	38.5	5	27.70	5	1066.5	25	2 LP	1,670	24.5	3	6.33	1	155.17	3
	22	8,130	38.5	5	22.30	4	858.55	20	1-3-5-7 LP	6,680	24.5	3	22.34	4	547.33	12
3E	22A	2,640	45.5	6	6.30	1	286.65	6	4-6 LP	3,340	24.5	3	11.17	2	273.67	6
									8 LP	1,670	24.5	3	6.33	1	155.17	3
		Σ 71,710					Σ 5,791	131		Σ 45,090			Σ 3,859	8		



LINETYPE LEGEND

- DELINEATED WETLAND BOUNDARY
- DELINEATED RIVER BANK
- UNIT 3A CONDOMINIUM UNIT EXCLUSIVE USE AREA
- OTHER CONDOMINIUM UNIT EXCLUSIVE USE AREA

SYMBOL LEGEND

- CONCRETE BOUND
- STONE BOUND
- DRILL HOLE
- IRON PIPE
- IRON ROD
- RAILROAD SPIKE
- MAG NAIL
- MAG SPIKE
- 8" GALVANIZED SPIKE
- BOULDER
- WETLAND AREA
- EVERGREEN SHRUB
- FLOWERING SHRUB
- EVERGREEN TREE
- DECIDUOUS TREE
- SINGLE POST SIGN
- CURB RETURN LEFT
- CURB RETURN RIGHT
- PARKING METER
- LIGHT POST
- FLOOD LIGHT
- SINGLE ARM LIGHT POST
- DOUBLE ARM LIGHT POST
- TRIPLE ARM LIGHT POST
- QUAD ARM LIGHT POST
- UTILITY POLE
- UTILITY POLE WITH LIGHT
- CATCH BASIN
- D-SHAPED CATCH BASIN
- DOUBLE CATCH BASIN
- ROUND CATCH BASIN
- CATV MANHOLE
- DRAIN MANHOLE
- ELECTRIC MANHOLE
- SEWER MANHOLE
- TELEPHONE MANHOLE
- WATER MANHOLE
- WELL
- GAS/WATER/ELECTRIC METER
- FIRE ALARM BOX
- FIRE HYDRANT
- FIRE MAIN INDICATOR POST
- FLARED END


LEGEND

- AC AD BB BCC BDF BDR BIT BOR BP BRW BWF BWL BTL CB CBX CC CI CL CLF CMP CO CONC CPP CRW CS CMB D DH DSK DWP DYL EBF EM FF FMP GBX GC GM GRS GRW GSD GT HH HP HW HYD IGV INV IP
- AIR CONDITIONING UNIT
- AREA DRAIN
- BITUMINOUS BERM
- BITUMINOUS CONCRETE CURB
- BOARD FENCE
- BOULDER
- BITUMINOUS CONCRETE
- GEOTECHNICAL BORING
- BEANPOLE
- BRICK RETAINING WALL
- BARBWARE FENCE
- BROKEN WHITE TRAFFIC LINE
- BROKEN YELLOW TRAFFIC LINE
- CONCRETE BOUND
- CABLE BOX
- CONCRETE CURB
- CAST IRON PIPE
- CENTER LINE
- CHAIN LINK FENCE
- CORRUGATED METAL PIPE
- CLEAN OUT
- CONCRETE
- CORRUGATED PLASTIC PIPE
- CONCRETE RETAINING WALL
- CURB STOP
- CABLE WIRE BARRIER
- DOOR
- DRILL HOLE
- DISK
- DETECTABLE WARNING PAD
- DOUBLE YELLOW TRAFFIC LINE
- ELECTRIC BOX
- ELECTRIC METER
- FINISHED FLOOR
- FIRE MAIN INDICATOR POST
- GAS BOX
- GAS GATE
- GAS METER
- STEEL GUARDRAIL
- WOOD GUARDRAIL
- GAS SHUTOFF
- GATE
- HAND HOLE
- HANDICAP
- HEADWALL
- FIRE HYDRANT
- IRRIGATION CONTROL VALVE
- DRAINAGE INVERT
- IRON PIPE
- IRON ROD
- IRON ROD W/ CAP
- LANDSCAPE AREA
- LEAD PLUG
- LIGHT POST
- MAGNETIC NAIL
- MAGNETIC SPIKE
- MONITORING WELL
- OVERHEAD WIRE
- PERFORATED PIPE
- PICKET FENCE
- POST & RAIL FENCE
- PVC
- POLYVINYL CHLORIDE PIPE
- REINFORCED CONCRETE PIPE
- ROOF DRAIN
- RIGHT-OF-WAY
- RR
- RAILROAD SPIKE
- RRR
- RAILROAD TIE
- RAILROAD TIE
- STONE BOUND
- SLOPED GRANITE CURB
- 10" GALVANIZED SPIKE
- STONE RETAINING WALL
- STOCKADE FENCE
- STK
- HUB STAKE
- STEP
- STONEWALL
- SOLID WHITE TRAFFIC LINE
- SOLID YELLOW TRAFFIC LINE
- TELEPHONE BOX
- TOP OF FOUNDATION
- SOIL TEST PIT
- UTILITY POLE W/ NUMBER
- VITRIFIED CLAY PIPE
- VERTICAL GRANITE CURB
- VENT PIPE
- WELL
- WATER BOX
- WETLAND FLAG W/ NUMBER
- WATERGATE
- WIRE FENCE
- WATER METER
- WOOD RETAINING WALL
- WATER SHUTOFF

PROPERTY REFERENCE TABLE

CURRENT OWNER OF RECORD:	THE WILLOWS AT MEDWAY AND WHITNEY PLACE CONDOMINIUM
OWNER ADDRESS:	261 VILLAGE STREET MEDWAY, MA 02053
ASSESSORS PARCEL ID:	69-014
DEED REFERENCE:	DEED BK 36540 PAGE 423
PLAN REFERENCE:	PLAN BK 708 PLAN 53 PLAN BK 707 PLAN 51 PLAN BK 689 PLAN 73

DRWN BY: ZRB		
CHK'D BY: PSB		
APRVD BY: ZRB		
REVISIONS:		
0	5/20/24	ISSUED FOR ORDER OF CONDITIONS & STORMWATER PERMIT
REV #	DATE	
		DESCRIPTION



PREPARED BY:

EDC Engineering Design Consultants, Inc.
32 Turnpike Road
Southborough, Massachusetts
(508) 480-0225

PROJECT:

**THE WILLOWS AT MEDWAY
AND WHITNEY PLACE CONDOMINIUM**
261 VILLAGE STREET
(NORFOLK COUNTY)
MEDWAY, MASSACHUSETTS

TITLE:

**UNIT 3A
EXISTING & PROPOSED CONDITIONS
EXCLUSIVE USE AREAS 3A, 3B, 3C-1, 3D, & 3E**

PREPARED FOR:


The Willows at Medway and Whitney Place Condominium
261 Village Street
Medway, Massachusetts 02053

DATE:

MAY 20, 2024

1 OF 5

EDC PROJECT NUMBER
3750



DIG SAFE NOTE



UNDERGROUND UTILITY LOCATIONS ARE NOT GUARANTEED.
IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO
VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES
PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION.
DIGSAFE IS TO BE NOTIFIED 72 BUSINESS HOURS IN
ADVANCE OF CONSTRUCTION. CALL DIGSAFE AT 811.



EROSION CONTROL BARRIER REQUIREMENTS


- ALL EXISTING EROSION CONTROL BARRIERS THROUGHOUT CONDOMINIUM UNIT 3A ARE TO BE REPLACED PRIOR TO THE COMMENCEMENT OF ANY EARTH DISTURBING WORK.

EROSION CONTROL BARRIER NOT TO SCALE




GENERAL REQUIREMENTS FOR PREPARATION OF THE INFILTRATION TRENCH SYSTEMS ILLUSTRATED HEREON:

- PRIOR TO INSTALLING THE INFILTRATION LEACHING SYSTEMS THE SITE CONTRACTOR SHALL SCHEDULE FIELD INSPECTION WITH DESIGN ENGINEER & TETRATECH ENGINEERING TO CONFIRM SOIL CONDITIONS WITHIN PROPOSED LEACHING AREA AND TO REMOVE & REPLACE ANY UNSUITABLE SOIL MATERIALS ENCOUNTERED.
- DESIGN ENGINEER SHALL PROVIDE AS-BUILT OF AS CONSTRUCTED INFILTRATION SYSTEM FOR SUBMISSION TO MEDWAY CONSERVATION COMMISSION AS PART OF THE REQUEST FOR COC.




NOTE:
IN AREAS WHERE NATURALLY OCCURRING PERMEABLE SANDS & GRAVELS HAVE BEEN PREVIOUSLY REMOVED IMPORTED SANDS & GRAVELS SHALL BE PLACED BELOW THE PROPOSED INFILTRATION UNITS AND THIS FILL SHALL BE REPLACED IN A CONTINUOUS PROFILE INTERFACING WITH THE EXISTING UNDERLYING SAND PARENT MATERIAL. BELOW TO THE UNDERSIDE OF THE PROPOSED 6" LAYER OF CRUSHED STONE BELOW THE 330XLHD INFILTRATION CHAMBERS - SIEVE ANALYSIS OF THE IMPORTED MATERIAL IS TO BE PROVIDED FOR RECORD

INFILTRATION TRENCH SYSTEM (CULTEC RECHARGER 330XLHD CHAMBERS)




NOTE: 6" OF STONE BETWEEN MULTIPLE ROWS OF CHAMBERS

INSPECTION PORT



EXTEND 4" PERF. PVC A MIN. OF 12" BELOW BOTTOM OF FIELD OR 6" INTO PARENT MATERIAL WHICHEVER IS MORE

OVERFLOW DRAIN




- NOTES:
- THE SUBSURFACE INFILTRATION SYSTEMS SHALL CONSIST OF ONE ROW OF FOUR CULTEC RECHARGER R-330XLHD UNIT SURROUNDED BY ONE FOOT OF DOUBLE WASH CLEAN STONE. (6.33' x 31.5')
 - THE INSPECTION PORTS SHALL BE EXTENDED TO GRADE AND HAVE A REMOVABLE COVER AT SURFACE GRADE.
 - SEE DETAIL FOR OVERFLOW SCUPPER

LINETYPE LEGEND

- EXISTING EROSION CONTROL BARRIER
- PROPOSED EROSION CONTROL BARRIER
- CONDOMINIUM UNIT EXCLUSIVE USE AREA
- OPEN SPACE BOUNDARY

REVISIONS:	DATE	DESCRIPTION
0	5/20/24	ISSUED FOR ORDER OF CONDITIONS & STORMWATER PERMIT
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		



PREPARED BY:



Engineering Design Consultants, Inc.
32 Turnpike Road
Southborough, Massachusetts
(508) 480-0225

PROJECT:

THE WILLOWS AT MEDWAY
AND WHITNEY PLACE CONDOMINIUM
261 VILLAGE STREET
(NORFOLK COUNTY)
MEDWAY, MASSACHUSETTS

TITLE:

UNIT 3A
EXISTING & PROPOSED CONDITIONS
EXCLUSIVE USE AREAS 3A & 3B
PREPARED FOR:
The Willows at Medway and Whitney Place Condominium
261 Village Street
Medway, Massachusetts 02053

DATE:

MAY 20, 2024

2 OF 5


EDC PROJECT NUMBER

3750

3750 SITE PLAN UNIT 3A.DWG


LINETYPE LEGEND

- EXISTING EROSION CONTROL BARRIER
- PROPOSED EROSION CONTROL BARRIER
- CONDOMINIUM UNIT EXCLUSIVE USE AREA
- OPEN SPACE BOUNDARY



EROSION CONTROL BARRIER REQUIREMENTS

- ALL EXISTING EROSION CONTROL BARRIERS THROUGHOUT CONDOMINIUM UNIT 3A ARE TO BE REPLACED PRIOR TO THE COMMENCEMENT OF ANY EARTH DISTURBING WORK.





GENERAL REQUIREMENTS FOR PREPARATION OF THE INFILTRATION TRENCH SYSTEMS ILLUSTRATED HEREON:

- PRIOR TO INSTALLING THE INFILTRATION LEACHING SYSTEMS THE SITE CONTRACTOR SHALL SCHEDULE FIELD INSPECTION WITH DESIGN ENGINEER & TETRA TECH ENGINEERING TO CONFIRM SOIL CONDITIONS WITHIN PROPOSED LEACHING AREA AND TO REMOVE & REPLACE ANY UNSUITABLE SOIL MATERIALS ENCOUNTERED.
- DESIGN ENGINEER SHALL PROVIDE AS-BUILT OF AS CONSTRUCTED INFILTRATION SYSTEM FOR SUBMISSION TO MEDWAY CONSERVATION COMMISSION AS PART OF THE REQUEST FOR COC.


DIG SAFE NOTE

UNDERGROUND UTILITY LOCATIONS ARE NOT GUARANTEED. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION. DIGSAFE IS TO BE NOTIFIED 72 BUSINESS HOURS IN ADVANCE OF CONSTRUCTION. CALL DIGSAFE AT 811.



REVISIONS:

DRWN. BY:	CHK'D BY:	APRVD. BY:	REV #	DATE	DESCRIPTION
ZRB	PSB	WML	0	5/20/24	ISSUED FOR ORDER OF CONDITIONS & STORMWATER PERMIT



PREPARED BY:

Engineering Design Consultants, Inc.
32 Turnpike Road
Southborough, Massachusetts
(508) 480-0225

PROJECT:

**THE WILLOWS AT MEDWAY
AND WHITNEY PLACE CONDOMINIUM**
261 VILLAGE STREET
(NORFOLK COUNTY)
MEDWAY, MASSACHUSETTS

TITLE:

**UNIT 3A
EXISTING & PROPOSED CONDITIONS
EXCLUSIVE USE AREA 3C-1**
PREPARED FOR:
The Willows at Medway and Whitney Place Condominium
261 Village Street
Medway, Massachusetts 02053

DATE:

MAY 20, 2024


3 OF 5

EDC PROJECT NUMBER
3750

MA STATE PLANE COORD. SYSTEM
MAINLAND ZONE - NAD 83

DIG SAFE NOTE

UNDERGROUND UTILITY LOCATIONS ARE NOT GUARANTEED.
IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO
VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES
PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION.
DIGSAFE IS TO BE NOTIFIED 72 BUSINESS HOURS IN
ADVANCE OF CONSTRUCTION. CALL DIGSAFE AT 811.



LINETYPE LEGEND


- EXISTING EROSION CONTROL BARRIER
- PROPOSED EROSION CONTROL BARRIER
- CONDOMINIUM UNIT EXCLUSIVE USE AREA
- OPEN SPACE BOUNDARY

EROSION CONTROL BARRIER REQUIREMENTS

- ALL EXISTING EROSION CONTROL BARRIERS THROUGHOUT CONDOMINIUM UNIT 3A ARE TO BE REPLACED PRIOR TO THE COMMENCEMENT OF ANY EARTH DISTURBING WORK.


EROSION CONTROL BARRIER

NOT TO SCALE



GENERAL REQUIREMENTS FOR PREPARATION OF THE INFILTRATION TRENCH SYSTEMS ILLUSTRATED HEREON:

- PRIOR TO INSTALLING THE INFILTRATION LEACHING SYSTEMS THE SITE CONTRACTOR SHALL SCHEDULE FIELD INSPECTION WITH DESIGN ENGINEER & TETRATECH ENGINEERING TO CONFIRM SOIL CONDITIONS WITHIN PROPOSED LEACHING AREA AND TO REMOVE & REPLACE ANY UNSUITABLE SOIL MATERIALS ENCOUNTERED.
- DESIGN ENGINEER SHALL PROVIDE AS-BUILT OF AS CONSTRUCTED INFILTRATION SYSTEM FOR SUBMISSION TO MEDWAY CONSERVATION COMMISSION AS PART OF THE REQUEST FOR CDC.




EXISTING CONDITIONS

INFILTRATION TRENCH SYSTEM (CULTEC RECHARGER 330XLHD CHAMBERS)

NOT TO SCALE

INSPECTION PORT


OVERFLOW DRAIN



- NOTES:
- THE SUBSURFACE INFILTRATION SYSTEMS SHALL CONSIST OF ONE ROW OF FOUR CULTEC RECHARGER R-330XLHD UNIT SURROUNDED BY ONE FOOT OF DOUBLE WASH CLEAN STONE. (6.3' x 31.5')
 - THE INSPECTION PORTS SHALL BE EXTENDED TO GRADE AND HAVE A REMOVABLE COVER AT SURFACE GRADE.
 - SEE DETAIL FOR OVERFLOW SCUPPER

DETAIL: D50043

REVISIONS:			
REV	DATE	DESCRIPTION	
0	5/20/24	ISSUED FOR ORDER OF CONDITIONS & STORMWATER PERMIT	




PREPARED BY:
Engineering Design Consultants, Inc.
32 Turnpike Road
Southborough, Massachusetts
(508) 480-0225

PROJECT:
**THE WILLOWS AT MEDWAY
AND WHITNEY PLACE CONDOMINIUM**
261 VILLAGE STREET
(NORFOLK COUNTY)
MEDWAY, MASSACHUSETTS

TITLE:
**UNIT 3A
EXISTING & PROPOSED CONDITIONS
EXCLUSIVE USE AREA 3D**
PREPARED FOR:
The Willows at Medway and Whitney Place Condominium
261 Village Street
Medway, Massachusetts 02053

DATE:
MAY 20, 2024
4 OF 5
EDC PROJECT NUMBER
3750

3750 SITE PLAN UNIT 3A.DWG



REVISIONS:	DRWN BY: ZRB	CHK'D BY: PSB	APRVD BY: WML
0	5/20/24	ISSUED FOR ORDER OF CONDITIONS & STORMWATER PERMIT	
REV #	DATE	DESCRIPTION	

Engineering Design Consultants, Inc.
32 Turnpike Road
Southborough, Massachusetts
(508) 480-0225

PROJECT:
THE WILLOWS AT MEDWAY AND WHITNEY PLACE CONDOMINIUM
261 VILLAGE STREET
(NORFOLK COUNTY)
MEDWAY, MASSACHUSETTS

TITLE:
UNIT 3A
EXISTING & PROPOSED CONDITIONS
EXCLUSIVE USE AREAS 3E

PREPARED FOR:
The Willows at Medway and Whitney Place Condominium
261 Village Street
Medway, Massachusetts 02053

DATE:
MAY 20, 2024

5 OF 5

EDC PROJECT NUMBER
3750

3750 SITE PLAN UNIT 3A.DWG