

**Business of the Village Board  
Village of Saranac Lake**

SUBJECT: Authorize the village manager to go out to bid for central garage roof coating project.

FOR AGENDA OF 5-9-22

DEPT OF ORIGIN: Mayor Williams

BILL # 2022

DATE SUBMITTED: 5-6-22

EXHIBITS:     

APPROVED AS TO FORM:

      
Village Attorney

      
Village Administration

EXPENDITURE	AMOUNT	APPROPRIATION
REQUIRED: \$200,000.00	BUDGETED: \$200,000.00	REQUIRED \$ 0

**SUMMARY STATEMENT**

Authorize the village Manager to send out an advertisement looking for bids on the roof coating project at 95 Van Buren Street. The advertisements will be posted on the Saranac Lake website and with dodge. The advertisement will also be printed in the Adirondack Daily Enterprise.

**RECOMMENDED ACTION**

APPROVAL OF RESOLUTION

MOVED BY: Shapiro

SECONDED BY: Bronette

VOTE ON ROLL CALL:

MAYOR WILLIAMS

YES

TRUSTEE SCOLLIN

YES

TRUSTEE BURNETTE

YES

TRUSTEE SHAPIRO

YES

TRUSTEE CATILLAZ

YES

## **ADVERTISEMENT FOR BIDS**

### **Village of Saranac Lake Van Buren Street Roof Project**

The Village of Saranac Lake is seeking sealed bids pertaining to an approximately 10,300 square foot roof of the central garage at 95 Van Buren St.:

1. Preparation of an approximately 10,300 square foot roof of the village central garage building as necessary
2. Apply two-inches (2") (nominal, plus or minus ¼") of 2.7 pound per cubic foot closed cell roof foam (Gaco Western Roof Foam, or equivalent) over the entire roof, sealing all penetrations and voids as well as installing a minimum of 60 mils of Versaflex, VF380 polyurea (or equivalent product) over all roofing foam sealing to penetrations and existing flashings.