#### Business of the Village Board Village of Saranac Lake

SUBJECT: Franklin County Occupancy Funds		DATE: 6-26-2023
DEPT OF ORIGIN: Trustee Shapiro		BILL # <u>91-2023</u>
DATE SUBMITTED: 6/22/2023		EXHIBITS:
APPROVED AS TO FORM	1:	
Village Attorney		Village Administration
EXPENDITURE REQUIRED	AMOUNT BUDGETED	APPROPRIATION REQUIRED:
Resolution to request \$31,000 from the Franklin County Occupancy Funds to purchase and install Playground Equipment for Garwood Park		
APPROVAL OF RESOLUTION		
MOVED BY: Shapin	SECONDED B	y: Catillaz
VOTE ON ROLL CALL:		
MAYOR WILLIAMS	yes	
TRUSTEE BRUNETTE	yes	
TRUSTEE CATILLAZ	yes	
TRUSTEE SCOLLIN	ycs	
TRUSTEE SHAPIRO	yes	

### Resolution to request \$31,000 from the Franklin County Occupancy Funds to purchase and install Playground Equipment for Garwood Park

WHEREAS, Garwood Park is less than 100 yards from the Adirondack Rail Trail, and,

WHEREAS, the Village of Saranac Lake wishes to improve the enjoyment of the village by families using the Adirondack Rail Trail thereby promoting tourism, and

WHEREAS, the village wants to provide improved Playground facilities for the residents of Saranac Lake, and,

WHEREAS, the village's parks manager has received a quote for \$20,746 for the equipment and the estimate for installation is \$10,000 from a state approved contractor, and

WHEREAS, the Franklin County Tourism Advisory Committee has provided funds to the village for tourism promotion.

THEREFORE, BE IT RESOLVED, the Village of Saranac Lake Board of Trustees authorizes the expenditure of \$31,000 from the occupancy tax funds for the purchase and installation of playground equipment for Garwood Park.



### Challengers®

350-1717

Product: 350-1717

\$20,746

Price: \$<del>24,212</del>


Sale Item!


Ages 5-12yrs Space Required

28' 1" x 34' 1"

(8,56m x 10,39m)









DETAIL 1


## Support Post, Spiral Slide and Post Footing Detail



#### DETAIL 2

### GroundZerO, Cantilever and "T" Post Footing Detail





STONE OPTION


OR

BLOCK OP

Sh

# DETAIL 3 Component Footing Detail

OR



STONE OPTION

Component < Factory-Applied Protective Surfacing Protective Surfacing Level Sticker Level **Ground Level Varies** 2°(51mm) 24" (610mm) 30" (762mm) Concrete-Block --12"--(305mm) **Porous** Material

BLOCK OPTION

### DETAIL 4

#### **Surface Mount Detail**

