

**Town of Norrie
Driveway Permit Application
2025**

Property Owner(s)

☐
☐
☐
☐
☐
☐

Name:
Address:
Address of driveway entrance site (if different):
Phone number:
E-mail address (optional):
Contractor (if applicable):

Driveway Description & Width

☐
☐
☐

Purpose of Driveway:
Driveway width coming out to the town road:
Driveway surface type:

Driveway Location

☐
☐
☐
☐
☐
☐
☐

Drawing of driveway layout on property:
Name of town road to which the driveway will be connected:
Setback from property line of at least 25 feet from property lines:
Closest intersecting road:
Distance from road intersection of at least 100 feet:
Address of closest driveway entrance:
Distance from closest driveway entrance of at least 150 feet:

Driveway Culvert Assessment

☐
☐
☐
☐

Ditch depth estimate *(approximately measured from the road surface to bottom of the ditch) :*
Driveway culvert at 18" diameter or *as otherwise approved by the Board relative to ditch depth:*
Culvert buried 18" or *as otherwise approved by the Board relative to ditch depth:*
Other:

Conservation, Planning, & Zoning (CPZ) & DNR Shoreland Restrictions (if applicable)

☐

Will the driveway be located on or near Shoreland as defined on back (second page) of this form?:**

*If "yes" to this question, the Town Clerk or other Town Official will submit
a copy of the Board-approved building permit to the Marathon County CPZ.*

SEE BACK (SECOND PAGE) OF THIS FORM

Building Permit Fee and Property Taxes

<input checked="checked" type="checkbox"/>
<input type="checkbox"/>

Non-refundable payment received by Town Clerk: **NO FEE**

Property tax payment status of property owner:

Inspection

<input type="checkbox"/>

Inspection for new driveway by Town of Norrie Board member(s):

Approved by Town Board _____

Sid King, Chairman

Date _____

Motion made and carried to approve this driveway permit. Approval will be reflected in meeting minutes.

**** Shoreland** (NR 115.03(8)) means lands within the following distances from the ordinary high-water mark of navigable waters: 1,000 feet from a lake, pond or flowage; and 300 feet from a river or stream or to the landward side of the floodplain, whichever distance is greater.

Revised 07 April 2025

Created/revised by Robert J Strupp, Supervisor