

432409088151600 BIG CEDAR LAKE, NORTH SITE, NEAR WEST BEND, WI

LOCATION.--Lat 43°24'09", long 88°15'16", in NE ¼ SW ¼ sec. 20, T.11 N., R.19 E., Washington County, Hydrologic Unit 04040003, near West Bend.

SURFACE AREA--1.46 mi².

PERIOD OF RECORD.--February 2000 to current year.


REMARKS.--Lake sampled on north side at a depth of 12 m. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MAY 03 TO NOVEMBER 08, 2023

(Milligrams per liter unless otherwise indicated)

Date	Trans-	Specif-	pH,	Chloro-	Phos-	
	parency	Sam-	conduc-	water,	phyll a	phorus,
	Secchi	pling	tance,	unfltrd	trichro	water,
	disc,	ature,	wat unf	field,	method,	unfltrd
	meters	water,	uS/cm @	std	uncorr,	mg/L
	(00078)	meters	deg C	25 degC	units	as P
		(00098)	(00010)	(00095)	(00400)	(00300)
						(32210)
						(00665)
MAY 2023						
03...	8.50	--	--	--	--	--
03...	--	0.50	9.1	589	8.4	10.9
03...	--	11.0	8.0	586	8.4	10.8
JUN						
20...	7.20	--	--	--	--	--
20...	--	0.50	22.5	584	--	10.1
20...	--	11.0	11.1	594	--	4.1
JUL						
19...	3.40	--	--	--	--	--
19...	--	0.50	24.9	572	8.6	8.8
19...	--	11.0	12.0	605	7.6	4.47
AUG						
02...	3.50	--	--	--	--	--
02...	--	0.50	26.1	567	8.7	8.4
02...	--	11.0	12.7	605	7.6	4.02
NOV						
08...	6.80	--	--	--	--	--
08...	--	0.50	17.9	516	8.5	9.0
08...	--	11.0	12.3	622	7.0	0.7

432409088151600 BIG CEDAR LAKE-NORTH SITE-NEAR WEST BEND, WI



432224088154900 BIG CEDAR LAKE, SOUTH SITE, NEAR WEST BEND, WI

LOCATION.--Lat 43°22'24", long 88°15'49", in NE ¼ SE ¼ sec.31, T.11 N., R.19 E., Washington County, Hydrologic Unit 04040003, near West Bend.

SURFACE AREA.--1.46 mi².

PERIOD OF RECORD.--February 2000 to current year.

REMARKS.--Lake sampled on south side at deep hole. Water-quality analyses by Wisconsin State Laboratory of Hygiene.

WATER-QUALITY DATA, MAY 03 TO NOVEMBER 08, 2023
(Milligrams per liter unless otherwise indicated)

Date	Trans-	Sam-	Temper-	Specif-	Chloro-	Ortho-	Total	Ammonia	Ammonia	Nitrate
	parency	pling	tance,	ic conduc-	pH, water,	phyll a trichro-	phorus, water,	nitro-	+ water,	+ water,
	Secchi disc, meters	depth, meters	water, deg C	unfltrd wat unf uS/cm @ 25 degC	unfltrd field, std	solved method, oxygen, uncorr,	unfltrd mg/L	phate, water, mg/L	water, gen, mg/L	water, unfltrd mg/L
	(00078)	(00098)	(00010)	(00095)	(00400)	(00300)	(32210)	(00665)	(00671)	(00600)
MAY 2023										
03...	9.20	--	--	--	--	--	--	--	--	--
03...	--	0.50	7.8	580	8.4	11.4	1.51	0.011	0.035	0.76
03...	--	30.0	5.6	588	8.0	9.9	--	0.010	--	--
JUN										
20...	8.00	--	--	--	--	--	--	--	--	--
20...	--	0.50	21.3	580	--	9.4	1.03	0.015	--	--
20...	--	30.5	5.9	596	--	0.6	--	0.027	--	--
JUL										
19...	3.40	--	--	--	--	--	--	--	--	--
19...	--	0.50	24.4	575	8.6	8.7	2.66	0.011	--	--
19...	--	30.0	6.0	599	7.4	0.3	--	0.019	--	--
AUG										
02...	2.90	--	--	--	--	--	--	--	--	--
02...	--	0.50	25.8	563	8.6	8.8	2.36	0.012	--	--
02...	--	30.0	6.0	602	7.5	0.4	--	0.018	--	--
NOV										
08...	6.80	--	--	--	--	--	--	--	--	--
08...	--	0.50	18.6	513	8.6	8.7	2.15	<0.009	--	--
08...	--	30.5	6.1	604	7.2	0.2	--	0.119	--	--

432224088154900 BIG CEDAR LAKE, SOUTH SITE, NEAR WEST BEND, WI

WATER-QUALITY DATA, MAY 03 TO NOVEMBER 08, 2023
 (Milligrams per liter unless otherwise indicated)

Date	Turbidity	Appar-	ANC,										Manga-
	white	ent	water,	Hard-	Magnes-	Potas-	fixed	Chlor-	Silica,	water,	Iron,		
	light,	color,	ness,	Calcium	ium,	Sodium,	end pt,	ide,	Sulfate	Iron,	water,	water,	
	det ang	water,	water,	water,	water,	water,	lab,	water,	water,	water,	water,	water,	
	90+/-30	unfltrd	Pt-Co	mg/L as	fltrd,	fltrd,	fltrd,	mg/L as	fltrd,	mg/L as	fltrd,	fltrd,	
	degrees		NTU	units	CaCO ₃	mg/L	mg/L	mg/L	CaCO ₃	mg/L	SiO ₂	ug/L	
	(63675)	(00081)		(00900)	(00915)	(00925)	(00930)	(00935)	(00417)	(00940)	(00946)	(00955)	(01046)
MAY 2023													
03...	--	--	--	--	--	--	--	--	--	--	--	--	--
03...	0.7	5	236	37.9	34.4	28.4	1.87	203	58.5	21.3	4.33	0.074	1.46
03...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN													
20...	--	--	--	--	--	--	--	--	--	--	--	--	--
20...	--	--	--	--	--	--	--	--	--	--	--	--	--
20...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL													
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
19...	--	--	--	--	--	--	--	--	--	--	--	--	--
AUG													
02...	--	--	--	--	--	--	--	--	--	--	--	--	--
02...	--	--	--	--	--	--	--	--	--	--	--	--	--
02...	--	--	--	--	--	--	--	--	--	--	--	--	--
NOV													
08...	--	--	--	--	--	--	--	--	--	--	--	--	--
08...	--	--	--	--	--	--	--	--	--	--	--	--	--
08...	--	--	--	--	--	--	--	--	--	--	--	--	--

Date	Dis-	Lead	
	Solved	water,	
	Solids	dried @	
	180degC	unfltrd	
	wat flt	recover-	
	mg/L	able,	
	(70300)	ug/L	
	(01114)		
MAY 2023			
03...	--	--	
03...	314	<0.3	
03...	--	--	

432224088154900 BIG CEDAR LAKE-SOUTH SITE-NEAR WEST BEND, WI

