

2025 CITY OF OLEAN SIDEWALK REBATE APPLICATION

Application Deadline – August 31, 2025 (provided funds are available)

****See attached resolution for details of Sidewalk Rebate Program****

SECTION A: (to be completed by Property Owner)

Date: _____

Application # _____

ADDRESS OF REPAIR: _____

Property Owner: _____ Owner Occupied: ___ yes ___ no

Property Owner Phone: _____ Best time to contact: _____

of blocks or number of feet requested: _____

(COMPLETE SECTION A & RETURN FULL PAGE TO: Olean DPW, Municipal Bldg.-Rm 206 or MAIL TO: PO Box 668)

SECTION B: (to be completed by City Engineer)

Meeting Date: _____

Work agreed upon between City Engineer and Property Owner:

Total Number of blocks: _____ Number of Blocks Requested to be Replaced _____

Number of Eligible blocks: _____ Approximate Eligible Square Footage: _____

Who is doing work: ___ City Contractor ___ Other Approved Contractor _____

If using own contractor:

- Attached specification must be followed for concrete sidewalk
- Owner will be issued rebate by normal City voucher process
- **Work MUST be completed by 10/1/2025**
- Permit must be obtained by owner or contractor

CITY CONTRACTOR

OTHER CONTRACTOR

Total Sq Footage _____

Amount reimbursed to owner \$ _____

Total Amount \$ _____ \$21.60 sq/ft (4”), \$22.75 sq/ft (6”)

Rebate Amount \$ _____ \$8.00 sq/ft (eligible only)

TOTAL TO BE BILLED \$ _____

By signing below, owner certifies they reside at this property and agree to above terms to qualify for rebate.

Engineer’s Signature

Property Owner’s Signature

Date

Date

CITY OF OLEAN SIDEWALK REBATE PROGRAM

- A rebate of 50% of the construction cost of eligible sidewalk, up to \$8.00 per square foot is available for the mainline sidewalk for residential properties with a \$1,500 cap per property (driveway aprons and approach sidewalks are ineligible for this programs);
- A permit will be required for sidewalk replacement; however, DPW permit fees will be waived for program participants;
- All concrete work must be done by a licensed contractor of the homeowner in accordance with City of Olean specification;
- Eligible sidewalks include those that are heaved or sunk, cracked or broken, or are not in compliance with ADA regulations as determined by the Department of Public Works (sidewalks replaced for cosmetic purposes only are ineligible for this program);
- An application (available in the Department of Public Works Office or online at www.cityofolean.org) must be completed and submitted to the Department of Public Works by the property owner;
- DPW inspection and approval of the application is required prior to the commencement of the project in order for the project to be eligible for the rebate;
- A post-construction inspection will be performed prior to release of funding;
- Priority will be given to applicants who have been notified by the Department of Public Works that their sidewalk is in need of replacement;
- The Director of Public Works shall have the authority to promulgate any additional rule and regulations in furtherance of the delivery of this program.

CITY OF OLEAN

SPECIFICATIONS





CONCRETE SIDEWALK

TYPE 4

TYPE 6R

Minimum sidewalk widths are
4 ft. in residential areas and
5 ft. in business areas

1/2" expansion joint will be
installed every 20 ft., between
sidewalk and curb and
whenever new concrete
abuts old concrete



NOTE: Granular Backfill
shall be bank run
gravel or crushed
stone.

Sec. A-A

Sec. A-A

Person(s) doing work must be approved by City and specification must be strictly followed. Upon completion of the finishing process, the contractor shall apply a clear membrane compound, applied by a spraying method at a rate of one gallon per 150 sq. ft. as specified in Section 711-05 of the NYS Standard Specifications.

Disturbed areas around sidewalks must be properly top soiled and seeded prior to reimbursement.

Permit is required for all sidewalk work in the public right-of-way.

Permit can be obtained from DPW Office in the Municipal Building.