BOROUGH OF BUENA MUNICIPAL UTILITIES AUTHORITY

RATES, RULES AND REGULATIONS

Adopted:

For Furnishing Sewerage Service
in the
BOROUGH OF BUENA
Atlantic County
New Jersey

TABLE OF CONTENTS

	Page
SCHEDULE OF RATES:	
Schedule 1	1
SCHEDULE OF DOMESTIC CONSUMER UNITS FOR SEWERAGE SERVICE	1
Schedule 2	2
Schedule 2A	. 2
SECTION I: RULES APPLICABLE TO SEWERAGE SERVICE	:
APPLICATION FOR SERVICE	
Definitions Written Application by Owner or Tenant Renewal Service	4 5 7
DEPOSITS	
General Deposit not to Apply to Customer's Bill Return of Deposit Disputed Bill	7 7 8 8
DISCONTINUANCE OF SERVICE BY AUTHORITY	8
BILLS AND PAYMENT	9
Place of Payment Delinquent Bills Continuing Obligation to Pay Service Charge Mandatory Sewer Connections	9 9 9 10
MAIN EXTENSIONS	
General Provisions	11
GENERAL	13

Single Service: Sewer Only Changing Rules and Regulations

SECTION II: RULES APPLICABLE TO SEWERAGE SERVICE	E CONNECTIONS
Service Line	15
Size and Kind of Service Lateral	15
Separate Trench	16
Maintenance by Customer	17
Authority not Responsible	18
Property Served by Single Service Late	rals 18
Single Service Lateral with Two or Mor	e
Customers	19
Prohibited Connections	20
Special Connections	20
Special Precautions in Wet Ground	20
TATALIGNA TATALISMA	
INDUSTRIAL WASTES	
Agreement Required	21
Special Application	21
Prohibited Wastes •	22
Grease Oil and Sand Separators	23
Preliminary Treatment	24
Industrial Wastes	26
Control Manhole	26
Penalty or Discontinuance	26
Industrial Waste Meters	27
SPECIFICATIONS TO BE MET IN CONSTRUCTION OF	
SANITARY SEWER	27

BOROUGH OF BUENA MUNICIPAL UTILITIES AUTHORITY

SCHEDULE OF RATES

SCHEDULE 1

Charges for Sewerage Service are: Α.

1. Annual rate per Domestic Consumer Unit

\$ 88.00 150.00

2. Connection

SCHEDULE OF DOMESTIC CONSUMER UNITS FOR SEWERAGE SERVICE

TYPE OF STRUCTURE	DOMESTIC
Cincle Bould to	CONSUMER UNITS
Single Family Homes	1
Rented rooms, each room available for rent	1 Unit
TOTAL A WHEAT WILLIAM OF MINISTER	½ t Unit
note: of Apartment House /for and the	2 Units
	1 Unit
Apartments (each living unit)	3/4 🖢 Unit
schools (for each 30 punite and pasts)	1 Unit
	1 Unit
Clubs, Societies, Service Organizations (with bar and/or restaurant facilities 2	1 Unit
and/or restaurant facilities 2 add'l units)	_
	l Unit
rubile Bulldings	2 Units
Service Stations without car washing facilities Service Stations with car washing facilities	1 Unit
Service Stations with car washing facilities Diner, Tayern or Pastantana	2 Units
	3 Units
1 to 50 seating capacity	
Edu add'i 15 sparing and	3 Units
Soda Fountain and/or Luncheonette	- 1 Unit
(IOF Ilrst ten seating and the	
1404 Cach 200 1 70 22 22 2	1 Unit
Laundromat or Self-service Laundry	1 Unit
(101 tach washer of	•
(for each washer over 12 lb. capacity) Residential Garbage Dispersion 12 lb. capacity)	½ Unit
	1 Unit
	½ Unit
brive in kestaurants	1 Unit
(seating capacity under 10)	_
(seating for add'1 15 seats or fraction thereof)	3 Units
to traction thereof)	1 Unit

TYPE OF STRUCTURE

Business Establishment, not otherwise classified whether part of dwelling or not, (each 15 employees or segment thereof)

Industrial Plant (for each 5 employees)

Bakery (with baking facilities - whether part of a dwelling or not)

DOMESTIC CONSUMER UNITS

B. Billing:

The Authority will use one bill for all services. Billing will be on a quarterly basis.

C. Garbage Disposal:

The Authority will permit the use of domestic garbage disposal units; however, a special permit will be required and there will be a charge of \$12.00 per year over and above the annual rate for sewer service.

SCHEDULE 2

Schedule of Rates for Commercial and Industrial Sanitary Sewerage Service:

Each commercial or industrial user of the sewer system shall pay a quarterly sewer rental according to Schedule 1.

SCHEDULE 2A

Additional Charge for Treatment of Industrial Wastes:

The sewer rent for collection and treatment of industrial waste discharged into the Sewer System shall be based upon a premium charge for extra strength waste applied as a factor against the charges for sanitary sewerage. The premium charge to be based on the strength factor determined according to the following formula:

Factor % =
$$44 + 23 \frac{\text{(BOD is ppm)}}{300} + 31$$

(SS ** in ppm) + 2 (Chlorine demand in ppm*)
15

Milhoun Alinn Es

suspended solids or 15 ppm in chlorine demand, the value in the parenthesis shall be equal to "1".

**In cases where suspended solids, in the opinion of the Authority, do not represent the true characteristics of the solids loading, the Authority reserves the right to use total solids instead of suspended solids.

SECTION I

RULES APPLICABLE TO SEWERAGE SERVICE

APPLICATION FOR SERVICE

Definitions:

- 1. The word "Authority" shall mean the Borough of Buena Municipal Utilities Authority.
- 2. The word "customer" shall mean the applicant for sewerage treatment for one household or business, whether owner or tenant, and who enters into an agreement therefor.
- 3. The word "main" shall mean the Authority owned or leased piping and appurtenances, in or along public highways and streets, or along privately-owned rights of way, used for the collection of domestic sewage or industrial wastes from its customer.
- 4. "Domestic Sewage" shall mean the normal water-borne fluid wastes from residences, commercial establishments, institutions and industrial establishments, limited to the wastes from kitchens, bathrooms, water closets, lavatories and laundries.
- 5. "Industrial wastes" shall mean the liquid wastes from industrial processes as distinct from domestic sewage.

Written Application by Owner or Tenant:

- 6. New service connections for sewerage will be made upon written application, signed at the Authority office by the property owner, or his properly authorized agent, unless otherwise specified by the Authority. Sewerage service will be furnished upon written application signed by the property owner or tenant. Blank forms for all applications prepared for sewerage service will be furnished by the Authority and all applications must receive the approval of the Authority before connection is made or service furnished.
- 7. No applications for service will be accepted by the Authority until the applicant has paid, or made satisfactory arrangements to pay, all arrears and charges due by the applicant at any premises now or heretofore occupied by him.
- 8. The accepted application shall constitute a contract between the Authority and the applicant, obliging the applicant to pay the Authority its rates as established from time to time, and to comply with its rules and regulations.
- 9. Applications for service connections will be accepted subject to there being existing mains in streets or rights-of-way abutting the premises to be served.
- 10. When a prospective customer has made application for a new service, or has applied for the reinstatement of an existing

service, it is assumed that the piping and fixtures on the applicant's premises are in good condition, and the Authority will not be liable, in any event, for any accident, breaks or leakage.

- Authority, upon any change in ownership of the property when the owner is the customer, or in any tenancy where the tenant is the customer, or in the service as described in the application and the Authority shall have the right, upon five day's notice, to discontinue sewerage services until such new application has been made and approved. Though service may be discontinued, billing will continue and payments will have to be made by the customer.
- 12. Industrial and commercial establishments, making application for sanitary sewerage service, in addition to making written application for such service, shall furnish a detailed description of the type and size of buildings, nature of the business to be conducted in each structure, the type, volume and chemical characteristics of the waste to be discharged Such applicants shall also furnish the Authority with four copies of plans showing:
 - (a) The boundaries of the property.
 - (b) The location within the property of the structures to be served for sewerage.

- (c) The location and profile with respect to finished grade of the services.
- (d) Details of the proposed connections to the sewerage system.

Renewal Service:

- 13. Service will be renewed under proper application when the conditions under which such service was discontinued are corrected and upon the payment of all charges provided in the schedule of rates, or rules of the Authority.
- 14. Where a sewer connection has been previously installed and service is desired, a proper application shall be signed by the owner or tenant.

DEPOSITS

General:

15. Deposits may be required from any customer who becomes habitually delinquent, provided that in no instance will deposits be required in excess of the estimated gross bill for any single billing period.

Deposit Not to Apply to Current Bill:

16. Any customer having paid a deposit shall pay bills for sewerage service as rendered in accordance with the rules of the Authority, and the deposit shall not be considered as payment on account of the bill during the time the customer is receiving service.

Return of Deposits

17. Deposits shall be returned to the depositor when he shall have paid undisputed bills for service for a period of four consecutive quarters; and any customer having secured the return of deposit will not be required to make a new deposit, unless the service has been discontinued and the customer's credit standing impaired through failure to comply with the Authority's rules.

Disputed-Bill

- 18. The payment of any disputed bill for service within the meaning of these rules, shall be payment of the bill with or without penalty within thirty (30) days following the period for which the bill was rendered, or payment within thirty (30) days within presentation of the bill, or the payment of any contested bill, payment of which is withheld beyond the period herein mentioned, if the dispute is terminated substantially in favor of the customer, and if payment is made by the customer within (10) days thereafter.
 - 19. No interest shall be paid on deposits.

DISCONTINUANCE OF SERVICE BY AUTHORITY

20. Service may be discontinued by the Authority upon violation of the rules of the Authority.

BILLS AND PAYMENTS

Place of Payment:

21. Bills are payable at the office of the Authority or at any other office designated by the Authority from time to time. Billing shall be on a quarterly basis in accordance with a fiscal year to be established by the Authority, and all payments shall be billed in advance.

Delinquent Bills:

days after presentation, it shall be classed as delinquent.

Payment made by mail will be credited as received on the date of mailing as evidenced by the United States Post Office cancellation stamp. Branches of the Federal, State or Municipal government will be allowed thirty (30) days for payment prior to being classed as delinquent. An interest charge of 1% per month will be made on delinquent bills, which interest rate is 12% per annum. Any unpaid service charges and interest thereon, shall be a lien on the real property with respect to which service was rendered and the lien shall be on a parity with the lien of the municipality for taxes on real property for the same year:

Continuing Obligation to Pay Service Charge:

23. Under existing and applicable laws, upon connection of an approved and usable property to a sewer, the obligation

to pay the minimum annual service charge continues despite the failure to occupy the property or to use the sewer facilities, so long as the building or structure on the property is still available for use and the sewer facilities remain available.

Mandatory Sewer Connections:

24. The owner of any property located along the line of any sewer in the Borough of Buena on which a house or other building for use by the people was then or shall thereafter be erected within 200 feet from said sewer line, shall install a toilet therein and connect such toilet and house or building with such sewer, and that upon failure of such owner to connect such toilet in house or building within ninety (90) days after written notice, the Authority shall take all appropriate action, including legal action, to compel such installation and connection to a sewer and have the costs and expenses thereof assessed to the property.

The owner of any property located along the line of any sewer in the Borough on which a house or building was then or shall thereafter be erected, shall connect such house or building to the said sewer line within ninety days after written order of the Board of Health. If such owner shall fail to obey such order, the Authority shall take all appropriate action, including legal action, to compel compliance with such order or take whatever other procedure it deems necessary.

MAIN EXTENSIONS

General Provisions:

- 25. A. The policy of the Authority will be to make no future extensions to the system, unless paid for by those requesting the same. No facilities for collection, treatment or disposal of sewage within the district of the Authority, which district corresponds with the boundaries of the Borough of Buena, shall be constructed unless the Authority shall give its consent, and the Authority Engineer shall approve plans and specifications therefor. Accordingly, as subsequent construction of sewer facilities are required to be consented to and approved by the Authority, the Authority plans to encourage connections to its sewerage system wherever possible and practical so as to assure the proper treatment and disposal of sewage in the district. Sewer lines needed for any future connections, together with related appurtenances, shall be installed by the developers.
- B. Any facilities installed under the provisions of this section within the public rights-of-way shall be transferred to the Authority for its approval. Request may be made by the Authority for facilities not within a right-of-way and the developer shall take whatever action is necessary to accomplish the transfer. With respect to those facilities not transferred, they shall, in any event, be subject to Authority maintenance requirements and subject to disconnection if said

requirements established by the Authority are not met.

- 26. Extensions to serve subdivisions, tracts, housing projects and industrial developments:
- A. An applicant for a main extension to serve a new subdivision, tract, housing project or industrial development shall be required, at his own expense, to construct sewer lines from the nearest existing main capable of taking the additional flow and at least equal in size to the main required to serve the development, or if the Authority Engineer should require that the extension be larger, a larger main shall be required, together with pumping stations if required by the Authority and Authority Engineer. Construction shall also be made of all necessary service stubs or service pipeline fittings, manholes, and other appurtenances, when requested by public authority. If additional treatment facilities or other facilities are required exclusively for the service requested, the cost of such facilities must be paid by the applicant in addition to all sewer lines and appurtenances.
- B. All plans or specifications submitted to the Authority for extensions to the system shall be prepared by a professional engineer. Engineering fees, legal fees and all other costs involved in the extension of the system shall be borne by the developer. All fees required shall be paid by the developer to the Authroity, which fees shall be disbursed upon proper

Ň

completion of the extension involved.

- C. Under no circumstances shall any contractor proceed without the approval of the Authority.
- D. The Authority Engineer shall approve all plans for the extension of mains and other facilities after making proper inspection thereof. Any fee charged by the Authority Engineer shall be paid by the developer.

GENERAL

Single Service: Sewer Only:

- 27. In instances where owners of existing properties make application for and are furnished sewerage service, all rules applicable to furnishing sewerage service must be complied with and the charge for such service shall be as described in Schedule 1. With respect to new construction within the confines of the Authority's sewer system, all charges for such service shall be as described in Schedule 1 and in addition thereto, the applicant must pay for the entire installation to the point of the existing sewer main.

 Damage Claims:
- 28. A. In all contracts for general or special sewer service it is expressly understood and agreed that no claims will be made against the Authority for damage to life or property by reason of the breaking of any service pipe, fixture or appliance within the customer's premises, unless caused by

the negligence of the Authority or its employees, nor shall the Authority be responsible for any damage done as the result of any cause beyond the Authority's control.

- B. 1. Whenever any person, or persons; firm, or firms; partnership, or partnerships; corporation, or corporations; or any combination thereof, causes or has caused any damage to the sewer system of the Authority, the party or parties causing such damages shall immediately notify the Authority of such damage.
- 2. The Authority shall have the right to repair such damage or have such damage repaired, and shall have the further right to recover the full cost and expense of such repairs, including, but not limited to, the standard charges for work performed by Authority employees, or materials, supplies or equipment used for such repairs, from the party or parties causing such damage.

Changing Rules and Regulations:

- 29. The Authority reserves the right to change or amend, from time to time, these rules and regulations, and the rates for sewer service.
- 30. All connections to sanitary sewer are required to be made within ninety days from the time the owner is notified that it is available to his property, which notice may be made by public advertising.

SECTION II

RULES APPLICABLE TO SEWERAGE SERVICE CONNECTIONS

Service Line:

New connections to existing sewer mains will be made 31. at the expense of the applicant, including tapping, (if approved by the Authority) fittings, pipe, labor and related materials. Such new connections and laterals will become the property of the Authority to a point within the curb line, except when the sewer main is located in the sidewalk area, then the Authority's ownership shall extend to the right-of-way line or clean out, whichever is closest to the Main. The Authority will maintain such new connection and new laterals from the sewer main to the curb line or property line (Depending on the location of the sewer main) after installation and inspection and approval by a representative of the Authority or its Engineer, together with the Borough Plumbing Inspector. Applicant will be fully responsible for street excavation and restoration and the complete cost thereof.

Size and Kind of Service Lateral:

32. The Authority reserves the right to determine the size and kind of the service lateral from the main to the

curb line, from the curb line to the property to be served, or from the main in the right-of-way to the property to be served. Lateral's of all sizes shall meet the requirements of the local Board of Health Ordinance. Service Laterals from the curb to the property shall be furnished, installed and maintained by the owner of the property; shall be laid in a straight line from the point of connection to the main, where the main is in a right of way, to the structure to be served; and where possible should be at least four feet below the surface of the ground when final grading of the property has been completed. That portion of the service lateral installed and maintained by t owner shall be installed in accordance with the Borough Plumbing Code, shall be inspected and approved by the Borough Plumbing Inspector prior to backfilling the trench; otherwise, any construction not approved shall be immediately removed and reconstructed in an approved manner.

Separate Trench:

33. No service lateral shall be laid in the same trench with any gas pipe, water service, or any other facility of any public service company; nor within three feet of any open excavation, vault, meter pit; nor shall the location be in conflict with any sidewalk or driveway running at right angles

to the front of the building.

34. Where the renswal of the service lateral from the main to the curb is found to be necessary, the Authority will renew the service in the location as previously used. If the property owner or customer, for his own convenience, desires the new service lateral at some other location, and agrees to pay all expenses of such relocation in excess of the cost of laying the service lateral in the same location as previously used, and cutting and disconnecting the old service lateral, the Authority will lay the new service lateral at the location desired.

Maintenance by Customer:

- 35. All connections, service laterals and fixtures furnished by the customer shall be maintained by him in good order, and all piping and connections furnished and owned by the Authority and on the property of the customer shall be protected properly and cared for by the customer.
- 36. All leaks in the service lateral or any other pipe or fixture in or upon the premises served must be repaired immediately by the owner or occupant of the premises. The customer shall be responsible for notifying the Authority of the party engaged by the said customer to do any maintenance work in the customer's lateral service, prior to work being commenced, and said parties shall not backfill any trench und i

the work has been inspected and approved by the Authority's representative. Any work not acceptable shall be immediately removed and replaced by work which is acceptable.

Authority not Responsible:

37. The Authority shall in no way be responsible for maintaining any portion of the service lateral owned by the customer, or for damage done by sewage excaping therefrom; or for lines or fixtures on the customer's property; and the customer shall at all times comply with the applicable municipal regulations with respect thereto, and make changes therein required by reasons of changes of grade, relocation of mains, or otherwise.

Property Served by Single Service Laterals:

- 38. A service lateral from the curb, or the main in a right of way to a property shall not serve more than one property as hereinbelow described, to wit, viz:
- (a) A dwelling house; either detached, or one side of a double house, or a house in a row of houses; provided that a garage, a conservatory and similar structures accessory to the life of one family, shall be considered as a portion of the dwelling.
- (b) An industrial, commercial or manufacturing establishment.

- (c) A building separated from adjacent buildings by a partywall, or partywalls, and comprising apartments, stores or offices, or any combination thereof.
- (d) A detached building comprising apartments, stores or offices, or any combination thereof.

However, any such property, upon proper application of the owner, may be served by two or more service laterals, each of which, for billing purposes, shall be considered as being a one customer account. The customer to pay, however, if any additional service laterals are requested, tapping fees or other costs associated therewith.

Single Service Lateral with Two or More Customers:

39. Where two or more customers are now served through a single service lateral, any violation of the rules of the Authority, with respect to either or any of said customers, shall be deemed a violation as to all, and unless said violation is corrected after reasonable notice, the Authority may take such action as may be taken for a single customer, except that such action will not be taken until an innocent customer, who has not violated the Authority's rules, has been given a reasonable opportunity to connect his pipe to a separately controlled service lateral.

Prohibited Connections:

40. Under no circumstances will any of the following be connected to the sanitary sewers, either directly or indirectly, viz:

Floor drain, area drain or yard drain.

Rain conductor or downspout.

Grease Pit.

Air-conditioning equipment, except condensate which will be permitted under conditions approved by the inspector. Storm water inlets or catch basins.

Drains from piece of equipment or manufacturing process, except when specifically authorized under the provisions of Rules 43 to 54 inclusive of these rules and regulations.

Special Connections:

41. Service laterals to public buildings, churches, apartment houses, commercial establishments, and industrial establishments, shall be installed to conform to detailed plans and specifications approved by the Authority Engineer.

Special Precautions in Wet Ground:

42. Where ground water is normally above the invert elevation of the service lateral, "Tyton" joints, or approved equal, or otherwise cast iron soil pipe, with properly caulked lead joints, shall be used in construction of service laterals. Where

the trench bottom is soft and yielding, the Authority Engineer reserves the right to require that the service be laid in partial or total concrete encasement. Junctions of two different types of pipe, may, at the option of the Authority Engineer be required to be encased in concrete of mix determined by the Authority Engineer.

INDUSTRIAL WASTES

Agreement Required:

43. The Authority will accept industrial wastes into the sanitary sewerage system, upon execution of a formal, written agreement, and under and subject to the provisions appearing in said agreement, and the rules stated hereafter. The agreement will set out in detail the characteristics of the wastes, the flow conditions which shall govern and the conditions with respect to the physical connection or connections. It will be the policy of the Authority to consider each application on its own merits, and to establish specific conditions applicable to the particular situation, for each agreement. No connection shall be made prior to execution of the agreement.

Special Application:

44. Prior to approving an application for a connection involving the acceptance of industrial wastes, the applicant shall submit complete data with respect to the following:

- (a) Average, maximum and minimum rates of flow to be expected daily and seasonally and time of day when each can be expected.
- (b) Flow diagram, showing points of application of chemicals type and quantity of each chemical used per day as per shift, a schedule of operations, expected chemical characteristics of the untreated wastes, and the point or points of connection to the sewerage system. The normal situation will require the separation of, and separate points of connection for domestic sewage and industrial wast from each industrial establishment.

Prohibited Wastes:

- 45. Wastes containing the following substances or possessing the characteristics listed below, will not be accepted:
 - (a) Any vapors or steam.
 - (b) Any fluids with temperature in excess of 150 degrees Fahrenheit.
 - (c) Any fluid wastes which contain in excess of 100 parts per million of fat, oil or grease, either vegetable or mineral.
 - (d) Any volatile, explosive or flammable substances such as benzene, gasoline, naptha, fuel oil or similar substances.
 - (e) Any solids or viscuous matter which may cause any interference with the flow of sewage, such as ashes, cinders,

concrete, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood, paunch manue, hair or similar substances. Equipment or trucks carrying such materials shall not be washed and this water discharged in the system.

- (f) Any fluid wastes having a pH value less than 5.5, or in excess of 9.0 or possessing other properties capable of causing damage or hazard to sewers, structures, treatment process, equipment or operating personnel.
- (g) Any wastes containing toxic or poisonous substances in sufficient concentration to interfere with the sewage treatment process, to cause injury to animals or persons, or to create an unacceptable condition in the receiving streams.
- (h) Any noxious or malodorous gas or substance, which is capable of causing a public nuisance.

Grease, Oil and Sand Separators:

46. When, in the opinion of the Authority Engineer, grease, oil and sand interceptors, or oil reclaimers are required they shall be provided and maintained at the expense of the owner, in continuously efficient operating condition. Grease and oil interceptors shall be constructed of impervious materials capable of withstanding abrupt and extreme changes in temperature

They shall be watertight, substantially constructed and equipped with readily removable access covers. Where deemed necessary, co water sprays shall be installed. The design and pertinent data shall be submitted to the Authority for review and approval, prio to construction or installation. Separators must be constructed entirely on the property of the owner.

Service stations shall be required to install grease and oil separators. Laundromats shall be required to install lint separators, which separators shall be properly vented.

Preliminary Treatment:

- 47. The Authority reserves the right to require preliminary treatment, where the chemical characteristics of the proposed industrial wastes, in the opinion of the Authority Engineer, or in the opinion of the State Health Department, make such preliminary treatment desirable or mandatory. Some of the characteristics whi may dictate preliminary treatment are listed below:
- (a) A 5 day B. O. D. in excess of 300 p.p.m.
- (b) Suspended solids in excess of 350 p.p.m.
- (c) Average daily flow in excess of 2% of rated capacity of the treatment plant.
- (d) Presence of arsenick, barium, cadmium, chloride, chromium, copper, cyanide, fluoride, iron, lead, magnesium, manganese, nickel, nitrate, selenium, sulfate, zinc, or pH values outside the acceptable limits described in Rule 45, paragraph (f).

- 48. In such instances where it is agreed that the industrial waste will be received following preliminary treatment drawings and specifications shall be submitted for approval of the Authority Engineer showing all pertinent details of the construction proposed to accomplish the treatment, to include details of the indicator recorder-register type of fluid meter, and housing to be used, to meter the flow of industrial wastes, and also details of the control manhole to be constructed on the industrial wastes connection within the sidewalk area. The control manhole shall be provided with adequate access manhole covers of the approved type, through which access shall be possible to Authority personnel at all times. Drawings, specifications, reports, etc., shall be submitted in quadruplicate, and shall be prepared by a registered Professional Engineer.
- 49. Where preliminary treatment facilities are required, they shall be provided and continuously maintained in an effectively operating condition at all times, at the expense of the industry.
- 50. Each industry connected, shall be responsible for maintaining a quality of effluent from their premises, which conforms to the provisions established in their agreement with the Authority. Sampling and analysis shall be done to conform with accepted practice, and in accordance with the current edition of Standard Methods for the Examination of Water, Sewage and

Industrial Wastes:

51. The cost of preparing and submitting this data for consideration by the Authority, shall be borne by the industry. Likewise, the cost of sampling and analysis to determine compliance with the terms of the agreement, shall be borne by the industry, although conducted by the Authority, or its duly authorized representative.

Control Manhole:

52. The Industries permitted to connect to Authority sewers even though not initially being required to provide preliminary treatment, may be required to provide a control manhole and/or meter, as described in Rule 48 above.

Penalty or Discontinuance:

- 53. In the event that any industry fails to conform to these regulations, or fails to comply with the terms and conditions of their agreement with the Authority, which failure causes damage of any sort to the Authority or Authority's employees, the Authority shall determine the extent of the damage and bill the industry accordingly. If such bill is not paid within five calendar days from the date of the bill, legal action may be instituted to enforce collection; or the Authority may resort to termination of the connection after giving twenty-four hours notice.
- 54. The Authority reserves the right to cancel the agreement, upon one year's written notice, in the event of

repeated failure to comply with the terms of the agreement, or the rules and regulations of the Authority.

Industrial Waste Meters:

or provides from its own sources a portion of the water consumed on the premises, which eventually finds its way into the sewerage system of the Authority, the provisions of Schedule 2A will apply This does not relieve the industry from the requirement to furnis install and maintain a meter of the indicator-register recorder type, to measure the discharge of industrial wastes, as described in Rule 48. The water meter will be approved by the Authority, but supplied by the customer with the cost of the said meter and installation to be borne by the industry. All costs of furnishing, installing and maintaining the industrial waste flow meter will be borne by the industry.

SPECIFICATIONS TO BE MET IN CONSTRUCTION OF SANITARY SEWER

56. Any person, firm or corporation who shall construct sanitary sewers within the Borough of Buena after obtaining the necessary approval of the Borough of Buena Municipal Utilities Authority shall follow and meet the requirements of the specifications entitled "Specifications of Construction Materials" and Detail Construction Specifications" and other standards that may be adopted by the Authority, as the same may apply, unless otherwise waived by the Authority.

57. A copy of the specifications hereinbefore referred to shall be on file at the office of the Authority and may be purchased from the Authority upon payment of a fee of \$5.00.