ANALYTICAL REPORT

PREPARED FOR

Attn: Amanda Healy Housatonic Basin Sampling & Testing 80 Run Way Lee MA 01238

Generated 3/4/2025 8:00 AM

JOB DESCRIPTION

1058000-250203

JOB NUMBER

810-138767-1

Eurofins Eaton Analytical South Bend 110 S Hill Street South Bend IN 46617



Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization

Generated 3/4/2025 8:00 AM

Authorized for release by Amanda Scott, Project Manager Amanda.Scott@et.eurofinsus.com



Massachusetts Department of Environmental Protection - Drinking Water Program

Secondary Contaminant Report doc rev 12/2020

I. PWS INFORMA	TION: Plasea	ofor to your	DED Water (Quality Sa	mnling Sc	hodulo (WOS	SS) to 1	haln cample	to this	form				
		elei to your	DEF Water C	Quality 3a			$\overline{}$		ile lilis	101111				
PWS ID #:	MA1058000				C	ity / Town:	Ches	shire						
PWS Name:	Cheshire Wate	r Departmen	t					PWS CI	ass:	COM I	<u> </u>	ITNC	☐ TNC	
DEP LOCATION (LOC) ID#		DEP L	ocation Name			Sar	Sample Information			Date Collected		Co	Collected By	
10007	POE Post Bld	02G/03G				☐ (M)ultiple ☑ (S)ingle		☐ (R)aw ☑ (F)inishe	ed	02/03/2	2025	СВ		
Routine or	C	riginal, Resub				•	ŀ	f Resubmitted	l Report	, list belo	w:			
Special Sample	— • • • •	Confirmation				(1) Reason fo				<u> </u>	lection	Date of 0	Original Samp	
☑ RS □ SS	☑ Original	Resubmit		firmation	Resam	-		☐ Report Co	orrection					
SAMPLE COMMEN	TS — (Such as, if	a Manifold/Mul	tiple sample, lis	t the source	es that were o	on-line during s	ample c	collection.)						
II. ANALYTICAL I	ABORATORY	INFORMATION	ON: Attach cop	y of subcor	ntracted lab a	nalysis report (as appli	icable)						
Primary Lab MA	Cert.#:	И-IN035	Primary La	b Name:	Eurofins	Eaton Analy	tical So	outh Bend		Sub	contra	cted? ((/N) Y	
Contaminant	Result	Result Qualifier	SMCL	Lab MDL	Lab MRL	Dilution Factor	La	b Method	Date A	nalyzed		sis Lab Cert. #	Analysis La Sample ID#	
IRON (mg/L)	<0.072		0.3	0.072	0.21	1	EPA 2	200.7Rev4.4	03/03	3/2025	M-P	A009	810-138767-	
MANGANESE		1	0.05*			1							810-138767-	
(mg/L) ALKALINITY		 	None			+							810-138767-	
(mg/L as CaCO3) CALCIUM			None										810-138767-	
(mg/L) MAGNESIUM							-		-					
(mg/L)			None										810-138767-	
(mg/L as CaCO3)			None										810-138767-	
POTASSIUM (mg/L)			None										810-138767-	
TURBIDITY (NTU)			None										810-138767-	
ALUMINUM			0.2										810-138767-	
(mg/L) CHLORIDE			250			1							810-138767-	
(mg/L) COLOR (C.U.)			15										810-138767-	
COPPER (mg/L)			1		1								810-138767-	
ODOR (T.O.N)			3		-								810-138767-	
pH			6.5-8.5										810-138767-	
SILVER (mg/L)			0.10										810-138767-	
SULFATE		+	250		+	+							810-138767-	
(mg/L)		+												
TDS (mg/L)		1	500										810-138767-	
ZINC (mg/L)	a lifetima e I la eltla A duri	any (IIA) for mon	5	(I and an as	to IIA of 1 0 may	-//							810-138767-	
* EPA has established a		sory (HA) for man	iganese at 0.5 mg/	L and an act	ILLE HA OI 1.0 MQ	J/L.								
LAB ANALYSIS CO	MIMENIS													
					<u> </u>									
Result Qualifier and	d Description													
certify under penal					Αι	ıthorized Si	ignatı		fmar Scott, Projec	ola =	Seō	et		
omplete to the bes							D		3/2025	-				
n accordance with 310 Ci nd of the month in which eDEP) deadline is the sa	the results are received													
DEP REVIEW STATE	US (Initial and Dat	,			Review								VQTS	
☐ Accepted		Disapproved		.	Comments	1						Data	a Entered	

ANALYTICAL REPORT

PREPARED FOR

Attn: Amanda Healy
Housatonic Basin Sampling & Testing
80 Run Way
Lee, Massachusetts 01238
Generated 3/3/2025 4:27:15 PM

JOB DESCRIPTION

1058000-250203

JOB NUMBER

810-138767-1

Eurofins Eaton Analytical South Bend 110 S Hill Street South Bend IN 46617



Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization

Generated 3/3/2025 4:27:15 PM

Authorized for release by Amanda Scott, Project Manager Amanda.Scott@et.eurofinsus.com (574)233-4777

13

2

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Certification Summary	11
Method Summary	13
Sample Summary	14
Chain of Custody	15
Receipt Checklists	18

3

4

9

10

12

13

Definitions/Glossary

Client: Housatonic Basin Sampling & Testing Job ID: 810-138767-1

Project/Site: 1058000-250203

Glossary

QC

RER

RL RPD

TEF

TEQ **TNTC** **Quality Control**

Relative Error Ratio (Radiochemistry)

Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count

Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points

J. 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
\(\)	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive

3/3/2025

Page 4 of 19

Case Narrative

Client: Housatonic Basin Sampling & Testing

Project: 1058000-250203

Job ID: 810-138767-1 Eurofins Eaton Analytical South Bend

Job Narrative 810-138767-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these
 situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise
 specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 2/21/2025 10:30 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

5

Job ID: 810-138767-1

2

4

5

6

8

9

10

4.0

13

Detection Summary

Client: Housatonic Basin Sampling & Testing

Job ID: 810-138767-1

Project/Site: 1058000-250203

Client Sample ID: POE Post Bld 02G/03G [10007]

PWSID Number: MA1058000

Lab Sample ID: 810-138767-1

Analyte	Result Qualifier	RL	MDL	Unit	Dil Fac	D N	Method	Prep Type
Sodium	51	1.0	0.72	mg/L	1	_ E	PA	Total/NA
						2	200.7Rev4.4	

3

A

4

J

9

10

13

Client Sample Results

Client: Housatonic Basin Sampling & Testing

Job ID: 810-138767-1

Project/Site: 1058000-250203

Client Sample ID: POE Post Bld 02G/03G [10007] Lab Sample ID: 810-138767-1

Date Collected: 02/03/25 08:30

Date Received: 02/21/25 10:30

Matrix: Drinking Water PWSID Number: MA1058000

Method: EPA 200.7Rev4.4 - Metals (ICP)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.21	0.072	mg/L		03/01/25 16:10	03/03/25 12:21	1
Sodium	51		1.0	0.72	mg/L		03/01/25 16:10	03/03/25 12:21	1

3

4

5

9

11

13

QC Sample Results

Client: Housatonic Basin Sampling & Testing Job ID: 810-138767-1

Project/Site: 1058000-250203

Method: EPA 200.7Rev4.4 - Metals (ICP)

Lab Sample ID: MB 410-611490/1-A **Client Sample ID: Method Blank**

Matrix: Drinking Water Analysis Batch: 612100

Matrix: Drinking Water

Analysis Batch: 612100

Lab Sample ID: LCS 410-611490/2-A

Prep Type: Total/NA Prep Batch: 611490

-	MB	MB						-	
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.21	0.072	mg/L		03/01/25 16:10	03/03/25 11:56	1
Sodium	ND		1.0	0.72	mg/L		03/01/25 16:10	03/03/25 11:56	1

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 611490

		Spike	LCS	LCS				%Rec	
1	Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Ī	ron	0.300	0.309		mg/L		103	90 - 110	
5	Sodium	5.00	5.01		mg/L		100	90 - 112	

QC Association Summary

Client: Housatonic Basin Sampling & Testing

Project/Site: 1058000-250203

Metals

Prep Batch: 611490

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-138767-1	POE Post Bld 02G/03G [10007]	Total/NA	Drinking Water	Non-Digest Prep	
MB 410-611490/1-A	Method Blank	Total/NA	Drinking Water	Non-Digest Prep	
LCS 410-611490/2-A	Lab Control Sample	Total/NA	Drinking Water	Non-Digest Prep	

Analysis Batch: 612100

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-138767-1	POE Post Bld 02G/03G [10007]	Total/NA	Drinking Water	EPA	611490
				200.7Rev4.4	
MB 410-611490/1-A	Method Blank	Total/NA	Drinking Water	EPA	611490
				200.7Rev4.4	
LCS 410-611490/2-A	Lab Control Sample	Total/NA	Drinking Water	EPA	611490
				200.7Rev4.4	

Job ID: 810-138767-1

3/3/2025

Lab Chronicle

Client: Housatonic Basin Sampling & Testing

Project/Site: 1058000-250203

Lab Sample ID: 810-138767-1

Matrix: Drinking Water

Job ID: 810-138767-1

Client Sample ID: POE Post Bld 02G/03G [10007]

Date Collected: 02/03/25 08:30 Date Received: 02/21/25 10:30

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Prep	Non-Digest Prep			611490	UJL8	ELLE	03/01/25 16:10
Total/NA	Analysis	EPA 200.7Rev4.4		1	612100	MT26	ELLE	03/03/25 12:21

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Housatonic Basin Sampling & Testing

Project/Site: 1058000-250203

Job ID: 810-138767-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Dat
A2LA	Dept. of Defense ELAP	0001.01	11-30-26
A2LA	Dept. of Energy	0001.01	11-30-26
A2LA	ISO/IEC 17025	0001.01	11-30-26
Alabama	State	43200	01-31-26
Alaska	State	PA00009	06-30-25
Arizona	State	AZ0780	03-12-25
Arkansas DEQ	State	88-00660	08-09-25
California	State	2792	01-31-26
Colorado	State	PA00009	06-30-25
Connecticut	State	PH-0746	06-30-25
Delaware (DW)	State	N/A	01-31-26
Florida	NELAP	E87997	06-30-25
Georgia (DW)	State	C048	01-31-26
Illinois	NELAP	200027	01-31-26
lowa	State	361	03-01-26
Kansas	NELAP	E-10151	10-31-25
Kansas Kentucky (DW)	State	KY90088	12-31-25
	State		
Kentucky (UST)		0001.01	11-30-26
Kentucky (WW)	State	KY90088	12-31-25
Louisiana (All)	NELAP	02055	06-30-25
Maine	State	2019012	03-12-25
Maryland	State	100	06-30-25
Massachusetts	State	M-PA009	06-30-25
Michigan	State	9930	01-31-25 *
Minnesota	NELAP	042-999-487	12-31-25
Mississippi	State	023	01-31-26
Missouri	State	450	01-31-28
Montana (DW)	State	0098	01-01-26
Nebraska	State	NE-OS-32-17	01-31-26
New Hampshire	NELAP	2730	01-10-26
New Jersey	NELAP	PA011	06-30-25
New York	NELAP	10670	04-01-25
North Carolina (DW)	State	42705	07-31-25
North Carolina (WW/SW)	State	521	12-31-25
North Dakota	State	R-205	01-31-24 *
Oklahoma	NELAP	9804	08-31-25
Oregon	NELAP	PA200001	09-11-25
Pennsylvania	NELAP	36-00037	01-31-26
Quebec Ministry of Environment and Fight	PALA	507	09-16-29
against Climate Change Rhode Island	State	LAO00338	12-30-25
South Carolina	State	89002	01-31-25 *
	State	02838	
Tennessee			01-31-26
Texas	NELAP	T104704194-23-46	08-31-25
USDA	US Federal Programs	525-22-298-19481	10-25-25
Vermont	State	VT - 36037	10-28-25
Virginia	NELAP	460182	06-14-25
Washington	State	C457	04-11-25
West Virginia (DW)	State	9906 C	01-31-26
West Virginia DEP	State	055	07-31-25

 $^{^{\}star}\,\text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

Eurofins Eaton Analytical South Bend

3/3/2025

Page 11 of 19

2

5

Q

10

10

13

Accreditation/Certification Summary

Client: Housatonic Basin Sampling & Testing Job ID: 810-138767-1

Project/Site: 1058000-250203

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date	
Wyoming	State	8TMS-L	01-31-26	
Wyoming (UST)	A2LA	0001.01	11-30-26	

3

4

5

_

9

10

12

13

1/2

Method Summary

Client: Housatonic Basin Sampling & Testing

Project/Site: 1058000-250203

Job ID: 810-138767-1

Method	Method Description	Protocol	Laboratory
EPA 200.7Rev4.4	Metals (ICP)	EPA	ELLE
Non-Digest Prep	Preparation, Non-Digested Aqueous Metals	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: Housatonic Basin Sampling & Testing Project/Site: 1058000-250203


Job ID: 810-138767-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
810-138767-1	POE Post Bld 02G/03G [10007]	Drinking Water	02/03/25 08:30	02/21/25 10:30	MA1058000

Chain of Custody Record

	Ų	1	Ç
٩	í	H	ġ

FIIOIE: 3/4-233-4/// FAX: 3/4-233-020/							
	Sampler:		Lab PM:		Carrier Tracking No(s):		No:
Client Contact Shipping/Receiving	Phone: N/A		E-Mail: Amanda	E-Mail: Amanda.Scott@et.eurofinsus.com	State of Origin: Massachusetts	Page: Page:	Page: Page 1 of 1
Company: Eurofins Lancaster Laboratories Environm			Acc Sta	Accreditations Required (See note): State - Massachusetts		Job #	Job #: 810-138767-1
Address: 2425 New Holland Pike,	Due Date Requested: 3/13/2025			Analysis I	Requested	Pres	Preservation Codes:
City: Lancaster	TAT Requested (days):	N/A	į.				
State, Zip: PA, 17601				n Analy			
Phone: 717-656-2300(Tel)	PO #)	Custon			
Email:	WO#		or No				
N/A	N/A		98 (ers	
1058000-250203	81000853		le (Ye			ntaine	
Site: N/A	SSOW#		Samp			of co	n
		Sample	Matrix (www.ater.	m MS/M		lumber	
Sample Identification - Client ID (Lab ID)	Sample Date Time	(C=comp, G=qrab)	S=solid, O=waste/oli, BT=Tissue, A=Air)			Total I	Special Instructions/Note:
		Preserva	tion Code:	\sim		X	
POE Post Bid 02G/03G{10007} (810-138767-1)	2/3/25 08:30 Eastern	G	rinking Wate	×		-	
						84 733	
Note: Cince laborators according to a subject to change Eurofice Eaton is	palatical III o planes the owners.				This		of purpose of the pur
currently maintain accreditation in the State of Origin listed above for analysts/tests/matrix being analysed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.	itations are current to date, return	the signed Chain of C	Custody attesting to	orins Eaton Analytical, LLC laboratory or said compliance to Eurofins Eaton Analytical	rical, LLC.	rovided. Any changes to	accreditation status should be brought to
Possible Hazard Identification			·	Sample Disposal (A fee may I	may be assessed if samples are retained longer than 1 month)	les are retained long	nger than 1 month)
Deliverable Requested: I, II, III, IV, Other (specify)	Primary Deliverable Rank: 2	ank: 2		Special Instructions/QC Requirements	ements:		
Empty Kit Relinquished by:	Date:		Tir	Time:	Method of Shipment:	ment	
Religioned by Dolling 1) 9+	Date/Time: DAT X X	1020	Company COMPANY	Received by:	Dai	Date/Time:	Company
Rélinquished b	Date/Time:		Company	Received by:	Dat	Date/Time:	Company
Relinquished by:	Date/Time:		Company	Received by:	Dat	Date/Time:	Company
ody Seals				Cooler Temperature(s) °C and Othe	and Other Remarks:		
L_							V 10/10/2021



Eurofins Eaton Analytical South Bend

110 S Hill Street

South Bend, IN 46617

Chain of Custody Record



💸 eurofins

Environment Testing

Phone: 574-233-4777. Fax: 594-233-8207												H LE						
Client Information (Sub Contract Lab)	Sampler: N/A			Sci	PM: ott, A	man	da				[1	Carrier Ti N/A		No(s):			COC No: 810-52617_1	
Client Contact: Shipping/Receiving	Phone: N/A			E-M	anda.Scott@et.eurofinsus.com Ma					State of Origin: Massachusetts					Page: Page 1 of 1			
Company: Eurofins Lancaster Laboratories Environm						Accreditations Required (See note): State - Massachusetts											Job #: 810-138767-1	
Address: 2425 New Holland Pike	Due Date Requeste 3/13/2025	d:			T				Ana	alysis	Req	ueste	d				Preservation Cod	es:
City: Lancaster	TAT Requested (da	ys): N/A					ek.]	
State, Zip: PA, 17501							E An											
Phone: 717-656-2300(Tel)	PO #: N/A				9		Custo											
Email: N/A	WO#: N/A				Sample (Yes or No)	No)	(MOD)									2		
Project Name: 1058000-250203	Project #: 81000853				le (Ye	les or	Prep									containers		
Site: N/A	SSOW#: N/A				Samp	SD ()	ž.									of co	Other: N/A	
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time		Matrix (W-water, 8-solid, D-waste/oll, BT-Tissue, A-A	Field Filtered	Perform MS/MSD (Yes or No)	200.7_SDWA/MTL_ND_Prep (MOD) Custom Analyte									Total Number	Special In:	structions/Note:
	_><	08:30	Preserva	tion Code:	X	X										\perp X		
POE Post Bid 02G/03G{10007} (810-138767-1)	2/3/25	Eastern	G	Prinking Wa	ate		X								\pm	1		
					\perp							+			+			
															士			
					\mathbb{H}	Ц		-		-		-			+			
					+			-		+			-		+			
					\top													
Note: Since laboratory accreditations are subject to change, Eurofins Eat currently maintain accreditation in the State of Origin listed above for ana Eurofins Eaton Analytical, LLC attention immediately. If all requested acc	lysis/tests/matrix being analyz	ed, the sample	es must be ship	oped back to t	he Eur	rofins	Eaton A	nalytical	LLC lat	poratory o	or other	instruction	e shipm ons will	nent is fo be provid	rwarded ded, An	d under	r chain-of-custody. If t nges to accreditation s	he laboratory does not tatus should be brought to
Possible Hazard Identification						Sar				ee may	be as	sesse	d if sa	mples	are re		ed longer than 1	
Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2			-		Spe		urn To		Requir		isposal ts:	By La	ab		Arch	nive For	Months	
Empty Kit Relinquished by:	,	Date:			Tir	me:							thod of	Shipmer	nt:			
Relyfqlished by:	Date/Tighe:		1000	Company	1."		Receive	d by						Date/Ti				Company
Rélinquished by	Data/Time:	UDS	1030	Company	81	3	Receive	d by:						Date/Ti	me.			Company
Relinquished by:	Date/Time:			Company			Receive	d by:		-	1/1	1/4	2_	Date/Ti	775	125	1030	Company
Custody Seals Intact: Custody Seal No.:							Cooler 1	Tempela	tur (s)	C and Ot	net Rec	2			1		a	

Login Sample Receipt Checklist

Client: Housatonic Basin Sampling & Testing

Job Number: 810-138767-1

Login Number: 138767 List Source: Eurofins Eaton Analytical South Bend

List Number: 1

Creator: Moffitt, Heather

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	False	Refer to Job Narrative for details.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	False	Refer to Job Narrative for details.
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is 66mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

3

4

6

<u>۾</u>

9

11

12

Client: Housatonic Basin Sampling & Testing

Job Number: 810-138767-1

Login Number: 138767 List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 2 List Creation: 02/25/25 02:54 PM

Creator: Arroyo, Haley

Question	Answer	Comment
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable, where thermal pres is required (=6C, not frozen).</td <td>True</td> <td></td>	True	
Cooler Temperature is recorded.	True	
WV:Container Temp acceptable, where thermal pres is required (=6C, not frozen).</td <td>N/A</td> <td></td>	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
Sample custody seals are intact.	N/A	
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A	