

Updated Drinking Water Source Protection Plan 2023

Fairfield Town
UTAH25011
Fairfield Town Well
WS002

11/30/2023

Prepared by:
Tyler Thomas
Megan Jensen, RWAU

Table of Contents

1. INTRODUCTION	3
2. DELINEATION REPORT	3
3. INVENTORY OF POTENTIAL CONTAMINATION SOURCES (PCS).....	3
4. ASSESSMENT OF PCS HAZARDS	3
5. MANAGEMENT OF EXISTING POTENTIAL CONTAMINATION SOURCES.....	4
6. MANAGEMENT OF FUTURE POTENTIAL CONTAMINATION SOURCES.....	4
7. IMPLEMENTATION SCHEDULE	4
8. RESOURCE EVALUATION	4
9. RECORDKEEPING SECTION	4
10. CONTINGENCY PLAN	4
11. PUBLIC NOTIFICATION	5
12. Waivers	5
Appendix	6
Utah DEQ Fertilizer Fact Sheet	7-8
Utah DEQ Pesticides Fact Sheet	9-10

Executive Summary

1. Introduction

1.1 System Information

System Name: Fairfield Culinary Water System
PWSID Number: 25011
System Address: PO Box 271
Cedar Valley, UT 84013
Phone Number: (801) 921-0833

1.2 Source Information

Name of Source: Fairfield Town Well
Source ID Number: WS002
Type of Source: Well

1.3 Designated Person

Name: Tyler Thomas
Phone Number: (801) 921-0833

2. Delineation Report

No changes have occurred to the delineation.

3. Inventory of Potential Contamination Sources (PCS) (incl. List, hazards, prioritization, location and map)

No changes.

4. Assessment of PCS Hazards

No changes.

5. Management of Existing Potential Contamination Sources

No changes.

6. Management of Future Potential Contamination Sources

No changes.

7. Implementation Schedule

To implement our source protection plan, we sent a copy of the DEQ Fertilizer Fact Sheet and DEQ Pesticides Fact Sheet to the residents living in our delineation zones on November 21, 2023. The letters were sent to the LDA Family Trust, JDH Fairfield LLC, Sheila McKinney, and Sherie Warner. A copy of the fact sheets sent out are included in the appendix of this report.

8. Resource Evaluation

No changes.

9. Recordkeeping Section

Records associated with the implementation of this plan are attached in the appendix. Records include:

- DEQ Fertilizer Fact Sheet
- DEQ Pesticides Fact Sheet

10. Contingency Plan

Previously approved by the Division, no changes.

11. Public Notification

Previously approved by Division, no changes.

12. Waivers

Fairfield Town does not have use waivers for this well.

Appendix



Partnership for the Environment

Utah Department of Environmental Quality

Fertilizer Fact Sheet

What Are The Potential Hazards?

Fertilizer applied to plants during crop, lawn, and garden maintenance may leach into the ground water and cause contamination. The main constituent in fertilizer is usually nitrogen. If the nitrate level of drinking water is too high, infants, up to the age of six months, can develop a fatal disease called blue baby syndrome (methemoglobinemia). Drinking water that contains 10 milligrams of nitrate-nitrogen per liter of water exceeds the drinking water standard and should not be used, especially for infant formula. Proper storage, application, and watering procedures should be included in fertilizer best management practices to prevent contamination of ground water.

Storing Fertilizers

The less fertilizer you buy, the less you will have to store. Therefore, only purchase the amount and kind of fertilizer that you need.

- Fertilizer should be stored in locked, dry cabinets.
- Keep fertilizer and pesticides on separate shelves.
- Don't store fertilizer with combustibles, such as gasoline or kerosine, because of explosion hazards.

Application Precautions

The chemical in fertilizer that can most easily pollute ground water is a form of nitrogen called nitrate. Nitrate moves readily in soil to the ground water strata. The best way to prevent the movement of nitrate into the ground water is to apply no more nitrogen than the crops, grass, garden plants, shrubs, or trees can use during the time that the plants are growing.

- Calibrate your spreader and sprayer to keep from applying too much fertilizer.
- Load fertilizer spreaders on the driveway or other hard surfaces so any spills can easily be swept up. Fertilizer that spills should be swept up and applied to the lawn or garden at the right time and amount. This allows the fertilizer to grow plants instead of washing off into the storm drain system and ultimately contaminating nearby streams and lakes.
- If you are using liquid fertilizer on your turf, add fertilizer to the spray tank while on the lawn. This way, if you spill the fertilizer, it will be used by the plants and not run off into the storm drain system.
- Do not spray or apply fertilizer near irrigation wells. Wells are conduits to the ground water.

Application Rates For Lawns

Utah State University's Extension Service recommends the following for Utah lawns: "It is important to fertilize on a regular basis every four to six weeks to maintain an attractive lawn. Begin

when lawns start to green in the spring, mid to late April. Earlier applications may cause a lawn to become greener faster, but may also increase spring disease problems. Summer applications of nitrogen fertilizer will not burn lawns, if you apply them to dry grass and water immediately. Fall applications are important for good winter cold tolerance, extended fall color, and fast spring green-up. A complete fertilizer containing nitrogen, phosphorus and potassium should be applied in the fall every three to four years. This will prepare the lawn for winter conditions and allow the phosphorus to penetrate into the root zone by the next growing season.

For a well-kept lawn in Utah, apply 1 pound of available nitrogen per 1,000 square feet each four to six weeks throughout the growing season. The following chart indicates how much of various fertilizer will supply one pound of nitrogen.”

%N on Label	Pounds of Fertilizer Per 1000 Square Feet
12-15	7-8
18-21	5-5 ½
24-28	3 ½-4
30-34	3-3½
45-46	2-2 ¼

Types of Plants

One of the best ways to protect your ground water is to use plants that are drought-tolerant and that are adapted to your area. Drought-tolerant or low-water-use plants can continue to survive once they are established, even during times of little rainfall. Because you do not have to water these plants, there is less chance that nitrate and pesticides will be carried with the water through the soil and into the ground water.

If low-water-use plants are not practical, then try to use medium water use plants. Water these plants only when they begin to show drought stress. Some plants will wilt when they are drought-stressed, while other plants will show marginal leaf burn.

Watering

Over-watering plants can cause excess water to move through the soil. This water can flush fertilizer away from the root zone of your plants and into the ground water. The best way to avoid over-watering is simply to measure how much you are adding. Contact your county Extension Service to determine the best way to calculate how much water your plants need and how to measure the amount you are applying.

For More Information, Contact:

Division of Drinking Water, Source Protection Program - (801) 536-4200
Department of Agriculture - (801) 538-7100
Environmental Hotline - 1-800-458-0145
Sonja Wallace, Pollution Prevention Coordinator - (801) 536-4477



Partnership for the Environment

Utah Department of Environmental Quality

Pesticides Fact Sheet

What Are The Potential Hazards?

Pesticides applied to plants during crop, lawn, and garden maintenance may leach into the ground water and cause contamination. Proper storage, mixing, application, spill cleanup, watering, and disposal procedures should be included in pesticide best management practices.

Storing Pesticides

The fewer pesticides you buy, the fewer you will have to store. Therefore, only purchase the amount and kind of pesticide that is needed. Pesticides should always be stored in sound, properly labeled, original containers. ***Sound containers are the first defense against spills and leaks.***

- Ensure that there are no holes, tears, or weak seams in the containers and that the label is readable.
- Pesticides should be stored in locked, dry cabinets.
- Be sure to store dry products above liquids to prevent wetting from spills.
- Storage and mixing areas should not be located near floor drains of any kind.
- Storage facilities should have secondary containment, such as a berm or dike, which will hold spills or leaks at:
 1. 10% of the total volume of the containers, or
 2. 110% of the volume of the largest container, whichever is larger.

Mixing Pesticides

- Mix pesticides on an impermeable surface, such as concrete, so any spills will be contained.
- Mix only the amount that you will use:
 1. Measure the total square feet you intend to treat.
 2. Read the label on the pesticide container and follow the instructions. (These are often given in terms of amount of pesticide to use per thousand square feet.)
 3. By properly measuring and calculating, there should be little or no pesticide left in the spray tank when the job is finished and it will be applied at the recommended rate.

Applying Pesticides

Pesticides are used to kill or control weeds (herbicides), insects (insecticides) and fungi (fungicides) that attack plants. Some of these pesticides can move through the soil and into the ground water. Guidelines for the safe use of pesticides are listed below:

- Be willing to accept a low level of weed, insect, and plant disease infestation.

- Use pesticides only when absolutely necessary.
- Identify pests correctly. Use the proper pesticides.
- Read and follow the directions printed on the container labels. Remember, *the label is the law*.
- Calibrate your spreader and sprayer to keep from applying too much pesticide.
- Do not spray or apply pesticides near irrigation wells. Wells are conduits to the ground water.
- Do not spray or apply pesticides near your walks and driveway. This prevents them from washing off into the storm drain system.

Cleaning Up Spills

- Dry formulated pesticide spills should be swept up and applied to crops, lawns, and gardens at the rate specified on the label.
- Liquid pesticide spills should be soaked up using absorbent material (such as, soil, sawdust, and cat litter). The contaminated absorbent material should then be put in a sealed container and taken to a household hazardous waste collection site.

Watering

Over-watering your plants can cause excess water to move through the soil. This water can carry pesticides that can contaminate the ground water. The best way to avoid over-watering is simply to measure how much you are adding. Contact your county Extension Service to determine the best way to calculate how much water your plants need and how to measure the amount you are applying.

Disposing of Pesticides

If the pesticide was properly measured and mixed, there should be little or no spray left in the tank. The little that may be left can be safely sprayed over the area that was treated until it is gone. Disposal of “empty” pesticide containers and unused pesticides should be handled as follows:

- If you are using liquid pesticides, rinse the container three times. Be sure to pour the rinsing into your sprayer and not down a drain or onto the ground. Containers which have been emptied and rinsed can be discarded in the trash.
- Unused pesticides in their original containers can be recycled at household hazardous waste collection sites.

For More Information, Contact:

Division of Drinking Water, Source Protection Program - (801) 536-4200

Department of Agriculture - (801) 538-7100

Environmental Hotline - 1-800-458-0145

Sonja Wallace, Pollution Prevention Coordinator - (801) 536-4477