


This drawing is copyright. No part of this work may be copied, reproduced, altered or amended, stored in a retrieval system, or transmitted in any form or by any means without the prior permission in writing of the copyright owner.



GENERAL NOTES

1. TUBE MADE FROM PREMIUM GALVABOND® TUBE FROM ORRCON OR EQUIVALENT.
2. STEEL TUBE TO COMPLY WITH AS1450 DESIGNATION C250 MINIMUM.
3. STEEL TUBE TO HAVE A ZINC COATING MASS OF 137 G/M² INSIDE AND OUTSIDE OF TUBE.
4. ALL WELDS TO BE SILICON BRONZE.
5. POWDER COATING TO COMPLY WITH AS4506 CLASSIFICATION 2 (SUBJECT TO SITE CONDITIONS).
6. SCREWS TO INSIDE OF FENCE UNLESS BRACKET RESTRICTED.
7. CONCRETE FOOTINGS 20MPa MINIMUM.
8. FOOTING SIZE RECOMMENDED (SUBJECT TO SITE SOIL CONDITIONS).

BILL OF MATERIALS

ITEM	DESCR.	QTY.	SPEC.
1	POST	2	65 x 65 x 1.6mm SHS x 2400mm LG
2	RAIL	2	40 x 40 x 1.6mm SHS x 2400mm LG
3	PICKET	17	25 x 25 x 1.2mm x 1800mm LG CRUSHED SPEAR
4	POST CAP	2	65 x 65 STEEL CAP
5	RAIL BRACKET	4	ONE PIECE SECURITY BRACKET
6	SCREW	12	ANTI-TAMPER SELF DRILLING TEK SCREW 12gx25mm LG

**BLUEDOG
FENCES**
AUSTRALIA
ph. (02) 6755 6444
f. (02) 6762 2311
bluedogfences.com.au

DRAWN	J.H.	17.09.16	JOB No. 8625	© Bluedog Fences Australia Pty Ltd.		
REVIEWED	S.B.	17.09.16	APPROVAL STATUS	SECURATOP® SECURITY FENCE SYSTEM 1800 HT. x 2400 LTH. TYPICAL ASSEMBLY		
APPROVED	S.B.	17.09.16		A3 28-25x25-CRS -19		
SCALE: 1:20, 1:5 @ A3			DO NOT AMEND MANUALLY			AMDT